

Relativity Collect

May 16, 2025

For the most recent version of this document, visit our [documentation website](#).

Table of Contents

| | |
|---|-----------|
| 1 Collect | 9 |
| 2 Installing Collect | 10 |
| 2.1 System requirements for Collect | 10 |
| 2.2 Installing Collect | 10 |
| 2.2.1 Installing Collect from the application library | 10 |
| 2.3 Permissions to run Collect | 11 |
| 3 Matters | 13 |
| 3.1 Creating a matter | 13 |
| 3.2 Matter Details layout fields | 13 |
| 3.3 Viewing or editing matter details | 14 |
| 4 Custodian targets | 15 |
| 4.1 Custodians | 15 |
| 4.2 Fields | 15 |
| 4.3 Creating a custodian target | 16 |
| 4.3.1 Generating targets in the wizard | 17 |
| 4.4 Removing custodian targets | 17 |
| 5 Data sources | 18 |
| 5.1 Creating a collect data source | 18 |
| 5.2 Data source types | 18 |
| 6 Bloomberg chats and emails data source | 20 |
| 6.1 Consideration | 20 |
| 6.2 Creating the data source instance | 20 |
| 6.3 Settings fields | 20 |
| 6.4 Configuring the data source | 20 |
| 6.4.1 Bloomberg chat | 21 |
| 6.4.2 Bloomberg email | 21 |
| 7 Box data source | 22 |
| 7.1 Task checklist | 22 |
| 7.2 Box application setup | 22 |
| 7.2.1 Creating an application with Box | 22 |
| 7.2.2 Authorizing an application | 23 |
| 7.3 Creating the data source instance in Collect | 23 |

| | |
|---|-----------|
| 7.4 Settings fields | 23 |
| 7.4.1 Data source details | 24 |
| 7.5 Configuring the data source in Collect | 24 |
| 8 Cellebrite data source | 25 |
| 8.1 Considerations | 25 |
| 8.2 Prerequisites | 25 |
| 8.3 Task checklist | 26 |
| 8.3.1 Support resources | 26 |
| 8.4 Create the OAuth2 Client | 26 |
| 8.5 Set permissions in RelativityOne | 27 |
| 8.6 Connect Cellebrite to RelativityOne | 27 |
| 8.7 Generate API key for Cellebrite data source | 27 |
| 8.8 Create the data source in RelativityOne | 28 |
| 8.8.1 Settings fields | 28 |
| 8.9 Create entities in RelativityOne | 29 |
| 8.10 Create a Collect job in RelativityOne | 29 |
| 8.11 Mobile data collection results | 29 |
| 8.12 Troubleshooting | 29 |
| 9 ChatGPT Enterprise data source | 31 |
| 9.1 Considerations | 31 |
| 9.2 Prerequisites | 31 |
| 9.3 Creating the data source | 31 |
| 9.4 Settings fields | 32 |
| 9.5 Configuring the data source | 32 |
| 10 Google Workspace data source | 33 |
| 10.1 Considerations | 33 |
| 10.2 Task checklist | 33 |
| 10.3 Google Workspace account setup | 33 |
| 10.3.1 Creating a Google Cloud project | 33 |
| 10.3.2 Enabling required APIs for the Project | 34 |
| 10.3.3 Setting up OAuth2 consent screen | 34 |
| 10.3.4 Adding scopes | 35 |
| 10.3.5 Creating credentials | 36 |
| 10.3.6 Setting reauthentication policy | 37 |

| | |
|--|-----------|
| 10.4 Google Workspace user account setup | 38 |
| 10.4.1 Creating admin role for Vault API | 38 |
| 10.4.2 Creating admin role for the user accounts listing | 38 |
| 10.4.3 Creating admin role for the groups listing | 38 |
| 10.4.4 Enabling required privileges | 39 |
| 10.5 Restricting collections to the selected user accounts | 39 |
| 10.5.1 Creating an organizational unit and adding users | 39 |
| 10.5.2 Scope user privileges to the organizational unit | 40 |
| 10.6 Creating the data source in Collect | 40 |
| 10.7 Configuring the data source in Collect | 41 |
| 10.7.1 Google Groups | 42 |
| 10.7.2 Gmail | 44 |
| 10.7.3 Google Drive | 45 |
| 10.7.4 Google Chat | 47 |
| 10.8 Troubleshooting | 48 |
| 11 iManage data source | 49 |
| 11.1 Considerations | 49 |
| 11.2 Prerequisites | 49 |
| 11.3 Setting up Relativity Collect in iManage | 49 |
| 11.3.1 Permissions | 50 |
| 11.3.2 Throttling | 50 |
| 11.4 Creating the data source in Collect | 50 |
| 11.5 Settings fields | 51 |
| 11.5.1 Data source details | 51 |
| 11.6 Configuring the data source in Collect | 51 |
| 12 Microsoft 365 - OneDrive data source | 55 |
| 12.1 Considerations | 55 |
| 12.2 Task checklist | 55 |
| 12.3 Accessing Microsoft 365 tenants | 55 |
| 12.3.1 Registering the Collect application | 55 |
| 12.3.2 Obtaining a client secret | 56 |
| 12.3.3 Setting API permissions | 57 |
| 12.4 Finding Azure credentials | 58 |
| 12.5 Limiting application registration access to accounts | 59 |

| | |
|---|-----------|
| 12.6 Revoking application access | 59 |
| 12.6.1 Revoking access via Azure Portal | 59 |
| 12.6.2 Revoking access via Powershell | 59 |
| 12.7 Creating the data source in Collect | 60 |
| 12.8 Settings fields | 60 |
| 12.8.1 Data source details | 60 |
| 12.9 Configuring the data source in Collect | 60 |
| 12.9.1 Data source criteria | 61 |
| 12.9.2 Collecting preserved files | 62 |
| 13 Microsoft 365 - Outlook data source | 63 |
| 13.1 Considerations | 63 |
| 13.2 Task checklist | 63 |
| 13.3 Accessing Microsoft 365 tenants | 64 |
| 13.3.1 Registering the Collect application | 64 |
| 13.3.2 Obtaining a client secret | 64 |
| 13.3.3 Setting API permissions | 65 |
| 13.4 Finding Azure credentials | 68 |
| 13.5 Limiting application registration access to accounts | 69 |
| 13.6 Revoking application access | 69 |
| 13.6.1 Revoking access via Azure Portal | 69 |
| 13.6.2 Revoking access via Powershell | 69 |
| 13.7 Creating the data source in Collect | 70 |
| 13.8 Settings fields | 70 |
| 13.8.1 Data source details | 70 |
| 13.9 Configuring the data source in Collect | 70 |
| 13.9.1 Data source criteria | 71 |
| 13.9.2 Criteria | 71 |
| 13.10 Collecting preserved files | 75 |
| 13.11 Viewing collected data | 75 |
| 13.11.1 File names for Outlook email | 75 |
| 13.11.2 Files names on a preservation hold | 75 |
| 13.11.3 Email considerations | 75 |
| 13.12 Troubleshooting | 76 |
| 14 Microsoft 365 - SharePoint data source | 77 |

| | |
|---|-----------|
| 14.1 Considerations | 77 |
| 14.2 Task checklist | 77 |
| 14.3 Accessing Microsoft 365 tenants | 77 |
| 14.3.1 Registering the Collect application | 78 |
| 14.3.2 Obtaining a client secret | 78 |
| 14.3.3 Setting API permissions | 79 |
| 14.4 Finding Azure credentials | 80 |
| 14.5 Limiting application registration access to accounts | 81 |
| 14.6 Revoking application access | 81 |
| 14.6.1 Revoking access via Azure Portal | 81 |
| 14.6.2 Revoking access via Powershell | 81 |
| 14.7 Creating the data source in Collect | 82 |
| 14.7.1 Settings fields | 82 |
| 14.7.2 Data source details | 83 |
| 14.8 Configuring the data source in Collect | 83 |
| 14.8.1 Data source criteria | 83 |
| 14.8.2 Collecting preserved files | 84 |
| 14.9 Troubleshooting | 84 |
| 15 Microsoft 365 - Teams data source | 85 |
| 15.1 Considerations | 85 |
| 15.2 Task checklist | 85 |
| 15.3 Accessing Microsoft 365 tenants | 86 |
| 15.3.1 Licensing requirements | 86 |
| 15.3.2 Billing requirements | 86 |
| 15.3.3 Registering the Collect application | 87 |
| 15.3.4 Obtaining a client secret | 87 |
| 15.3.5 Setting API permissions | 88 |
| 15.4 Finding Azure credentials | 90 |
| 15.5 Limiting application registration access to accounts | 90 |
| 15.6 Revoking application access | 90 |
| 15.6.1 Revoking access via Azure Portal | 91 |
| 15.6.2 Revoking access via Powershell | 91 |
| 15.7 Creating the data source in Collect | 91 |
| 15.8 Settings fields | 92 |

| | |
|--|------------|
| 15.8.1 Data source details | 92 |
| 15.9 Configuring the data source in Collect | 92 |
| 15.9.1 Data source criteria | 92 |
| 16 Refinitiv Eikon data source | 94 |
| 16.1 Consideration | 94 |
| 16.2 Creating the data source | 94 |
| 16.3 Settings fields | 94 |
| 16.4 Configuring the data source | 94 |
| 17 Slack data source | 96 |
| 17.1 Considerations | 96 |
| 17.2 Slack application setup | 96 |
| 17.3 Creating the data source in Collect | 97 |
| 17.4 Settings fields | 98 |
| 17.5 Configuring the data source in Collect | 98 |
| 18 X1 data source | 101 |
| 18.1 Considerations | 101 |
| 18.2 Creating the data source | 101 |
| 18.3 Settings fields | 101 |
| 18.4 Configuring the data source | 102 |
| 18.4.1 Data source criteria | 102 |
| 19 Collection | 106 |
| 19.1 Creating a collection | 106 |
| 19.2 Using the Collect wizard | 106 |
| 19.2.1 Collection Details | 106 |
| 19.2.2 Data source | 107 |
| 19.2.3 Custodians | 108 |
| 19.2.4 Non-custodial | 108 |
| 19.2.5 Collection Summary | 109 |
| 19.3 Identifying Collection data in Staging Explorer | 109 |
| 20 Viewing or editing Collection data | 112 |
| 20.1 Collection details | 112 |
| 20.2 Viewing collected data | 113 |
| 20.3 Collect console | 113 |
| 20.3.1 Preview | 114 |

| | |
|--|------------|
| 20.3.2 Collection | 115 |
| 21 Reports | 117 |
| 21.1 Running reports | 117 |
| 21.1.1 Collection Summary report | 117 |
| 21.1.2 Collection Details report | 117 |
| 21.1.3 Results report | 117 |
| 21.1.4 Errors report | 118 |
| 22 Status Summary | 120 |
| 22.1 Job status | 120 |
| 22.2 Reviewing job statuses | 120 |
| 23 Target Status | 121 |
| 24 Monitor | 122 |
| 25 Index | 124 |

1 Collect

Collect is an easy-to-use application for collecting your custodian's data through different sources. Start by setting up Collect as an application within your data source. For information on registering an app, see the source's documentation on their website. Once registered, start adding custodians, data sources, and targets to Collect. Once connected, start the collect job and begin collecting data from custodians.

Note: This document covers the Collection source source.

- **Bloomberg**—collect short message data from Bloomberg Chat and Email sources. For more information, see [Bloomberg](#). For more information on short messages, see the Relativity User site.
- **Box**—collect data from Box cloud storage sources. You can also collect files from Box directly into RelativityOne Government. This data source requires application setup before you can add it as a data source in Collect. For more information, see [Box application setup on page 22](#).
- **Cellebrite**—collect data from Cellebrite. For more information, see [Cellebrite data source on page 25](#).
- **ChatGPT Enterprise**—collect data from ChatGPT Enterprise. For more information, see [ChatGPT Enterprise data source on page 31](#).
- **Google Workspace**—collect documents from Chat, Drive, Gmail, and Groups. You can also collect files directly into RelativityOne Government. A license for Vault is required to collect data from Google Workspace. For more information, see Google's Vault Help documentation.. Google Chat is collected as RSMF files. For more information on short messages, see the Relativity User site. This data source requires application setup before you can add it as a data source in Collect. For more information, see [Google Workspace account setup on page 33](#).
- **iManage**—collect document and email data from the iManage application. You can collect files and emails directly into RelativityOne Government from iManage's private cloud, Cloud Classic. For more information, see [iManage](#).
- **Microsoft 365**—collect documents from a custodian's OneDrive account, a custodian's Outlook mailbox, archived mailbox, calendar, and contacts list, a custodian's Team account, and SharePoint sites. You can collect chats from Teams directly into RelativityOne Government. Teams is collect as RSMF files. For more information on short messages, see the Relativity User site. This data source requires application setup before you can add it as a data source in Collect. For more information, see [Microsoft 365 setup](#). Depending on your RelativityOne license, your Microsoft tenant might be Microsoft 365 or Microsoft 365 Government. When using Microsoft 365 Government, all fields, workflows, and processes will be the same. The only difference will be the Microsoft 365 source icon you select when setting up a data source or creating a collection.
- **Refinitiv Eikon**—collect short messages from within your organizations Refinitiv Eikon chats. For more information, see [Refinitiv Eikon](#). For more information on short messages, see the Relativity User site.
- **Slack**—collect short messages from within an organization's or custodian's Slack Enterprise application. You can also collect chats from Slack Enterprise Grid directly into RelativityOne Government. For more information on short messages, see the Relativity User site. This data source requires application setup before you can add it as a data source in Collect. For more information, see [Slack data source on page 96](#).
- **X1**—collect documents from within the X1 file system or emails and attachments from within a custodian's email that is a part of the X1 system. You can inspect file names and other metadata, as well as collect files for this data source. You can also configure collection parameters and specify a date range for email messages that you want to discover. For more information, see [X1](#).

2 Installing Collect

You can install Collect in a workspace by using the functionality available through the Application Deployment System (ADS). This system provides you with the option to install Collect by selecting it from the list of existing applications in the Application Library tab or by importing it from an external application file.

To install Collect, install Collect from the Application Library tab and, if required, enable access for the data source.

Confirm that you have the appropriate system admin permissions to install an application. For more information, see [Workspace security](#) on the RelativityOne documentation site.

2.1 System requirements for Collect

Collect uses the ADS framework, so you install it as an application within a Relativity instance. Consequently, Collect has the same system requirements as RelativityOne. For RelativityOne's system requirements, see [System Requirements](#) on the RelativityOne Documentation site.

2.2 Installing Collect

Collect is compatible with RelativityOne. See [Getting started in RelativityOne](#) on the Documentation site for requirements.

For a Collect-only installation, you do not need the following pre-requisites:

- Analytics server setup
- Database server for processing or native imaging
- Worker server for processing or native imaging
- Obtaining applications for native imaging and processing

Because Collect uses the ADS framework, you can install through the Relativity Application tab from the library. See [Installing Collect from the application library below](#).

Note: You configure security permissions on Collect just as you would for any other Relativity application. For more information, see [Workspace security](#) on the RelativityOne documentation site.


2.2.1 Installing Collect from the application library

If Collect is in the application library, you can install it to the current workspace. Confirm that you have the appropriate system admin permissions to install an application. For more information, see [Workspace security](#) on the RelativityOne Documentation site.

Note: Analytics, Case Dynamics, Collect, Legal Hold, and Processing all share the Entity object. You may be prompted to complete additional steps to unlock and resolve conflicts of the listed applications in order to complete installation. For information, see [Troubleshooting application installation errors](#) on the RelativityOne documentation site.

Use the following procedure to install Collect from the application library:

1. Navigate to the workspace where you want to install the application.
2. Navigate to the **Application Admin** tab.
3. Click **New Relativity Application** to display an application form.
4. Click the **Select from Application Library** radio button in the Application Type section.

5. Click the ellipses  button in the **Choose from Application Library** field.
6. Select **Collect** on the Select Library Application dialog. This dialog only displays applications added to the Application Library. If **Collect** is not included in the list, see the [Installing applications](#) topic.
7. Click **Ok** to display the application in the **Choose from Application Library** field. The application form also displays the following fields:
 - **Version**—displays the version of the application that you are installing.
 - **User-friendly URL**—displays a user-friendly version of the application's URL. This field may be blank.
 - **Application Artifacts**—displays object types and other application components.
 - **Map Fields**—there are no fields available in **Collect** for mapping.
8. Click **Import** to install **Collect** into the workspace.
9. Review the import status of the application. Verify that the install was successful or resolve errors.

2.3 Permissions to run Collect

The following security permissions are required to run and complete the collection process:

Note: As of February 2025, the new Feature Permissions redefines Relativity's security management by shifting the focus from Object Types and Tab Visibility to feature-based permissions. This new method is simply another option; any feature-specific permissions information already in this topic is still applicable. This new interface enables administrators to manage permissions at the feature level, offering a more intuitive experience. By viewing granular permissions associated with each feature, administrators can ensure comprehensive control, ultimately reducing complexity and minimizing errors. For details see [Instance-level permissions](#) and [Workspace-level permissions](#).

| Object Security | Tab Visibility | Other Settings |
|--|---|--|
| Collect Objects: <ul style="list-style-type: none"> ▪ Collection — View, Edit, Add ▪ Collection Detail Custodian — View, Edit, Add, Delete ▪ Collection Detail Custodian Target — View, Edit, Add, Delete ▪ Collection Detail Custodian Target Result — View, Edit, Add, Delete ▪ Collection Detail Noncustodial Source — View, Edit, Add, Delete ▪ Collection Detail Noncustodial Target— View, Edit, Add, Delete ▪ Collection Detail Request — View, Edit, Add, Delete ▪ Collection Detail Source Instance — View, Edit, Add, Delete | <ul style="list-style-type: none"> ▪ Collections ▪ Monitor ▪ Custodian Targets ▪ Status Summary ▪ Custodial Target Status ▪ Non-Custodial Target Status ▪ Entities (only needed if user must see Entities) ▪ Any processing tabs (only needed if user will access Processing) | <ul style="list-style-type: none"> ▪ None |

| Object Security | Tab Visibility | Other Settings |
|---|----------------|----------------|
| <ul style="list-style-type: none"> ▪ Collection Detail Source Type — View, Edit, Add, Delete ▪ Collection Detail Summary — View, Edit, Add, Delete ▪ Collection Matter — View, Edit, Add ▪ Collection Run — View, Edit, Add ▪ Collection Source Instance — View ▪ Collection Source Instance Parameter — View ▪ Collection Source Target Parameter Instance — View ▪ Collection Source Target Parameter Type — View ▪ Collection Source Type — View ▪ Collection Source Type Criteria — View ▪ Collection Source Type Criteria Validator — View ▪ Collection Source Type OAuth Definition — View ▪ Custodian Target — View, Edit, Add, Delete ▪ Custodian Target Generation Error — View, Edit, Add, Delete ▪ Entity — only View, unless user needs to manage Entities in which case include Edit, Add ▪ Noncustodial Data Source Instance — View, Edit, Add, Delete ▪ Noncustodial Target Generation Error — View, Edit, Add, Delete <p>Objects required for integrated Processing functionality:</p> <ul style="list-style-type: none"> ▪ Folder — View, Edit, Add ▪ Processing Data Source — View, Edit, Add ▪ Processing Error — View, Edit, Add ▪ Processing Profile — View, Edit, Add ▪ Processing Set — View, Edit, Add ▪ Relativity Time Zone — View, Edit, Add | | |

3 Matters

In Collect, a matter represents a legal action or case requiring you to collect electronic data from sources such as Collection source. Matters can be used to group multiple related collection jobs.

You manage matters that are associated with a collection. You can create each of these items on their respective tabs, or you can create them when you add a new collection.

Note: Matters created from Home aren't available for use in Collect nor listed on the Matters tab in this application. Additionally, the matters created on this tab are only available for use in Collect.

3.1 Creating a matter

Use the following procedure to create a matter that you can associate with a collection:

1. Navigate to the Matters tab. Collect displays a list of the active matters currently available to this application.
2. Click **New Collection Matter**.
3. Complete the fields in the Matter Details layout. See [Matter Details layout fields below](#).
4. Click **Save**. Collect displays the matter details. See [Viewing or editing matter details on the next page](#).

You can also create a matter when you add a new collection. Click the **Add** link next to the Matter field in the Collection layout. See [Creating a collection on page 106](#).


3.2 Matter Details layout fields

The Matter Details layout contains the following fields:

- **Name**—the name of the matter.
- **Number**—the number you assign to the matter for reporting purposes.
- **Status**—the status you assign to the matter for reporting purposes. Select an existing status from the drop-down menu or click **Add** to define a new one. Existing statuses include **Active** and **Closed**.

Note: Assigning a status of Closed to a matter hides it from the Active Collect view on the Collect tab.

- **Primary Contact**—the name of an individual who handles communications related to the matter.
- **Description**—the description of the matter used for reporting purposes. Click **Edit** to display an HTML text editor where you can enter the description.



3.3 Viewing or editing matter details

Display the matter details by clicking the name of a matter on the Matters tab. Collect also displays these details immediately after you add a new matter. You can use the buttons at the top of the page to edit, delete, or perform other tasks with the matter.

The details page includes the following sections:

- **Matters Details**—lists the name, number, status, primary contact and description of the matter.
- **Collect**—lists all collections associated with the matter. You can also perform the following tasks in this section:
 - **Associate the matter with a new collection**—to create a new collection, click **New**. See [Creating a collection on page 106](#).
 - **Remove a collection from Relativity**—click **Delete** to display a pop-up window. To view child objects and associated objects, click **Dependencies**.
 - **Modify collection details**—click the **Edit** link for a collection. To modify the matter, click the **Edit** button at the top of the page.
 - **Display the collection details**—click the name of the collection.

4 Custodian targets

In Collect, you manage custodians that have an associated data source. The custodian target is the combination of a custodian and data source. It is an endpoint from which Collect can connect to and collect from. For example, a custodian's Google Workspace Gmail account is a custodian target. For example, a custodian's Microsoft Outlook account is a custodian target. For example, a custodian's X1 email endpoint is a custodian target.

To collect from custodians, entities either have to already exist, be created, or be imported in Relativity. The custodian and their primary email address must also be associated to the data source. When the primary email address field for a custodian is present, Collect automatically generates the required targets for each data source while setting up a collection job.

Note: Custodian targets are automatically generated based on the primary email address in the Entity record for the Collection source data source. Custodian targets can still be generated manually. The auto-generation of targets is based on the custodian's email address. For more information, see [Creating a custodian target on the next page](#).


4.1 Custodians

If a custodian does not exist, you can manually create an entity from the Entities tab. Once you create an entity in the Collect Custodian view and add it to a collect project, it becomes a custodian.

You can add custodians to Collect at different times throughout the collection process. There are different ways to populate the entity list including using Integration Points, Import/Export, or manually. For more information, see Integration Points and Import/Export. To manually create a new custodian, follow the steps below:

1. Navigate to the **Entities** tab.
2. Click **New Entity** on the Custodians tab.
3. Select the **Collection History** layout from the drop-down menu and complete the fields. See [Fields below](#).
4. Click **Save**.

Note: When creating a custodian from Legal Hold, the **Custodians - Legal Hold View** is selected by default. If Collection or Processing is also installed in the same workspace, you can view the **Custodians - Processing View** or **Custodians - Collection View**.



Collect Custodian

Type * Person
 Other
[Manage](#)

First Name *

Last Name *

Email

4.2 Fields

The Collection Custodian layout provides the following fields:

- **Custodian Type** (Required)—select one of the following:
 - **Person**—select this option to enter first and last name of the individual acting as custodian of the data you wish to process.
 - **Other**—select this option if the custodian of the data to process is not an individual but is, for example, just a company name. You can also select this option to enter an individual's full name without having that name include a comma once you export the data associated with it. Selecting this option changes the Custodian layout to remove the required First Name and Last Name fields and instead presents a required Full Name field.
- **First Name** (Required)—the first name of the custodian. This field is only available if you've set the Custodian Type to Person.
- **Last Name** (Required)—the last name of the custodian. This field is only available if you've set the Custodian Type to Person.
- **Full Name**—the full name of the custodian of the data you wish to process. This field is only available if you've set the Custodian Type to Other. When you enter the full name, it does not contain a comma when you export the data associated with it.
- **Email** (Required)—the email the custodian uses in the target. This email address must match the email address within the connected data source.

4.3 Creating a custodian target

You can collect electronic data from custodians who are individuals or entities involved in a legal action or case. You may perform multiple collections from a single custodian. On the Custodians tab, you can create and edit custodians as well as view their details, associate them with collections, and perform other tasks.

Use the following procedure to create a custodian target that you can associate with a collection:

1. Enter the **Name** of the custodian target.
2. Click **Select** to select available custodians. If the custodian does not exist, click **Add** and complete additional steps.
3. Click the **Data Source** drop-down menu to select a data source. For more information Collection data sources, see [Data source types on page 18](#).
4. Enter the custodian's email address in the **Target** field.

To avoid duplicate custodians, a custodian with multiple emails, you will need to link a second custodian target to the same entity. To make a second custodian target for the same entity, you will need to create another target.

In the target, select the same entity. Then, select the other data source and enter the target value. This way you can have multiple targets, different from the primary email address, for a single entity record.

4.3.1 Generating targets in the wizard

Custodian Targets can also be automatically generated in Step 4 of the Collect wizard. Click **Generate Targets** to check if targets exist for the custodians you've selected for collection. If the targets do not exist, Collect creates them based on the email address in the Entity details in each custodian. For more information, see [Collection Summary on page 109](#).

If an invalid custodian target is created manually, the auto-generation of custodian targets does not remove the invalid custodian target. Remove it manually. Any errored targets display in the Collection Summary step or on the Status Summary tab.

To delete a custodian target from the Custodians Targets tab, click the data source's checkbox and use the Delete mass operation.

4.4 Removing custodian targets

To remove any custodian target, first remove the custodian from the collection or collections. You can use the Mass delete operation to delete collect custodians, also known as entities. For more information, see the Admin Guide.

Trying to delete a custodian target before removing a custodian results in an error.

5 Data sources

A data source allows you to define where and how you pull data from a communication channel. A data source stores the configuration necessary to retrieve data from a communication channel, process that data, and ingest it into Collect.

Set up workspace data sources before beginning collections. Data sources are stores of information from which you collect data. These data sources have parameters that you can set during the creation of a collection job.

5.1 Creating a collect data source

The Collection Admin tab is where you create, edit, and remove data sources from your workspace. Setup only needs to be done once for each data source. You must create your data sources prior to setting up your custodian targets. For more information, see [Custodian targets on page 15](#).

When creating data sources, you can select different types of data sources for obtaining files.

It is possible to collect data placed on a preservation hold through Relativity Legal Hold. For more information on preserving Microsoft 365 data using Legal Hold, see the Legal Hold guide.

Use the following procedure to create a new Collect source instance:

1. Navigate to **Collection Admin** within Collect Admin of Set Up
2. Click the **New Collection Source Instance** button.
3. Do the following:
 - **Name**—enter in a unique name for the data source.
 - **Type**—select the type of data source. For more information, see [Data source types below](#).

Note: Collect automatically collects any data that is preserved due to an in-place hold or litigation hold. Data on a hold is stored in a preservation library and separate folders. For more information, see [Microsoft Retention Policies](#).

- **Settings**—enter the data source-specific settings. For more information on specific fields and settings, locate your data source topic from [Data source types below](#).
4. Click **Save**.

After clicking Save, Relativity verifies the parameters and connectivity to the Microsoft 365 data source. If successful, the data source is saved. If the connection fails, a message displays indicating that the connection failed. If verification fails, verify that the values are correct. The data source will save when it is corrected and is verified.

Once the data source is set up, you'll see the data source information on the Collect Admin page.

5.2 Data source types

You can select any of the following data source types for step 3 of [Creating a collect data source above](#):

- **Bloomberg**—select to collect data from Bloomberg Chat. For more information on specific fields and settings, see [Bloomberg chats and emails data source on page 20](#).
- **Box**—select to collect data from Box cloud storage. For more information on specific fields and settings, see [Box data source on page 22](#).
- **Cellebrite**—collect data from Cellebrite. For more information, see [Cellebrite data source on page 25](#).

- **ChatGPT**—select to collect data from ChatGPT. For more information on specific fields and settings, see [ChatGPT Enterprise data source on page 31](#).
- **Google Workspace**—select to collect data from Google Chat, Drive, Gmail, or Groups. For more information on specific fields and settings, see [Google Workspace data source on page 33](#).
- **iManage**—select to collect data from the iManage document and email management application. For more information on specific fields and settings, see [iManage data source on page 49](#).
- **Microsoft 365 OneDrive**—select to collect data from OneDrive accounts. Unable to collect from inactive employee sites. The Graph API does not support access to inactive user accounts. For more information on specific fields and settings, see [Microsoft 365 - OneDrive data source on page 55](#).
- **Microsoft 365 Outlook**—select to collect data from Microsoft's email application. You can choose archived mailbox, calendar, contacts, and mailbox. Inactive employee mailboxes are included with mailbox collections. For more information on specific fields and settings, see [Microsoft 365 - Outlook data source on page 63](#).
- **Microsoft 365 SharePoint**—select to collect data from Microsoft SharePoint sites. For more information on specific fields and settings, see [Microsoft 365 - SharePoint data source on page 77](#).
- **Microsoft 365 Teams**—select to collect data from Microsoft's short-messaging application. This data source is only available for commercial, Microsoft 365 tenants. Requires enhanced licensing (E5) and access to Microsoft Protected APIs. For more information on specific fields and settings, see [Microsoft 365 - Teams data source on page 85](#).
- **Refinitiv Eikon**—select to collect data from Refinitiv Eikon chats. For more information on specific fields and settings, see [Refinitiv Eikon data source on page 94](#).
- **Slack**—select to collect data from an organization or custodian's Slack profile. For more information on specific fields, settings, temporary code, and access token, see [Slack data source on page 96](#).
- **X1**—select to collect data from a custodian's emails or files stored in an X1 endpoint. Requires separate licensing, configuration, and training through a third party. For more information on specific fields and settings, see [X1 data source on page 101](#).

6 Bloomberg chats and emails data source

This topic provides details on how to capture Bloomberg chats and emails with Collect.

6.1 Consideration

Note the following consideration about this data source:

- Bloomberg chat data is collected into grouped collections, resulting in a different data count compared to standard collections. These grouped collections comprise a set of RSMFs (Relativity Short Message Format) containing all the chats for the assigned custodians. Due to this grouping, it is expected that custodian targets will have identical counts. Essentially, when collecting data from multiple custodian targets, the item counts and sizes for each will match. This uniformity arises because the item count reflects the number of RSMF files generated for the job, while the size reflects the total size of the created RSMF file set.

6.2 Creating the data source instance

Use the following procedure to create a new Collect source instance in RelativityOne.

1. Navigate to **Collection Admin** within Collect Admin of Set Up.
2. Click the **New Collection Source Instance** button.
3. Do the following:
 - **Name**—enter in a unique name for the data source.
 - **Type**—select **Bloomberg Chat** or **Bloomberg Email** data source.
 - **Settings**—enter the required information in the Settings fields. For more information on the fields, see [Settings fields below](#).
4. Click **Save**. The data source displays on the Collection Admin page.

6.3 Settings fields

Gather the information listed below, and enter it into the Settings fields:

- **Host**—enter the address of the Bloomberg host. For example, sftp.bloomberg.com.
- **Port**—enter the port used for Bloomberg.
- **Path**—enter the folder address where you store the files.
- **Username**—enter the user name to your organization's Bloomberg site.
- **Password**—enter the password to your organization's Bloomberg site.
- **Pass Phrase**—enter the pass phrase to your organization's Bloomberg site.
- **PGP Key**—enter the key used to decrypt the data that's transferred from the Bloomberg to Collect.

6.4 Configuring the data source

Each data source used in Collect has different search criteria on the Collection Details step when creating a collection job. The criteria needs to be configured next.

1. Configure search criteria to collect specific data.

Note: Leave the data source criteria empty to collect all data from the sources.

- **Select and unselected tabs**—choose the data sources to collect from by moving unselected data sources to the selected list.
- **Field**—choose the field to filter on within the data source.

Note: This field is only required when you select a calendar source.

- **Operator**—choose an operator such as equals, contains, greater than, or less than.
- **Value**—enter a value to find in the selected field.

2. Click **Add Criteria**. Each criteria is separated by an AND operator.

Filter a data source's data that you want to collect by adding criteria. This section covers the different criteria for each data source. It also includes what you can search within each data source. The criteria options change based on the selected data source.

6.4.1 Bloomberg chat

The following table lists the filter criteria support for Bloomberg chat collections. Entering the start date and end data criteria is not required.

Relativity collects Bloomberg chat data in Relativity Short Message Format (RSMF).

| Property | Operators | Description | Example |
|------------|-----------|---|---|
| Start Date | Equals | When you use the Start Date property in a query, the search returns chats that exist the day of and after the entered date. | When you search a Start Date of 1/1/2001 and an End Date of 1/1/2020, all calendar items on and between the two dates are returned. |
| End Date | Equals | When you use the End Date property in a query, the search returns all chats the day of and before the entered date. | When you search a Start Date of 1/1/2001 and an End Date of 1/1/2020, all calendar items on and between the two dates are returned. |

6.4.2 Bloomberg email

The following table lists the filter criteria support for Bloomberg email collections. Entering the start date and end data criteria is not required.

Relativity collects Bloomberg email data in Relativity's short message format (RSMF).

| Criteria | Operators | Description | Example |
|------------|-----------|--|---|
| Start Date | Equals | When you use the Creation Date property in a query, the search returns all messages that equal/doesn't equal, greater/less than the date entered. | If you search "Greater Than 1/1/2001," your results include all messages created after January 1, 2001. |
| End Date | Equals | When you use the Modification Date property in a query, the search returns all updated files that equal/doesn't equal, greater/less than the date entered. | If you search "Less Than 1/1/2020," your results include all files modified before January 1, 2020. |

7 Box data source

This topic provides details on how to capture Box with Collect.

Note: This documentation contains references to third-party software, or technologies. While efforts are made to keep third-party references updated, the images, documentation, or guidance in this topic may not accurately represent the current behavior or user interfaces of the third-party software. For more considerations regarding third-party software, such as copyright and ownership, see [Terms of Use](#).

7.1 Task checklist

The table lists the order to set up this data source for RelativityOne Collect.

| Order | Application Used | Task |
|-------|------------------|---|
| 1 | Box | Create and authorize Collect as an application in Box |
| 2 | RelativityOne | Create the Box data source instance in Collect |
| 3 | RelativityOne | Configure the Box data source in Collect |

7.2 Box application setup

Before using the Box data source in Collect, you must create and authorize Collect as an application in Box.

7.2.1 Creating an application with Box

Create and download a config.json file. For more information, see Box's <https://developer.box.com/guides/authentication/jwt/jwt-setup/>.

The config.json file will contain the values required to configure a data source connection in Collect.

In Box:

1. Log into Box.
2. Navigate to the Developer Console.
3. Click **Create New App**.
4. Click **Custom App**.
5. Select **Server Authentication (with JWT)**.
6. Enter an App Name.
7. Click **Create App**.
8. In App Access level, select **App Access + Enterprise Access**.
9. In Content Actions, select **Read all files and folders stored in Box** and **Write all files and folders stored in Box**.
10. In Advanced Features, select **Make API calls using as-user header** and **Generate user access tokens**.
11. Add and Manage Public Keys clicking **Generate a Public/Private Keypair**. Authentication is required for this step.

```
Box config json example.json
1 {
2   "boxAppSettings": {
3     "clientId": "xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx",
4     "clientSecret": "xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxy",
5     "appAuth": {
6       "publicKeyID": "xxxxxxx",
7       "privateKey": "-----BEGIN ENCRYPTED PRIVATE
KEY-----\nMIIFDjBAGkqhkiG9w0BBQ0wMzAbBgkqhkiG9w0BBQwwDgQICF5
d3Rd88TPi31LlYC9TYRDNdLLDcgu\ntJjy7b+wTx0H0fa+AWHWjXzxBSH+CFR
7Rpuknwwpzf5CScFqNDNJJe2Nr3KOqy4pDWlBXVHIcq8Ogj8\nzQoqiNOSj/3I
9q\n6EGteswfxMj4KsH5v3FLZRK+Z8Ra31PX55yMKoxcm1LKBBYHq9QPuHHZG
lipt66hIqSXfy6Vh1/3bqg\nciNsqzp7AcDmskoetog2ZfLNMZzzmHDMY7bXB
Dq2KIGZFGZMIMYNhc+XqJw3uWE1SUBDySgdhyrrBxv\njWF0w1fLGtaWtyCmN
xZ3vBuJ59hI1SY8SMZgsne/Sm2aCPAgB/xVs2v0w0nt2PveA15zszm5t74QpP
4G3q6PDrKtsdP4Q5\nrGSE5UK/+x+nITb7QeiT+N6IddCCftGxrMdNwZkxq++f
fsHqgSH/FcGWLKUDheyv8QrcTIhYubnl2Kz\n+i89T9SqiKYTQh5f1C9KVV/
S178x+lby12qy6P/98IqyN67/uHafedCkYUKjMENrIJNiK9RUqgfkMg\nn77g
JLoJyJuMkY\n2no=\n-----END ENCRYPTED PRIVATE KEY-----\n",
8     "passphrase": "c38f767d204f235d320c901a393ba38d"
9   }
10 },
11 "enterpriseID": "123456789"
12 }
```

A .json file will be downloaded to your machine. Save the file in a secure location. This file contains the values required to configure a data source connection in Collect. This file can also be downloaded from the App Settings section.

7.2.2 Authorizing an application

Ensure you get approval to use the Box application within your enterprise. Follow the steps provided by Box to submit for approval. For more information, see the Box documentation.

Finally, you must get authorization from a Box admin to use the authentication application. For more information, see the Box documentation.

7.3 Creating the data source instance in Collect

Use the following procedure to connect the Box data source instance to Collect.

In RelativityOne:

1. Navigate to **Collection Admin** within Collect Admin of Set Up.
2. Click the **New Collection Source Instance** button.
3. Do the following:
 - **Name**—enter in a unique name for the data source instance.
 - **Type**—select the **Box** data source.
 - **Settings**—enter the required information in the Settings fields. For more information on the fields, see [Settings fields below](#).
4. Click **Save**. The data source displays on the Collection Admin page.

7.4 Settings fields

Gather the information listed from the .json file, and enter it into the Settings fields:

- **Client ID**—enter the Client ID of the requesting application. This can be found with `authorization_code`, `client_credentials`, or `urn:ietf:params:oauth:grant-type:jwt-bearer` as the `grant_type`.
- **Client Secret**—enter the client secret of the requesting application to gain an access token.
- **Public Key ID**—enter the Public Key ID of the requesting application that you found in your app configuration settings `.json` file.
- **Private Key**—enter the encrypted private key that you found in your app configuration settings `.json` file.
- **Passphrase**—enter the pass phrase that you found in your app configuration settings `.json` file.
- **Enterprise ID**—enter the Enterprise ID that you found in your app configuration settings `.json` file.

7.4.1 Data source details

Each data source details page includes an Actions console. The options available will be different for each data source.

You can click **Validate Connection** to validate the client ID, client secret, and other credentials with Box.

7.5 Configuring the data source in Collect

Each data source used in Collect has different search criteria on the Collection Details step when creating a collection job. The criteria needs to be configured next.

1. Configure search criteria to collect specific data.
 - **Select and unselected tabs**—choose the data sources to collect from by moving unselected data sources to the selected list.
 - **Field**—choose the field to filter on within the data source.

Note: This field is only required when you select a calendar source.

 - **Operator**—choose an operator such as equals, contains, greater than, or less than.
 - **Value**—enter a value to find in the selected field.

2. Click **Add Criteria**.

The following table lists the filter criteria support for Box collections. Entering the start date and end data criteria isn't required.

| Criteria | Operators | Description | Example |
|-------------------|---|--|---|
| Created Date | Greater Than or Equals, Less Than or Equals | When you use the Creation Date property in a query, the search returns all messages that equal/doesn't equal, greater/less than the date entered. | If you search "Greater Than 1/1/2001," your results include all messages created after January 1, 2001. |
| Modification Date | Greater Than or Equals, Less Than or Equals | When you use the Modification Date property in a query, the search returns all updated files that equal/doesn't equal, greater/less than the date entered. | If you search "Less Than 1/1/2020," your results include all files modified before January 1, 2020. |

8 Cellebrite data source

This topic provides details on how you can remotely capture mobile device messages and attachments from Android or iOS devices using the Cellebrite data source within Collect.

Note: This documentation contains references to third-party software, or technologies. While efforts are made to keep third-party references updated, the images, documentation, or guidance in this topic may not accurately represent the current behavior or user interfaces of the third-party software. For more considerations regarding third-party software, such as copyright and ownership, see [Terms of Use](#).

Note: The steps below apply whether you are using Cellebrite Endpoint Inspector or Endpoint Mobile Now. Going forward in this topic, we will simply refer to them as Cellebrite.

8.1 Considerations

Review the list of considerations before starting your collection:

- This functionality is available to RelativityOne US and UK-based commercial clients. It is not yet available to US Government clients or those outside the US and UK.
- Cellebrite data source requires separate licensing, configuration, and training through Cellebrite. For more information, log in to your account at [MyCellebrite.com](https://mycellebrite.com) to download the installation files and manuals based on which product you are using:

Note: To ensure a successful data collection, be sure that you and the custodian familiarize yourselves with Cellebrite's documentation, recommendations, and tips for mobile collections before you begin collecting. Also be sure to review the What's New in Version <#.#> chapter of the Cellebrite Endpoint Inspector or Endpoint Mobile Now user guides.

- Cellebrite Endpoint Inspector User Guide
- Cellebrite Endpoint Inspector SaaS Communication and Security Guide
- Cellebrite Endpoint Mobile Now User Guide
- The output generated from mobile device collections consists of all short message-type data in Relativity Short Message Format (RSMF) files.
 - The corresponding Cellebrite Universal Forensic Electronic Device (UFD) file is also uploaded to your StagingArea.
 - An example of a UFD file is a forensic image.
- UFD files cannot be processed. However, they are made available if you need the UFD downloaded for examination outside of RelativityOne.

8.2 Prerequisites

Basic configuration for your instance of Cellebrite and RelativityOne must be completed as follows:

- In Cellebrite:
 - Set up your instance.
 - If using Endpoint Inspector, create the required user account with the Examiner role.

- Ensure the required ports are open.
- For use with RelativityOne, you do not need to set up a storage repository.
- In RelativityOne: The Collect application must be installed into the Relativity workspace that is used to perform Cellebrite collections. For more information on installing Collect in a workspace, see [Installing Collect](#).

8.3 Task checklist

The table below outlines the tasks in the order they need to be performed and within which application to perform them.

| Order | Application Used | Task Type | Task |
|-------|------------------|---------------|--|
| 1 | RelativityOne | Configuration | Create the OAuth2 Client below |
| 2 | RelativityOne | Configuration | Set permissions in RelativityOne on the next page |
| 3 | Cellebrite | Configuration | Connect Cellebrite to RelativityOne on the next page |
| 4 | Cellebrite | Configuration | Generate API key for Cellebrite data source on the next page |
| 5 | RelativityOne | Configuration | Create the data source in RelativityOne on page 28 |
| 6 | RelativityOne | Configuration | Create entities in RelativityOne on page 29 |
| 8 | RelativityOne | Collecting | Create a Collect job in RelativityOne on page 29 |

8.3.1 Support resources

If you have questions or issues while going through these procedures, please contact the following resources depending on the application:

- **Cellebrite (Endpoint Inspector or Endpoint Mobile Now)**—contact [Cellebrite Customer Support](#) or log in to your [MyCellebrite](#) account to view Cellebrite's documentation.
- **RelativityOne Collect**—contact [Relativity Customer Support](#) or refer to [Relativity Documentation](#) or [Community Site](#) for more information.

8.4 Create the OAuth2 Client

To facilitate data transfers and communication of collection status updates from Cellebrite to RelativityOne, an OAuth2 client must be configured in RelativityOne. Use the following steps to create a new OAuth2 Client. For more detailed instructions, see documentation on creating and editing an OAuth2 client.

In RelativityOne:

1. Navigate to the **OAuth2 Client** tab within Authentication.
2. Click the **New OAuth2 Client** button.
3. Do the following:
 - **Name**—enter a unique name for the OAuth2 client.
 - **Enabled**—ensure the **Enabled** toggle is on.
 - **Flow Grant Type**—select **Client Credentials** from the list.

- **Context User**—select a user account from the list. The Context User will also generate the [Cellebrite API key](#) that is used to configure the Collect data source.
 - **Access Token Lifetime** (in minutes)—enter **60**.
4. Click **Save**.
 5. Make note of the **Client ID** and **Client Secret** values that were generated. These values are needed when connecting [Cellebrite to RelativityOne](#).

8.5 Set permissions in RelativityOne

Ensure the following account permissions are properly set up. For additional information, see [Adding user to groups and Setting workspace permissions](#).

- **For Context Users**—The Context User selected in the previous section must be added to a group in RelativityOne that is assigned to the workspace in which Cellebrite collections are run. The group within the workspace must have **Allow Export** and **Allow Import** permissions selected (enabled) under Admin Operations on the Other Settings tab. See [Manage Workspace Permissions](#) for more information.
- **For Relativity Service Account**—assign the Relativity Service Account (**Service Account, Relativity**) user to a group (other than the System Admin group) that has been assigned to the workspace in which Cellebrite collections are run.

8.6 Connect Cellebrite to RelativityOne

Next, you must connect Cellebrite to RelativityOne using the Client ID and Client Secret obtained in [Create the OAuth2 Client on the previous page](#).

In Cellebrite:

1. Navigate to **Settings**.
2. Scroll to the **RelativityOne** section and do the following:
 - **Client ID** and **Client Secret**—enter the ID and secret generated previously when creating the OAuth2 client in RelativityOne.
 - **Domain**—enter the RelativityOne domain. For example, esus019064-t066.r1.kcura.com. This is not the full URL address, so you do not include "https://" or the ending slash.
3. Click **Save**.

8.7 Generate API key for Cellebrite data source

After connecting Cellebrite to RelativityOne, you must generate and save the API key. This API key is entered in RelativityOne when [creating a new data source](#) outlined in the next section.

Note: The user generating the API key must be the Context User set up in [Create the OAuth2 Client on the previous page](#).

In Cellebrite:

4. Navigate to **User Settings** if using Endpoint Inspector or to **Settings** if using Endpoint Mobile Now.
5. Click **Generate Key**.

6. Copy the **API Key** and save it securely.

Caution: You will not be able to see this API key again in Endpoint Inspector or Endpoint Mobile Now so be sure to copy and save it.

This API key is required when you [create a new data source](#) next in RelativityOne. You must also provide the following information:

- The exact username that was used to generate the API key if you used Endpoint Inspector.
- The exact email address that was used to generate the API key if you used Endpoint Mobile Now.
- The URL for your instance of Endpoint Inspector or Endpoint Mobile Now. For example: <https://example.ei-cellebrite.cloud/>

8.8 Create the data source in RelativityOne

Next, create a new Collect data source instance in your RelativityOne workspace.

Note: You must have previously installed the Collect application into your workspace. For more information on installing Collect, see [Installing Collect](#).

In RelativityOne:

7. Navigate to **Collection Admin** within Collect Admin in Set Up.
8. Click **New Collection Source Instance**.
9. Do the following:
 - **Name**—enter a unique name for the data source.
 - **Type**—select the **Cellebrite** data source.
 - **Settings**—enter the required information in the Settings fields. For more information, see [Settings fields below](#).
10. Click **Save**. The data source displays on the Collection Admin page.

8.8.1 Settings fields

To connect Relativity to the Cellebrite data source, you need to gather and enter the information for the following fields. This information was generated in the [Generate API key for Cellebrite data source on the previous page](#) section.

- **API Key**—the API key previously generated in Cellebrite.
- **API Username**—the Cellebrite user account used to generate the associated API Key.
 - If Endpoint Inspector was used to create the API key, then enter the user's username (for example, jane-smith).
 - If Endpoint Mobile Now was used to create the API key, then enter the user's email address (for example, jane.smith@relativity.com).
- **API URL**—the Cellebrite server URL for the associated API Key.

8.9 Create entities in RelativityOne

Within your RelativityOne workspace, populate the Entities list with those individuals from which you wish to collect data. For more information on populating Relativity with entities, see [Entity object documentation](#).

Note: Ensure that the Email address field for the Entity (such as, custodian) contains the primary email address to which you want Cellebrite collection requests emailed. The Secondary Email address information for the entity is not used.

8.10 Create a Collect job in RelativityOne

You can begin creating and running collections in RelativityOne. For more information, see [Collections](#).

Be aware of the following when performing Cellebrite collections:

- You cannot combine other data source types with the Cellebrite data source.
- You can collect from multiple custodians in the same job when using the Cellebrite data source.

8.11 Mobile data collection results

The export package created by Cellebrite for ingestion by RelativityOne includes these files:

- Original collection file in UFED zip format
- Messages and attachments in an RSMF collection
- UFED reader file (UFD)
- Device Report
- Collection Report
- Results.csv file

The nature of data collections from Android and iOS devices differs due to the inherent differences between platforms. These are the most noteworthy differences:

- iOS message collections target messages from native apps and the most popular third-party apps that iTunes can back up. Attached media and document files are included.
- Android message collections target SMS, MMS, and RCS text messages from native apps. Attached media and document files are included.

8.12 Troubleshooting

This table includes troubleshooting for Cellebrite data source.

| Area | Issue | Resolution |
|-------------------|---|--|
| Data Source setup | User is unable to save a Cellebrite data source configuration in Collect or validation fails on an existing source. | <ul style="list-style-type: none">▪ Verify the user has entered the correct value for the API key.▪ Verify the API Username is the Cellebrite account used to generate the API key in Cellebrite.<ul style="list-style-type: none">◦ For Endpoint Inspector, this is the user account name.◦ For Endpoint Mobile Now, this is the email address of the user. |

| Area | Issue | Resolution |
|------------------------------|--|--|
| | | <ul style="list-style-type: none"> ▪ Verify the Context User who configured the OAuth2 client in RelativityOne is also the same user who generated the API key in Cellebrite. ▪ If the problem still exists after verifying the information in the previous bullets, then generate a new API key in Cellebrite. |
| Job start | The Collect job fails when the user clicks the Start button. | <ul style="list-style-type: none"> ▪ Verify in Cellebrite Settings that the OAuth2 client setup for RelativityOne has the correct values for the Client ID and Secret. They must match the values in RelativityOne for the OAuth2 client configured. ▪ Verify in Cellebrite Settings that the Domain for the OAuth client setup for RelativityOne points to the correct RelativityOne instance. The Domain should NOT contain “https://” or end with a trailing slash. For example, the domain should look like this <i>esus019064-t066.r1.kcura.com</i> and not this <i>https://esus019064-t066.r1.kcura.com/</i>. ▪ In very rare cases, C4 may be down, in which case Collect jobs will not start regardless of the collection data source. This issue usually resolves itself after a short waiting period. C4 is the shared compute platform on which jobs are run. |
| Custodian Email Notification | The Collect job started successfully, but the custodian never received the collection request email. | <ul style="list-style-type: none"> ▪ Verify that the custodian's email address is the same as the one entered in the Email address field of their corresponding entity record. The Secondary Email address information for the entity is not used. ▪ Verify that the email is not in the Spam or Junk folder. ▪ Verify that the custodian’s organization has not intercepted or quarantined the email via an email security policy or software, such as Proofpoint. ▪ If the problem still exists after verifying the information in the previous bullets, then please contact Cellebrite Customer Support to verify that there are no issues sending email messages from Cellebrite. |
| File Transfers | The file transfers into RelativityOne are failing. | <ul style="list-style-type: none"> ▪ Verify that the Context User account used to configure the OAuth2 client is in a group assigned to the workspace, and the group has been given the “Allow Import” and “Allow Export” permissions in RelativityOne. See Set permissions in RelativityOne on page 27. ▪ Verify that the Relativity Service Account user is assigned to one of the groups assigned to the workspace. See Set permissions in RelativityOne on page 27. |
| Target Failure | The target collection fails after successful start. | If a job successfully started (e.g., was received by Cellebrite), but failed prior to the collection being uploaded to RelativityOne, then the problem resides within Cellebrite. Please contact Cellebrite Customer Support for assistance. |

9 ChatGPT Enterprise data source

This topic provides details on how to capture OpenAI's ChatGPT Enterprise with Collect.

9.1 Considerations

Note the following considerations about this data source:

- This connector only works with the Enterprise subscription of ChatGPT Enterprise.
- OpenAI retains deleted data for no more than 30 days, unless legally required otherwise.
- OpenAI retains deleted and ephemeral data, including temporary chats, for no more than 30 days. Unless legally required otherwise.
 - Temporary, or ephemeral, chats are conversations where OpenAI's Memory feature is disabled and the user's chat history does not retain the session.
 - These chats are accessible through the OpenAI Compliance API.
 - The ephemeral data must fall within the 30-day retention window.
 - These chats do not appear in the end user's ChatGPT history, they are captured and returned via the Compliance API, and are included in Collect if the date filters are appropriately configured.
- OpenAI's ChatGPT Enterprise only supports *greater than or equals* for date criteria. You will get all prompts and responses from the date specified to today.
- If your organization has multiple ChatGPT Enterprise workspaces, you must configure a separate data source for each ChatGPT Enterprise workspace in the Collect application. We recommend that you clearly name each data source to identify the ChatGPT Enterprise workspace the data source is connecting.
- Relativity automatically converts collected conversation prompts and responses to Relativity's short message format (RSMF).

9.2 Prerequisites

Complete the following before setting up a ChatGPT data source in Relativity:

- You must contact OpenAI to get an API Key before configuring your ChatGPT Enterprise data source in Collect.
 - You can use the same API Key for configuring multiple ChatGPT Enterprise data source connections.
 - For more information, please see [OpenAI documentation](#) on their Compliance APIs for Enterprise customers.
- Confirm that the Compliance API is enabled in your organization's OpenAI account to support retrieval of both persistent and temporary conversations.

Once you complete the prerequisites, you can begin creating the data source.

9.3 Creating the data source

Use the following procedure to connect the ChatGPT Enterprise workspace data source to Collect.

In RelativityOne:

1. Navigate to **Collection Admin** within Collect Admin of Set Up
2. Click the **New Collection Source Instance** button.
 - **Name**—Enter in a unique name for the data source.
 - **Type**—Select the **ChatGPT Enterprise** data source.
 - **Settings**—enter the required information in the Settings fields. For more information, see [Settings fields below](#).
3. Click **Save**. The data source displays on the Collection Admin page.

9.4 Settings fields

To connect Relativity to a ChatGPT Enterprise workspace, you need to gather and enter the information for the following fields.

- **API Key**—enter the API Key that OpenAI provided to your organization. You can use the same API Key when configuring multiple ChatGPT Enterprise data sources from which you wish to collect.

Note: You must contact OpenAI to get the API Key.

- **Workspace ID**—enter the ChatGPT Enterprise WorkspaceID to which you want to connect.

9.5 Configuring the data source

Each data source used in Collect has different search criteria on the Collection Details step when creating a collection job. The criteria needs to be configured next.

Relativity collects ChatGPT Enterprise chat data in Relativity's short message format (RSMF).

Add search criteria to collect specific data. To configure the data sources, complete the following fields:

- **Select and unselected tabs**—choose the data sources to collect from by moving unselected data sources to the selected list.
- **Field**—choose the field to filter on within the data source.
- **Operator**—choose an operator. For example, equals or greater than.
- **Value**—enter a value to find in the selected field.

The following table lists the filter criteria supported for ChatGPT Enterprise collections.

| Criteria | Operators | Description | Example |
|------------|------------------------|---|--|
| Start Date | Greater Than or Equals | When you use the Start Date property in a query, the search returns prompts and responses that exist the day of and after the entered date. | When you search a Start Date of 1/1/2024, Relativity collects all prompts and responses from that date to today. |

Note: Temporary, or ephemeral, chats will also be returned if they occurred within the 30-day retention window and meet your search criteria.

10 Google Workspace data source

This topic provides details on how to capture Google Chats, Drive, Groups, and emails with Collect. Relativity collects Google Drive data using the Vault API.

Note: This documentation contains references to third-party software, or technologies. While efforts are made to keep third-party references updated, the images, documentation, or guidance in this topic may not accurately represent the current behavior or user interfaces of the third-party software. For more considerations regarding third-party software, such as copyright and ownership, see [Terms of Use](#).

10.1 Considerations

Consider the following items about this data source:

- Collection of Calendar is currently unsupported.
- Google does not have a date range limitation. We recommend limiting the date range of the collection. Extended date ranges can increase collection time and potentially create issues.
- Google Workspace for Google Chat data is collected into grouped collections, resulting in a different data count compared to standard collections. These grouped collections comprise a set of RSMFs (Relativity Short Message Format) containing all the chats for the assigned custodians.
 - Due to this grouping, it is expected that custodian targets will have identical counts. Essentially, when collecting data from multiple custodian targets, the item counts and sizes for each will match.
 - This uniformity arises because the item count reflects the number of RSMF files generated for the job, while the size reflects the total size of the created RSMF file set.

10.2 Task checklist

The table lists the order to perform the necessary tasks for setting up the data source for Collect.

| Order | Application used | Task |
|-------|------------------|---|
| 1 | Google Cloud | Google Workspace account setup below |
| 2 | Google Admin | Google Workspace user account setup on page 38 |
| 3 | Collect | Creating the data source in Collect on page 40 |
| 4 | Collect | Configuring the data source in Collect on page 41 |

10.3 Google Workspace account setup

Connecting your Google Workspace to Collect takes some setup in Google and Relativity. Begin with the credential setup in Google.

10.3.1 Creating a Google Cloud project

Create a Google Cloud project to create, enable, and use all Google Cloud services. You will use this account to manage APIs.

To create a Google Cloud project:

1. Open the Cloud Resource Manager page (<https://console.cloud.google.com/cloud-resource-manager>).
2. Click **Create Project**.
3. Enter information into the fields:
 - **Project name**—enter a memorable name for your project.
 - **Organization**—enter the name of your organization.
 - **Location**—enter the parent organization or folder.
4. Click **Create**.

10.3.2 Enabling required APIs for the Project

Continuing in this process, you now need to enable the required Google Cloud Console APIs and associate them to a new project.

To start enabling APIs in the Google Cloud Console:

1. In the Google Cloud Console (<https://console.cloud.google.com/>), select the newly created project.
2. Enter *Google Vault API* in the search bar and search.
3. Click the **Google Vault API** option.
4. Click **Enable**.
You will then see the Google Vault API/Service Details page.
5. Enter *Admin SDK API* in the search bar and search.
6. Click the **Admin SDK API** option.
7. Click **Enable**.
You will then see the Admin SDK API/Service Details page.
8. Enter *Cloud Storage API* in the search bar and search.
9. Click the **Cloud Storage API** option.

Note: Be sure to choose Cloud Storage API. Cloud Storage API is different than Cloud Storage.

10. Click **Enable** if the API is not already enabled by default.

10.3.3 Setting up OAuth2 consent screen

Follow the steps to create a OAuth2 consent screen in Google Cloud Console.

1. In the Google Cloud Console (<https://console.cloud.google.com/>) and select newly created project.
2. Select **APIs & Services > OAuth consent screen**.
3. Click **Get started**.
4. Enter the **App information**.
 - **App name**—enter a name for the Collect app you're using. For example, *Relativity Collect*.
 - **User support email**—select the email address for users to contact you with questions about their consent.
5. Click **Next**.
6. Select **Internal** audience type and click **Next**.


7. Enter an email address in the **Contact Information** field.
Google uses this email address to notify you about any changes to your project.
8. Click **Next**.
9. Complete the **Finish** step by selecting the check box and click **Continue**.
10. Click **Create**.

Your Oauth configuration has been created.

10.3.4 Adding scopes

Next, you must add scopes.

1. In the Google Cloud Console (<https://console.cloud.google.com/>), navigate to **Data Access**.
2. Click **Add or remove scopes**.
3. Enter filter and select required scopes one at a time, or enter them in a text box.
The scopes are:
 - **<https://www.googleapis.com/auth/ediscovery>**
Google Vault API | .../auth/ediscovery | Manage your eDiscovery data
 - **https://www.googleapis.com/auth/devstorage.read_only**
BigQuery API | .../auth/devstorage.read_only | View your data in Google Cloud Storage
 - **<https://www.googleapis.com/auth/admin.directory.user.readonly>**
Admin SDK API | .../auth/admin.directory.user.readonly | See info about users on your domain
 - **<https://www.googleapis.com/auth/admin.directory.group.readonly>**
Admin SDK API | .../auth/admin.directory.group.readonly | View groups on your domain



4. Click **Update**.
5. Click **Save**.

Your data access changes are then saved.

10.3.5 Creating credentials

Next, create credentials.

1. In the Google Cloud Console (<https://console.cloud.google.com/>), navigate to **APIs & Services > Credentials**.
2. Click **Create Credentials**.
3. Click **OAuth Client ID** credentials.
4. Enter the following information in the fields:
 - **Application type**—select Web application.
 - **Name**—enter a name for the credentials.
 - **Authorized redirect URIs**—enter the URI (Uniform Resource Identifier) based on the RelativityOne Data Center Geo you intend to run collections from.

Note: When copying and pasting the URI, please ensure there are no whitespaces or typos in the address, as they will cause a connection failure with Google.


RelativityOne Data Center Geo URIs

- **Asia (East)**—<https://services.esas.relativity.one/collect-oauth-authorization/index.html>
- **Asia (Southeast)**—<https://services.seas.relativity.one/collect-oauth-authorization/index.html>
- **Australia**—<https://services.auea.relativity.one/collect-oauth-authorization/index.html>
- **Brazil (South)**—<https://services.brso.relativity.one/collect-oauth-authorization/index.html>
- **Canada (Central)**—<https://services.cact.relativity.one/collect-oauth-authorization/index.html>
- **Europe (North)**—<https://services.noew.relativity.one/collect-oauth-authorization/index.html>
- **Europe (West)**—<https://services.wseu.relativity.one/collect-oauth-authorization/index.html>
- **Germany (West Central)**—<https://services.dect.relativity.one/collect-oauth-authorization/index.html>
- **India (Central)**—<https://services.inct.relativity.one/collect-oauth-authorization/index.html>
- **Japan**—<https://services.jpse.relativity.one/collect-oauth-authorization/index.html>
- **Korea (Central)**—<https://services.krct.relativity.one/collect-oauth-authorization/index.html>
- **Switzerland**—<https://services.chno.relativity.one/collect-oauth-authorization/index.html>
- **United Arab Emirates**—<https://services.aeno.relativity.one/collect-oauth-authorization/index.html>
- **United Kingdom (South)**—<https://services.ukso.relativity.one/collect-oauth-authorization/index.html>
- **United States (Central)**—<https://services.ctus.relativity.one/collect-oauth-authorization/index.html>
- **United States (East)**—the United States (East) geo has six URIs associated to the pod to which your RelativityOne tenant is assigned. Contact [Relativity Support](#) to confirm which URI to use.
 - **RelativityOne pod esus025000**—
 - <https://services.esus.relativity.one/collect-oauth-authorization/index.html>
 - **RelativityOne pod esus025064**—
 - <https://services-02.esus.relativity.one/collect-oauth-authorization/index.html>

- **RelativityOne pod esus025128**—
 - <https://services-03.esus.relativity.one/collect-oauth-authorization/index.html>
- **RelativityOne pod esus025192**—
 - <https://services-04.esus.relativity.one/collect-oauth-authorization/index.html>
- **RelativityOne pod esus008064**—
 - <https://services-05.esus.relativity.one/collect-oauth-authorization/index.html>
- **RelativityOne pod esus022064**—
 - <https://services-06.esus.relativity.one/collect-oauth-authorization/index.html>
- **United States (Government)**—
 - <https://services.vaus.relativityone.us/collect-oauth-authorization/index.html>

5. Click **Create**.

After clicking Create, you will have your Client ID and Client Secret. Copy both of them, because you will need them later when [creating the Google data source in Collect](#).



10.3.6 Setting reauthentication policy

As an optional step, you will want to configure Google's reauthentication policy as follows:

1. Open the Google Cloud console (<https://admin.google.com/ac/home>).
2. Select the newly created project.
3. Click on the Navigation menu.
4. Select **Security > Access and data control > Google Cloud session control**.
5. On the Google Cloud session control, select a reauthentication policy.
 - **Never require reauthentication**
 - **Require reauthentication.** If you select Require authentication, you must also select **Exempt Trust apps**.

6. Click **Save**.

For more information on setting reauthentication policy and the options, see Google's documentation.

10.4 Google Workspace user account setup

Collections require user account on which behalf Relativity exports data. This can be a dedicated or an existing user account.

10.4.1 Creating admin role for Vault API

To create the admin role for the Vault API:

1. Open the Google Admin page (<https://admin.google.com/ac/home>).
2. Click **Account>Admin roles** to open the up the page.
3. Click **Create New Role**.
4. Enter the role name. We recommend *Relativity Collect*.
5. Click **Continue** to select privileges.
6. Select the following privileges:
 - Services - Google Vault > Manage Matters
 - Services - Google Vault > Manage Searches
 - Services - Google Vault > Manage Exports
7. Click **Continue**.
8. Click **Create Role**.

10.4.2 Creating admin role for the user accounts listing

To create the admin role for the users accounts listing:

1. Open the Google Admin page (<https://admin.google.com/ac/home>).
2. Click **Account>Admin roles** to open the up the page.
3. Click **Create New Role**.
4. Enter the role name.
We recommend *Users Reader for Collect*.
5. Click **Continue**.
6. Select the **Admin API privileges - Users > Read** privilege.
7. Click **Continue**.
8. Click **Create Role**.

10.4.3 Creating admin role for the groups listing

To create the admin role for groups listing:

1. Open the Google Admin page (<https://admin.google.com/ac/home>).
2. Click **Account>Admin roles** to open the up the page.

3. Click **Create New Role**.
4. Enter the role name.
We recommend *Groups Reader for Collect*.
5. Click **Continue**.
6. Select the **Admin API privileges - Groups > Read** privilege.
7. Click **Continue**.
8. Click **Create Role**.

10.4.4 Enabling required privileges

To enable required privileges:

1. Open the Google Admin page (<https://admin.google.com/ac/home>).
2. Navigate to **Directory > Users** to open the list of users.
3. Select or create the user you want to use.
4. Click the **Admin roles and privileges** pane.
5. In the Roles section, click the **edit pencil icon**, or anywhere in the Roles tables.
6. Assign the following roles to the user in All organizational units scope.
 - Relativity Collect
 - Users Reader for Collect
 - Groups Reader for Collect

10.5 Restricting collections to the selected user accounts

You can restrict collections to the selected group of users by leveraging admin role scoping to organizational units.

To limit collections, you will need to create an organizational unit and add the users to the unit. Once created, Collect will only collect data from the users within the organizational unit.

This configuration step is for Google Workspace data sources only and is optional.

10.5.1 Creating an organizational unit and adding users

An organization unit restricts RelativityOne's collections only to the selected custodians. Create an organization unit and add selected custodians to the unit so only their information is collected.

To create an organizational unit, open Google Admin Console and follow the steps below:

1. Open the Google Admin page (<https://admin.google.com/ac/home>).
2. Navigate to **Directory > Organizational Units**.
3. On the *Manage organizational units* page, click **Create organization unit**.
4. In the *Create new organizational unit* pop-up menu, enter the **Name of organizational unit**.
5. (Optional) Enter description of the organizational unit.
6. Select the **Parent Organization Unit (POU)**.
If this field is not populated, add a POU. To create a POU, follow the steps in Google's documentation.
7. Click **Create**.

Once the organizational unit is created, the next step is to add targeted users you want to collect from to the unit.

To add users to the organizational unit, follow the steps below:

1. Click the navigation menu.
2. Navigate to **Directory > Users**.
3. Select the users who should have collections restricted
4. Click the **More options** drop-down menu.
5. Click **Change organizational unit**.
6. In the Change organizational unit pop-up menu, select appropriate organizational unit.
7. Click **Continue**.
8. Click **Confirm**.

You can upload a .csv file to bulk update users. For more information, see Google's documentation.

10.5.2 Scope user privileges to the organizational unit

To update the scope of the user's role:

1. Open the Google Admin page (<https://admin.google.com/ac/home>).
2. Navigate to **Directory > Users**.
3. Select or create a user account.
4. Select and expand the **Admin roles and privileges** pane.
5. Click the pencil icon.
6. Select a **Role name** to update.
7. Edit the scope of the role to the appropriate organization unit.
8. Click **Save**.

Groups Reader privilege can only be scoped to *All organizational units*. This privilege is only required to enable collections from Google Workspace Groups and it can be omitted. Doing so will disable Groups collections on behalf of this user account.

10.6 Creating the data source in Collect


After completing the steps covered above for Google Workspace account setup and user account setup, you can then configure your first Google data source in the RelativityOne Collect application.

Caution: After generating the Refresh Token in [Step 10](#) below for the first Google data source, be sure to save the token value in a secure location, as it will be needed to set up additional Google data sources. Google only allows **one** refresh token to be generated. If you attempt to generate another refresh token, it will **invalidate** the original token, and you will **not** receive a new one, which will break the data source connection to Google. When setting up additional Google data sources in the Collection application, paste the refresh token value that you saved in a secure location into the refresh token field and click Save.

To add the Google Workspace data source, follow the steps below in RelativityOne:

1. Navigate to **Collection Admin** within Collect Admin of Set Up.
2. Click the **New Collection Source Instance** button.

- In the Data Source Information pane, do the following:
 - Name**—enter in a unique name for the data source.
 - Type**—select a **Google Workspace** data source (Chat, Drive, Gmail, or Groups).
- In the Settings pane, enter the **Client Id** and **Client Secret** copied from Google's OAuth2 credentials page. For more information, see [Creating credentials on page 36](#).
- Click **Generate Code**.
- Select or sign into Google's account on which behalf collections will be performed.



- Click **Copy Temporary Code** to copy to your clipboard.
- Once copied, you can close that window and return back to RelativityOne.
- In Collect, paste the code in the **Temporary Code** field.
- Click **Generate Refresh Token**.
The access token will be generated and populated in the **Refresh Token** field. Refer to the [Caution](#) above regarding Refresh Tokens.
- Click **Save**.

10.7 Configuring the data source in Collect

Add criteria to collect specific data. To configure the data sources, complete the following fields:

- Select and unselected tabs**—choose the data sources to collect from by moving unselected data sources to the selected list.
- Field**—choose the field to filter on within the data source.
This field is only required when a calendar source is selected.
- Operator**—choose an operator such as equals, contains, greater than, or less than.
- Value**—enter a value to find in the selected field.

After selecting field options, you must click **Add Criteria**.

Details to know about criteria:

- Each criteria is then separated by an AND operator.
- Leave the data source criteria empty to collect all data from the sources.

Filter a data source's data that you want to collect by adding criteria. This section covers the different criteria for each data source. It also includes what can be searched within each data source. The criteria options change based on the selected data source.

- [Google Groups below](#)
- [Gmail on page 44](#)
- [Google Drive on page 45](#)
- [Google Chat on page 47](#)

10.7.1 Google Groups

Setting criteria for Google Groups is not required. For more information on Advanced examples, see [Google Workspace documentation](#).

The following table lists the filter criteria support for Google Workspace Groups collections. Setting criteria for Google Workspace Groups is not required. For more information on Advanced examples, see [Google Workspace documentation](#).

| Criteria | Operators | Description | Example |
|---------------------|--|--|--|
| Advanced | Equals | When you use the Advanced property in a query, specific Google Workspace search criteria become available in Collect. For more information, see Google Workspace documentation . | For more information on Advanced examples, see Google Workspace documentation . |
| Email BCC | Contains | When you use the Email From property in a query, the search returns all messages that contain the text in the Email BCC field. | If you search “@example.com,” your results include all blind carbon copied messages received by people with the @example.com in their email address. |
| Email CC | Contains | When you use the Email From property in a query, the search returns all messages that contain the text in the Email CC field. | If you search “@example.com,” your results include all carbon copied messages received by people with the @example.com in their email address. |
| Email From | Contains | When you use the Email From property in a query, the search returns all messages that contain the text in the Email From field. | If you search “@example.com,” your results include all messages sent by people with the @example.com in their email address. |
| Email Received Date | Equals, Does Not Equal, Greater Than, Greater Than or Equals, Less Than, Less Than or Equals | When you use the Email Received Date property in a query, the search returns all messages that equal/doesn't equal, greater/less than the date entered. | If you search “Less Than 1/1/2021,” your results include all emails received before January 1, 2021. |

| Criteria | Operators | Description | Example |
|-----------------|--|---|--|
| Email Sent Date | Equals, Does Not Equal, Greater Than, Greater Than or Equals, Less Than, Less Than or Equals | When you use the Email Sent Date property in a query, the search returns all messages that equal/doesn't equal, greater/less than the date entered. | If you search "Greater Than 1/1/2001," your results include all emails sent after January 1, 2001. |
| Email To | Contains | When you use the Email To property in a query, the search returns all messages that contain the text in the Email To field. | If you search "@example.com," your results include all messages sent to people with the @example.com in their email address. |
| Has Attachments | Equals, Does Not Equal | When you use the Has Attachments property, the search returns emails with or without attachments based on the Value setting. | If you mark toggle the Value setting On, your results include all messages that include an attachment. |
| Is Draft | Equals | Indicates whether or not messages are written and not sent. Use the values true or false. | If you mark toggle the Value setting On, your results include all emails that are in the drafted state. |
| Keyword Search | Search In | When you use the Keyword Search property in a query, the search returns all messages that contain the text you are searching for. | If you search "Dear John," your results include all messages that contain the text in email body. Note that this is not the same as searching for "Dear" OR "John". In order to do that you need to enter keywords in separate lines. |
| Label | Equals | When you use the Label property, the search returns all messages that contains the search word or phrase in the emails' label. | If you search "Important," your results include all emails that are marked with the "Important" label. |
| Subject | Contains | When you use the Subject property, the search returns all messages that contains the search word or phrase in the email's title. | If you use the Subject property in a query, the search returns all messages which the subject line contains the text you're searching for. In other words, the query doesn't return only those messages that have an exact match. For example, if you search for subject "Quarterly Financials," your results include messages with the subject "Quarterly Financials 2018." |

Included in the Google Workspace Groups Criteria is one toggle:

- **Collect all email with attachments regardless of criteria**—enable the toggle to collect emails and attachments. Disable to collect only emails that match the criteria.

10.7.2 Gmail

Setting criteria for Google Drive is not required. For more information on Advanced examples, see [Google Workspace documentation](#).

The following table lists the filter criteria support for Google Workspace Gmail collections. Setting criteria for Google Workspace Gmail is not required. For more information on Advanced examples, see [Google Workspace documentation](#).

| Criteria | Operators | Description | Example |
|---------------------|--|--|--|
| Advanced | Equals | When you use the Advanced property in a query, specific Google Workspace search criteria become available in Collect. For more information, see Google Workspace documentation . | For more information on Advanced examples, see Google Workspace documentation . |
| Email BCC | Contains | When you use the Email From property in a query, the search returns all messages that contain the text in the Email BCC field. | If you search “@example.com,” your results include all blind carbon copied messages received by people with the @example.com in their email address. |
| Email CC | Contains | When you use the Email From property in a query, the search returns all messages that contain the text in the Email CC field. | If you search “@example.com,” your results include all carbon copied messages received by people with the @example.com in their email address. |
| Email From | Contains | When you use the Email From property in a query, the search returns all messages that contain the text in the Email From field. | If you search “@example.com,” your results include all messages sent by people with the @example.com in their email address. |
| Email Received Date | Equals, Does Not Equal, Greater Than, Greater Than or Equals, Less Than, Less Than or Equals | When you use the Email Received Date property in a query, the search returns all messages that equal/doesn't equal, greater/less than the date entered. | If you search “Less Than 1/1/2021,” your results include all emails received before January 1, 2021. |
| Email Sent Date | Equals, Does Not Equal, Greater Than, Greater Than or Equals, Less Than, Less Than or Equals | When you use the Email Sent Date property in a query, the search returns all messages that equal/doesn't equal, greater/less than the date entered. | If you search “Greater Than 1/1/2001,” your results include all emails sent after January 1, 2001. |
| Email To | Contains | When you use the Email To | If you search “@example.com,” your results include all |

| Criteria | Operators | Description | Example |
|-----------------|------------------------|--|--|
| | | property in a query, the search returns all messages that contain the text in the Email To field. | messages sent to people with the @example.com in their email address. |
| Has Attachments | Equals, Does Not Equal | When you use the Has Attachments property, the search returns emails with or without attachments based on the Value setting. | If you mark toggle the Value setting On, your results include all messages that include an attachment. |
| Is Draft | Equals | Indicates whether or not messages are written and not sent. Use the values true or false. | If you mark toggle the Value setting On, your results include all emails that are in the drafted state. |
| Keyword Search | Search In | When you use the Keyword Search property in a query, the search returns all messages that contain the text you're searching for. | If you search "Dear John," your results include all messages that contain the text in email body. Note that this is not the same as searching for "Dear" OR "John". In order to do that you need to enter keywords in separate lines. |
| Label | Equals | When you use the Label property, the search returns all messages that contains the search word or phrase in the emails' label. | If you search "Important," your results include all emails that are marked with the "Important" label. |
| Subject | Contains | When you use the Subject property, the search returns all messages that contains the search word or phrase in the email's title. | If you use the Subject property in a query, the search returns all messages which the subject line contains the text you're searching for. In other words, the query doesn't return only those messages that have an exact match. For example, if you search for subject "Quarterly Financials," your results include messages with the subject "Quarterly Financials 2018." |

Included in the Google Workspace Gmail Criteria is one toggle:

- **Collect all email with attachments regardless of criteria**—enable the toggle to collect emails and attachments. Disable to collect only emails that match the criteria.
- **Collect Linked Files**—enable the toggle to collect linked files related to Gmail emails in the mailbox export. Linked files can be, for example, PDF file, picture file, PowerPoint file, and so forth, that is linked from Google. Disable to exclude linked files related to Gmail emails in the mailbox export.

10.7.3 Google Drive

Setting criteria for Google Drive is not required. For more information on Advanced examples, see [Google Workspace documentation](#).

Note: Google Vault API usage limits do not permit more than 20 exports to be in progress simultaneously across your *entire* organization. If you have very large matters and need the maximum to be increased, contact Google for assistance. For more information, refer to [Google Vault documentation](#) on usage limits and usage quota increases.

The following table lists the filter criteria support for Google Workspace Drive collections. Setting criteria for Google Workspace Drive is not required. For more information on Advanced examples, see [Google Workspace documentation](#).

| Criteria | Operators | Description | Example |
|-------------------|--|--|---|
| Advanced | Equals | When you use the Advanced property in a query, specific Google Workspace search criteria become available in Collect. For more information, see Google Workspace documentation . | For more information on Advanced examples, see Google Workspace documentation . |
| File Type | Equals | When you use the File Type property in a query, the search returns all files that equals what is entered. | If you select "Google Sheets" as your value, your results include Google Sheet files. |
| Filename | Contains | When you use the Filename property in a query, the search returns all files that contain the value entered. | If you search "Important_Document," your results include all files with "Important_Document" in the filename. |
| Keyword Search | Search In | When you use the Keyword Search property in a query, the search returns all files that contain the text you're searching for. | If you search "Dear John," your results include all messages that contain the text in the file. Note that this is not the same as searching for "Dear" OR "John". In order to do that you need to enter keywords in separate lines. |
| Modification Date | Equals, Does Not Equal, Greater Than, Greater Than or Equals, Less Than, Less Than or Equals | When you use the Modification Date property in a query, the search returns all files that equal/doesn't equal, greater/less than the selected date. | If you search "Less Than 1/1/2021," your results include all files received before January 1, 2021. |
| Owner | Contains | When you use the Owner property in a query, the search returns all messages that contain the text in the Owner field. | If you search "Iscovery," your results include all files sent by people with the "Iscovery" in their name, such as "Ed Iscovery." |
| Shared By | Contains | When you use the Shared By property in a query, the search returns all files that contain the text in the Shared By field. | If you search "ExampleUser1," your results include all files shared by people with the UserExample1 in their name. |
| Shared With | Contains | When you use the Shared With property in a query, the search returns all files that contain the text in the Shared With field. | If you search "UserExample1," your results include all files shared with people with the UserExample1 in their name. |
| Version Date | Equals | When you use the Version Date property in a query, the search returns the version of files on the selected date. | If you search 1/1/2021, your results include only the version of the files on 1/1/2021. The results won't include earlier or later versions of the file. |

Included in the Google Workspace Drive Criteria is one toggle:

- **Collect files from shared drives**—enable the toggle to retrieve data from shared drives, along with personal drives, that match the criteria. Disable to collect only data from personal drives that match the criteria.

10.7.4 Google Chat

Setting criteria for Google Workspace Chat is not required. For more information on Advanced examples, see [Google Workspace documentation](#).

The following table lists the filter criteria support for Google Workspace Chat collections. Google Workspace Chat data is collected in RSMF.

| Criteria | Operators | Description | Example |
|-------------------------|--|--|---|
| Advanced | Equals | When you use the Advanced property in a query, specific Google Workspace search criteria become available in Collect. For more information, see Google Workspace documentation . | For more information on Advanced examples, see Google Workspace documentation . |
| Content Type | Equals | When you used the Content Type property in a query, the search returns messages with specific file types. | If you search with the value set to Google Docs, your results include all Google Docs sent as messages. |
| Keyword Search | Equals | When you use the Keyword Search property in a query, the search returns all messages that contain the text you're searching for. | If you search "Dear John," your results include all messages that contain the text in email body. Note that this is not the same as searching for "Dear" OR "John". In order to do that you need to enter keywords in separate lines. |
| Message Source | Equals | When you use the Message Source property in a query, the search returns all direct messages or all messages in rooms. | If you search with the value set to "Messages in Rooms," your results include only messages sent in a group chat and no direct messages will be included. |
| Sent/Updated Date | Greater Than or Equals, Less Than, Less Than or Equals | When you use the Sent/Updated property in a query, the search returns all messages that equal/doesn't equal, greater/less than the date entered. | If you search "Greater Than 1/1/2001," your results include all messages sent after January 1, 2001. |
| Slice Interval in Hours | Equals | When you use The Slice Interval in Hours property, the search returns all messages in a specific time range or defaults the slice interval to 24 hours. | If you search with a slice interval set to one hour and a conversation spans five hours, you will end up with five RSMFs after processing. |
| User At | Contains | When you use the User At property in a query, the search returns all messages that contain the text in the User At field. | If you search "UserExample1" your results include all messages sent to people with the UserExample1 in their email address. |
| User From | Contains | When you use the User From property in a query, the search returns all messages that contain the text in the | If you search "ExampleUser1," your results include all messages sent by people with the UserExample1 in their email address. |

| Criteria | Operators | Description | Example |
|----------|-----------|------------------|---------|
| | | User From field. | |

Included in the Google Workspace Chat Criteria are two toggles:

- **Include results from Spaces**—enable this toggle to include all messages in spaces, along with direct messages, that match your query. Disable to collect only direct messages that match your query.
- **Disable RSMF conversion**—enable this toggle to keep data in its original format by preventing Relativity from converting the files into Relativity's short message format (RSMF) files.

10.8 Troubleshooting

This table includes troubleshooting for Google's data sources.

| Error | Cause | Resolution |
|--|---|---|
| The token is invalid. You must remove access and generate a new refresh token. | Your token is invalid. This could be due to changing the account owner. | While signed in with your account, navigate to https://my-account.google.com/u/0/permissions . In the page, click Remove Access . Then generate a new refresh token. For more information on generating a refresh token, see Google Workspace data source on page 33 |

11 iManage data source

This topic provides details on how to capture data from iManage cloud instances with Collect.

Note: This documentation contains references to third-party software, or technologies. While efforts are made to keep third-party references updated, the images, documentation, or guidance in this topic may not accurately represent the current behavior or user interfaces of the third-party software. For more considerations regarding third-party software, such as copyright and ownership, see [Terms of Use](#).

Your iManage account needs to have an iManage support account. To get an iManage support account, please refer to [iManage's](#) documentation. You must also connect it to Collect using the steps below.

11.1 Considerations

Consider the following before collecting from the iManage data source:

- iManage Control Center must be configured for Password authentication and not SSO. Collect application authentication relies on password authentication and is not compatible with SSO.
- This data source connector only works with cloud versions of iManage. We cannot collect from on-premise instances of iManage.
- If you are a RelativityOne Government customer and are using iManage Cloud, you do not need to take different steps to authenticate or to collect data.

11.2 Prerequisites

Complete the following before collecting from the iManage data source:

- Before configuring the Collect application in your iManage tenant, you need to submit an email to appregistration@imanager.com. The sender's email address must be associated with a valid iManage Help Center account. In the email, request to add the Collect application to your iManage tenant. The request should include:
 - The following statement: *This is for the Relativity Collect application.*
 - Your organization or company name.
 - Your iManage tenant ID.
- If you have IP restrictions in your environment, you must reach out to the iManage Cloud Support team at cloud-support@imanager.com to get additional addresses/ranges added to the allowlist.
- If you are using iManage Cloud Classic, you must add your tenant-specific iManage API endpoint URL to the allowlist in RelativityOne Government before running collections. This is because in Cloud Classic, the endpoints are unique for each iManage customer. You will need to work with the RelativityOne implementation team to add your API endpoint URL to the allowlist.

11.3 Setting up Relativity Collect in iManage

To set up Collect in iManage, you need to have the App Management role permission in iManage. For more information, see [iManage documentation](#) on adding an application package. Then, use the following procedure to configure the application.

Note: iManage Control Center must be configured for Password authentication and not SSO. Collect application authentication relies on password authentication and is not compatible with SSO.

1. In the iManage Control Center, navigate to the **Settings > Applications** pane.
2. Click **Add Application**.
3. In the available applications list, search for and select the **Relativity Collect** application.
4. Click **Authentication** to configure the OAuth settings for single sign-on.
5. In the OAuth settings:
 - **Allow Refresh Token**—No
 - **Refresh Token Expiry**—default, 365 days
 - **Access Token Expiry**—default, 30 minutes
6. Click **Access** to configure which users can use the Relativity Collect application.
7. Set **Allow Access** to *Custom* to give access to specific users or groups to use the application.
8. Search for and select the user account you want to provide access to use the application. Collect requires this account and the associated password when setting up the iManage data source connection in RelativityOne.
9. Select **Review** to view your changes.
10. Click **Finish**.

Once you have completed setting up the Collect application in iManage, do the following:

1. Click on the application in the Applications Explorer.
2. Click **View**.

The Client ID displays in the application view, but the Client Secret does not. iManage will provide it to you.

 - You need the Client ID and Client Secret later when setting up your iManage data source connection in the Collect application so be sure to make note of them.
 - Relativity bases permissions off the account you selected for granting application access to. The scope of what is visible for collections will be dependent on the permissions of that user account.

11.3.1 Permissions

Collect bases the permissions off the account you use to authenticate with the iManage API. You can locate this account's username and credentials in the configuration file under the settings *Username* and *Password*. The module will only be able to discover items that the account specified by username has access to.

11.3.2 Throttling

Collect handles throttling by reading the response headers for each API call Relativity makes for the header *x-ratelimit-remaining*. When that header value returns 0, Relativity looks for another header value called *x-ratelimit-reset*. The *x-ratelimit-reset* value specifies the amount of time in seconds to wait until Collect no longer needs to. After the wait, the module will retry the throttled API call.

11.4 Creating the data source in Collect

In RelativityOne, use the following procedure to connect the iManage data source to Collect.

1. Navigate to **Collection Admin** within Collect Admin of Set Up.
2. Click the **New Collection Source Instance** button.
3. Do the following:
 - **Name**—enter in a unique name for the data source.
 - **Type**—select the **iManage** data source.
 - **Settings**—enter the required information in the Settings fields. For more information, see [Settings fields below](#).
4. Click **Save**.

For more information, see [Creating a collect data source on page 18](#).

11.5 Settings fields

To connect Relativity to an iManage data source, you need to gather and enter the information for the following fields:

- **Client ID**—enter the Client ID for the application.
- **Client secret**—enter the Client Secret for the application.
- **Username**—enter the iManage user name.
- **Password**—enter the iManage password.
- **Library ID**—enter the name of the iManage database.
- **iManage Base address**—enter the base address that points to the domain or sub-domain of your iManage Cloud instance. For example, <https://cloudimanager.com>, <https://CustomSubdomain.cloudimanager.com> or <https://example.goimanager.com>, <https://CustomSubDomain.goimanager.com>. If the URL contains `cloud-imanager.com`, Collect targets the Cloud. If it does not contain that, then Collect targets Classic Cloud.

11.5.1 Data source details

Each data source details page includes an Actions console. The options available will be different for each data source.

You can click **Validate Connection** to validate to validate the client ID, certificate, and other credentials with iManage.

11.6 Configuring the data source in Collect

Configure the data sources chosen in the Collection Details step. If you select multiple data sources in the first step, you'll configure all sources in the step. Switch between each source by clicking the name of the data source in the left navigation menu. Clicking **Next** and **Previous** also moves you through the data sources. Select individual data sources by clicking on the checkbox and then using the right arrows to select them. After selecting the data sources to configure, fill out the criteria. Each data source has different criteria to enter.

Add search criteria to collect specific data. To configure the data sources, complete the following fields:

- **Select and unselected tabs**—choose the data sources to collect from by moving unselected data sources to the selected list.
- **Field**—choose the field to filter on within the data source.
- **Operator**—choose an operator, such as equals, contains, greater than, or less than.
- **Value**—enter a value to find in the selected field.

The following table lists the filter criteria supported for iManage collections. Setting criteria for iManage is not required. If you have not selected criteria, Relativity collects all results by default. All dates are in Coordinated Universal Time (UTC).

The Less Than operator is only supported when used in conjunction with Greater Than or Equals.

| Criteria | Operators | Description | Example |
|--------------------------|--|--|---|
| Anywhere Search Term | Equals | When you use the Anywhere Search Term property in a query, the search returns all data containing the searched text. | If you search "RelativityOne," your results include all files that contain the searched text in the file. |
| Body Search Term | Equals | When you use the Body Search Term property in a query, the search returns all data that matches the text you are searching. | If you search "Dear John," your results include all data that contains the text in body. Note that this is not the same as searching for "Dear" OR "John". In order to do that you need to enter keywords in separate lines. |
| Creation Date | Greater than or equals; Less than or equals | When you use the Creation Date property in a query, the search returns all data that equals greater/less than the date entered. | If you search "Greater than or equals 1/1/2001," your results include all emails sent on and after January 1, 2001. |
| File Extension Exclusion | Equals | When you use the File Extension Exclusion property, the search returns data without the entered file extension. | If enter .csv, your results include all data that does not include .csv files. |
| File Extension Inclusion | Equals | When you use the File Extension Inclusion property, the search returns data with the entered file extension. | If enter .csv, your results include all data that does include .csv files. |
| iManage Workspace Name | Equals | When you use the iManage Workspace name property, the search returns all data within the workspaces that equals the search word or phrase in the workspace's name. | If you use the iManage Workspace Name property in a query, the search returns all data that the workspace name equals the text you're searching. In other words, the query doesn't return only the data from channels that have an exact match. For example, if you search for "finance_team," your results include data from workspaces like "finance_team_project." |
| Received Date | Greater than or equals; Less than or equals | When you use the Received Date property in a query, the search returns all messages that equals, greater/less than the date entered. | If you search "Less than or equals 1/1/2023," your results include all data received on and before January 1, 2021. |
| Recipient SMTP | Equals | When you use the Recipient SMTP property in a query, the search returns | If you search "iManage," your results include all messages sent to iManage SMTPs. |

| Criteria | Operators | Description | Example |
|---------------------------|--|---|--|
| | | all data that matches the text in the Recipient SMTP field. | |
| Sender SMTP | Equals | When you use the Sender SMTP property in a query, the search returns all data that matches the text in the Sender SMTP field. | If you search “iManage,” your results include all messages sent from iManage SMTPs. |
| Sent Date | Greater than or equals; Less than or equals | When you use the Sent Date property in a query, the search returns all data that is greater than or equals or less than or equals the date entered. | If you search “Greater than or equals 1/1/2001,” your results include all data sent on or after January 1, 2001. |
| Subject Search Term | Equals | When you use the Subject Search Term property, the search returns all messages that contains the search word or phrase in the data's subject. | If you use the Subject Search Term property in a query, the search returns all data that the subject line contains the text you're searching. In other words, the query doesn't return only those messages that have an exact match. For example, if you search for subject “Quarterly Financials,” your results includes data with the subject “Quarterly Financials 2023.” |
| Edit Date | Greater than or equals; Less than or equals | When you use the Edit Date property in a query, the search returns all data that equals greater/less than the date entered. | If you search “Greater Than 1/1/2001,” your results include all documents edited after January 1, 2001 |
| Document Class | Equals | When you use the Document Class property, the search returns data with the entered document class | If you search for a document class that equals one of your custom-defined class categories, your results will include documents only in that class. |
| Document Subclass | Equals | When you use the Document Subclass property, the search returns data with the entered document subclass | If you search for a document subclass that equals one of your custom-defined subclass categories, your results will include documents only in that class. |
| iManage Custom1-16 value | Equals | When you use the iManage Custom1-16 Value properties in a query, the search returns all data that equals the entered value in its Custom 1 Property within iManage. | If you search for an iManage Custom1-16 value, your results will include documents that match your custom value between 1 and 16. For more information, see iManage custom fields documentation . |
| iManage Custom21-24 Value | Greater than or equals; Less than or | When you use the Edit Date property in a query, the search returns all data | If you search for an iManage Custom21-24 value, your results will include documents that match your custom value between 1 and 16. For more information, see iManage |

| Criteria | Operators | Description | Example |
|---------------------------|------------------------|--|---|
| | equals | that equals greater/less than the date entered. | custom fields documentation . |
| iManage Custom25-28 Value | Equals, Does Not Equal | When you use the iManage Custom25 Value property in a query, the search returns all data that matches the entered value in its Custom 25 Property within iManage. | If you search for an iManage Custom25 value, your results will include documents that match your custom value 25. For more information, see iManage custom fields documentation . |
| iManage Custom29-30 Value | Equals | When you use the iManage Custom29-30 Value property in a query, the search returns all data that equals the entered value in its Custom 29-30 Property within iManage. | If you search for an iManage Custom29-30 value, your results will include documents that match your custom value between 29-30. For more information, see iManage custom fields documentation . |

12 Microsoft 365 - OneDrive data source

This topic provides details on how to capture Microsoft 365 OneDrive with Collect.

Note: This documentation contains references to third-party software, or technologies. While efforts are made to keep third-party references updated, the images, documentation, or guidance in this topic may not accurately represent the current behavior or user interfaces of the third-party software. For more considerations regarding third-party software, such as copyright and ownership, see [Terms of Use](#).

12.1 Considerations

Relativity cannot collect inactive employee mailboxes. The Graph API does not support access to inactive mailboxes.

12.2 Task checklist

The table lists the order to perform the necessary tasks for setting up the data source for RelativityOne Collect.

| Order | Application | Task |
|-------|-------------|--|
| 1 | Azure | 1. Registering the Collect application below |
| | | 2. Obtaining a client secret on the next page |
| | | 3. Setting API permissions on page 57 |
| 2 | Collect | 1. Creating the data source in Collect on page 60 |
| | | 2. Configuring the data source in Collect on page 60 |

12.3 Accessing Microsoft 365 tenants

Register the Collect application to access Microsoft 365. When registering the application, the Microsoft 365 administrator creates a Microsoft Application ID and secret. You will use this ID and secret to configure data sources in Collect and provide access to the Office 365 tenants. You can register the application through Azure Portal or by registering the application permissions through the Microsoft App Registration Portal. After registering the application, request administrator consent. From there, it is possible to revoke application access.

Depending on your RelativityOne license, commercial or government, and your Microsoft tenant, Microsoft 365 or Microsoft 365 Government, you will be able to collect from either Microsoft 365 or both Microsoft 365 and Microsoft 365 Government data sources. Commercial users can only collect from Microsoft 365 tenants. Government users can collect from Microsoft 365 and Government 365 tenants. These data sources act the same, but have different icons within Collect.

12.3.1 Registering the Collect application

Register your application permissions through Azure Portal to access tenants.

Start with registering your application in the Azure portal by following the steps below. For more information on registering an application in the Azure portal, refer to documentation on Microsoft's site.

Note: These steps must be completed by a Microsoft 365 administrator.

1. Open your [Azure Portal](#).
2. Click **Microsoft Entra ID** (formerly known as Azure Active Directory).

3. Click **App registrations**.
4. Click **New Registration** to display the Register an application page.
5. Enter an application name in the **Name** field.
6. Accept the default setting, **Accounts in this organizational directory only**, as the supported account type.
7. Click **Register**.
8. Once the application is registered, make note of the **Application (client) ID** and **Directory (tenant) ID** for use later when configuring the data source in RelativityOne Collect.

12.3.2 Obtaining a client secret

Next, obtain the client secret for the registered application in the Azure portal. For more information, see relevant Microsoft documentation on the Microsoft site.

Note: These steps must be completed by a Microsoft 365 administrator.

1. From the registered application's page, click the **Certificates & secrets** option in the left navigation bar.
2. Click the **Client secrets** tab.
3. Click **New client secret**.
4. Enter a description for the client secret in the **Description** text box.
5. Select **730 days (24 months)** from the Expires list. The client secret will expire after this time frame.
 - Once the client secret expires, you must create a new client secret in the Azure portal as described in these steps.
 - Then you must update your Microsoft 365 Collect data sources with it. For more information, see [Expired Azure client secrets below](#).
 - For any additional assistance with client secrets, please contact the Azure Admin in your organization.
6. Click **Add** to create a new secret.
7. Copy the Secret Value to the clipboard by clicking the copy icon and paste it to a safe location. You will use the Secret Value later when creating the data source in Collect.

Caution: Microsoft will only show this secret this one time, and there is no way to recover a secret.

8. Give your Relativity Admin the Application ID and the Client Secret for setup of Collect. This application secret is also needed for setting up a Microsoft Entra ID integration point.

12.3.2.1 Expired Azure client secrets

If your Azure client secret expires, follow these steps:

1. Get a new secret as outlined in the steps above.
2. Go to **Collect Admin** in RelativityOne.
3. Select the desired data source that has expired, and click **Edit**.
4. Input the new client secret value in the **Application Secret** field.
5. Click **Save**.

You must repeat these steps for all Microsoft data sources that you have set up.

12.3.3 Setting API permissions

Each data source has its own set of permissions necessary to allow access to the tenants. To add the correct permissions based on your selected Microsoft 365 data source, follow the steps below.

Note: These steps must be completed by a Microsoft 365 administrator.

1. From the registered application's page, click the **API permissions** option in the left navigation bar. The User.Read permission is automatically added by default.
2. Click **Add a permission**.
3. Click **Microsoft Graph**.
4. Select **Application Permissions**.
5. Select the following permissions from the Permission list. Refer to *Azure Application Registration Permissions for Collect* below for more information about these permissions.
 - Files.Read.All
 - Sites.Read.All
 - User.Read.All
6. Click **Add permissions**.
7. Click **Grant Permission**.
8. Make a note of the application ID that Microsoft assigned to the app registration. This ID is also required for setup of data sources in Collect.
9. The window will show all permissions granted. Verify that all permissions have been granted.
10. Click **Accept** to grant the permissions.

12.3.3.1 Azure Application Registration Permissions for Collect

The Collect application in RelativityOne is a tool designed to streamline the data collection process for eDiscovery. Its primary purpose is to gather data from various sources, such as cloud-based applications and other data repositories, in a manner that is secure, defensible, and efficient. Collect aims to reduce the time and effort involved in data collection, ensuring that the data is accurate and complete, while maintaining chain of custody and compliance with legal and regulatory requirements.

Due to the architecture of the Collect application, Delegated permission can't be used and are not supported. The Collect application requires the use of Microsoft Graph API Azure Application permissions to facilitate the collection of data that occurs in processes running in the background.

The Collect application requires specific Graph API Application permissions be granted to an Azure Application Registration to facilitate efficient and comprehensive data collection for e-discovery and compliance purposes.

Following is an explanation of each Azure application Graph API permission required and why it is needed to support collections of M365 data. For a PDF of this information, see [Azure Application Registration Permissions for Collect](#).

Required Azure Application Graph API Permissions:

1. **Calendars.Read:** This permission allows Relativity to access calendar events. For e-discovery, it's important to capture calendar data as it can provide crucial context, timelines, and evidence related to the case or investigation.
2. **Contacts.Read:** This permission allows access to contacts and is necessary to gather information about communications and relationships between individuals, which can be critical in understanding the full scope of interactions and connections in an investigation.


3. **Files.Read.All:** This permission enables Relativity to access all files in OneDrive and SharePoint. It is essential for collecting documents, spreadsheets, presentations, and other files that might contain relevant information for a legal matter or compliance review. This permission is also required to support collection of linked OneDrive and SharePoint files in Outlook emails and Teams chats.
4. **Mail.Read:** This permission allows access to emails, which is one of the core components of e-discovery. This permission allows Relativity to read email messages in users' mailboxes to identify, preserve, and analyze communications that are pertinent to the case.
5. **Sites.Read.All:** This permission allows Relativity to access all SharePoint sites, including content and metadata. It ensures that any relevant information stored in SharePoint sites can be collected and reviewed.
6. **User.Read.All:** This permission provides access to read the properties and membership of users. It is useful for identifying and understanding the roles, permissions, and activities of different users within the organization, which can be relevant for investigations and compliance checks.
7. **ChannelMessage.Read.All:** This permission provides access to all messages in Microsoft Teams channels. It allows Relativity to capture and review conversations and discussions that take place in Teams channels, which may contain pertinent information for legal or compliance purposes.
8. **Chat.Read.All:** This permission enables Relativity to read all chat messages in Microsoft Teams. This includes private chats between users. Access to these messages is essential for gathering complete communication records and ensuring that no relevant information is overlooked in an investigation.
9. **Group.Read.All:** This permission allows Relativity to read all groups in the directory, including their properties and memberships. It helps in understanding the structure and membership of various groups within the organization, which can be important for context in e-discovery and compliance scenarios.
10. **TeamsTab.Read.All:** This permission allows Relativity to read the properties of all tabs in Microsoft Teams. Tabs can contain important resources, documents, and tools that users interact with. Access to this information can provide additional context and insights into the work and communications of users.
11. **Team.ReadBasic.All:** This permission allows Relativity to read basic properties of all Teams. It helps in identifying and understanding the different Teams within the organization, their purposes, and their memberships, which can be relevant for investigations and compliance checks.
12. **ChannelMember.Read.All:** This permission provides access to the membership information of all Teams channels. It allows Relativity to see who is part of each channel, which can be important for understanding who had access to certain communications and information during an investigation.
13. **Full_access_as_app Permission:** The Microsoft Graph API doesn't support accessing Outlook Online Archives (Archived Mailboxes). We utilize Microsoft's Exchange Web Services (EWS) API to collect Archived Mailboxes.

12.4 Finding Azure credentials

If an application is already created and you need to find the application information to complete the Source Connection step, follow the steps below in the Azure Portal. For more information, see relevant Microsoft documentation on the Microsoft site.

1. Open your [Azure Portal](#).
2. Click **Microsoft Entra ID** (formerly known as Azure Active Directory).
3. Navigate to **Enterprise applications**.
4. In the list of applications, locate and click on your application. The application page displays.
5. Navigate to **Properties**.

6. Click the **copy icon** next to the **Application ID**. The ID is copied to your clipboard to use as needed.



12.5 Limiting application registration access to accounts

Limit the access of Collect to specific Microsoft user accounts and mailboxes by using the *New-ApplicationAccessPolicy Powershell cmdlet*. For more information, see [Microsoft documentation](#).

12.6 Revoking application access

Revoke the application from the Azure portal or by using a PowerShell script. For more information, see [Microsoft's documentation](#).

12.6.1 Revoking access via Azure Portal

To revoke access from the Azure portal:

1. Open your [Azure Portal](#).
2. Navigate to **Enterprise Application**.
3. Under **All applications**, search for your application and click its link.
4. Under **Manage > Properties**, click **Delete**.

Collect no longer has access.

12.6.2 Revoking access via Powershell

Revoke access in Powershell using the *Remove-MsolServicePrincipal* script. See the Powershell example below of retrieving and deleting an application registration.

```
Get-MsolServicePrincipal -AppPrincipalId 19ab8a2e-ccce-4fa8-a9ee-eb16e220d602
```

```
ExtensionData : System.Runtime.Serialization.ExtensionDataObject
```

```
AccountEnabled : True
```

```
Addresses : {}
```

```
AppPrincipalId : 19ab8a2e-ccce-4fa8-a9ee-eb16e220d602
```

```
DisplayName : Relativity-Development-Application
```

```
ObjectId : 51798fb3-e72c-4373-8c63-6e7d0dd63ad7
```

```
ServicePrincipalNames : {19ab8a2e-ccce-4fa8-a9ee-eb16e220d602}
```

```
TrustedForDelegation : False
```

```
Remove-MsolServicePrincipal -AppPrincipalId 19ab8a2e-ccce-4fa8-a9ee-eb16e220d602
```

12.7 Creating the data source in Collect

The Collection Admin tab is where you create, edit, and remove data sources from your workspace. Setup only needs to be done once for each data source. You must create your data sources prior to setting up your custodian targets.

In RelativityOne, navigate to **Collect**.

1. Click the **New Collection Source Instance** button.
2. Enter a unique name for the data source.
3. Select **Microsoft 365 OneDrive**.

Note: Collect automatically collects any preserved data that has an in-place hold or litigation hold. Microsoft stored data on a hold in a preservation library and separate folders. For more information, see [Microsoft Retention Policies](#).

4. Enter the required information in Settings. For more information, see [Settings fields below](#).
5. Click **Save**.

After clicking Save, Relativity verifies the parameters and connectivity to the Microsoft 365 data source. If successful, Relativity saves the data source. If the connection fails, a message appears indicating that the connection failed. If verification fails, verify that the values are correct. Relativity will save the data source when you correct it and it's verified.

Once the set up is complete, the data source information on the Collect Admin page.

12.8 Settings fields

To connect Relativity to a Microsoft OneDrive data source, you need to gather and enter the information for the following fields:

- **Domain**—enter the Tenant ID or Primary domain (domain name usually ends with .onmicrosoft.com) of the Microsoft 365 tenant the collection is intended for. To locate the tenant ID or primary domain name, see [Microsoft documentation](#).
- **Application Id**—enter the Application ID created during registering the Collect application in Microsoft 365.
- **Application secret**—enter the Application Secret created during registering the Collect application in Microsoft 365.

Depending on your RelativityOne license, commercial or government, and your Microsoft tenant, Microsoft 365 or Microsoft 365 Government, you will be able to collect from either Microsoft 365 or both Microsoft 365 and Microsoft 365 Government data sources. Commercial users can only collect from Microsoft 365 tenants. Government users can collect from Microsoft 365 and Government 365 tenants. These data sources act the same, but have different icons within Collect.

12.8.1 Data source details

Each data source details page includes an Action console. Each data source has different actions.

On the Microsoft Teams data source page, click **Validate Connection** in the Actions console to validate the client ID, certificate, and other credentials with Microsoft 365.

12.9 Configuring the data source in Collect

In RelativityOne, configure the data sources chosen in the Collection Details step.

12.9.1 Data source criteria

Add criteria to collect specific data. To configure the data sources, complete the following fields:

- **Select and unselected tabs**—choose the data sources to collect from by moving unselected data sources to the selected list.
- **Field**—choose the field to filter on within the data source.

Note: This field is only required when you select a calendar source.

- **Operator**—choose an operator such as equals, contains, greater than, or less than.
- **Value**—enter a value to find in the selected field.

After selecting field options, you must click **Add Criteria**.

Details to know about criteria:

- Each criteria is then separated by an AND operator.
- Leave the data source criteria empty to collect all data from the sources.

12.9.1.1 Criteria

Filter a data source's data that you want to collect by adding criteria. This section covers the different criteria for each data source. It also includes what you can search within each data source. The criteria options change based on the Microsoft 365 Archived mailbox data source.

The following table lists the filter criteria support for OneDrive collections.

Note: You must register Relativity in Microsoft 365 before using this data source. For information on registering Relativity in Microsoft 365, see [Accessing Microsoft 365 tenants on page 55](#).

When using search criteria to filter for Microsoft 365 OneDrive, different operators can return different results. Knowing the search operators is crucial.

The keyword search criteria uses the Search In operator. When using the Search In operator:

- Search for a phrase by entering the phrase without any OR operators into the Value text box.
Example: acme corp contract
- Search for individual keywords by entering the keywords and separating them with an OR in the Value text box.
Example: cat OR dog OR mouse
Enter the OR operator with all capital letters. You should add keywords and phrases in lower case only.
- Keywords hit on matches and if a word is prefixed with a keyword.
Example: "Work" will return "workday" and "workplace"

| Criteria | Operators | Description | Example |
|----------------|---------------------------------|---|---|
| File Extension | Equal, Does Not Equal, Contains | When you use the File Extension property in a query, the search returns all files that contain the entered file extension. | If you search "Contains docx," your results include all Microsoft Word files saved with that extension. |
| File Path | Equal, Does Not Equal, Contains | When you use the File Path property in a query, the search returns all messages equals/does not equal or contain the folder path entered. | If you search "Contains documents/Relativity," your results include all files within the listed folder and any folder beyond the file path entered. |

| Criteria | Operators | Description | Example |
|-------------------|--|--|---|
| File Name | Equal, Does Not Equal, Contains | When you use the File Name property in a query, the search returns all files that equals/does not equal or contain the value entered. | If you search "Equals Important_Document," your results include all files with that text in the filename. |
| Creation Date | Equals, Does Not Equal, Greater Than, Greater Than or Equals, Less Than, Less Than or Equals | When you use the Creation Date property in a query, the search returns all messages that equal/doesn't equal, greater/less than the date entered. | If you search "Greater Than 1/1/2001," your results include all messages created after January 1, 2001. |
| Modification Date | Equals, Does Not Equal, Greater Than, Greater Than or Equals, Less Than, Less Than or Equals | When you use the Modification Date property in a query, the search returns all updated files that equal/doesn't equal, greater/less than the date entered. | If you search "Less Than 1/1/2020," your results include all files modified before January 1, 2020. |
| Keyword Search | Search In | When you use the Keyword Search property in a query, the search returns all files containing the searched text. | If you search "Relativity," your results include all files that contain the searched text in the file. |

Note: For email, the date a recipient receives message or sent by the sender. For documents, the date a document was last modified.

12.9.2 Collecting preserved files

When running a collection with Microsoft data sources, Relativity collects all available files, including preserved files. You do not need to take extra steps to collect preserved files as they are automatically included in the collection. For more information on preserving data, see the Legal Hold guide.

When a Microsoft places a data source on a preservation hold, Microsoft creates a preservation hold library (for OneDrive) and a Recoverable Items folder (for Outlook). The addition of the Recoverable Items folder to Microsoft Exchange is another folder that can be collected. Collect can collect this folder because the Recoverable Items folder is an additional folder within a Microsoft data source.

When emails and files are on a preservation hold in Microsoft 365, Microsoft preserves original copies of any deleted or modified items. Microsoft stores preserved emails in the Recoverable Items folder and preserved files in the Preservation Library. Collect automatically collects from these file locations.

Relativity collects all versions of the document available in the preservation library. Collecting all versions of a document means that Relativity collects multiple versions of the same file with the corresponding SHA-256 hashes for each version of the data. If there were changes in the file version, the hash should be unique. For more information on hash identifiers, see [Hash identifier - SHA-256 on page 117](#).

13 Microsoft 365 - Outlook data source

This topic provides details on how to capture Microsoft 365 Outlook mailbox, calendars, contacts, and archive mailboxes with Collect.

Note: This documentation contains references to third-party software, or technologies. While efforts are made to keep third-party references updated, the images, documentation, or guidance in this topic may not accurately represent the current behavior or user interfaces of the third-party software. For more considerations regarding third-party software, such as copyright and ownership, see [Terms of Use](#).

13.1 Considerations

Note the following considerations about Microsoft 365 Outlook data sources:

- Relativity can collect standard mailboxes and archived mailboxes, but treats those mailboxes as two different data sources. Each type has specific permissions that you must include in the Azure application registration.
- Microsoft limits pre-collection filtering. Search does not mimic search capabilities in either Microsoft Purview or Relativity dtSearch. This can cause confusion with search operators and data being searched.
- The Outlook data source supports collection of linked attachments.
- You cannot collect private, one-on-one Teams chats with the Outlook data source. You can use the Teams data source to collect private, one-on-one Teams chats. For more information, see [Microsoft 365 - Teams data source on page 85](#).
- Authentication for collecting archived mailbox should use modern authentication. When using modern authentication, client ID and secret, the Exchange Web Services *full_access_as_app* permission must be applied to the Azure app registration—TenantId, ClientId, ClientSecret. This permission is required for collecting online archived mailboxes.
- If you have a GCC high tenant, than you need to use the GCC High connector when setting up a data source. For more information, see Microsoft's documentation. Also, if in GCC only, you can use the same Microsoft 365 commercial tile.
- Government 365 collections include archive mailboxes.

13.2 Task checklist

The table lists the order to perform the necessary tasks for setting up the data source for RelativityOne Collect.

| Order | Application | Task |
|-------|-------------|---|
| 1 | Azure | 1. Registering the Collect application on the next page |
| | | 2. Obtaining a client secret on the next page |
| | | 3. Setting API permissions on page 65 |
| 2 | Collect | 1. Creating the data source in Collect on page 70 |
| | | 2. Configuring the data source in Collect on page 70 |

13.3 Accessing Microsoft 365 tenants

Register the Collect application to access Microsoft 365. When registering the application, the Microsoft 365 administrator creates a Microsoft Application ID and secret. Relativity uses this ID and secret to configure data sources in Collect and provides access to the Office 365 tenants. You can register the application through Azure Portal or by registering the application permissions through the Microsoft App Registration Portal. After registering the application, request administrator consent. From there, it is possible to revoke application access.

Depending on your RelativityOne license, commercial or government, and your Microsoft tenant, Microsoft 365 or Microsoft 365 Government, you will be able to collect from either Microsoft 365 or both Microsoft 365 and Microsoft 365 Government data sources. Commercial users can only collect from Microsoft 365 tenants. Government users can collect from Microsoft 365 and Government 365 tenants. These data sources act the same, but have different icons within Collect.

13.3.1 Registering the Collect application

Start with registering your application in the Azure portal by following the steps below. For more information on registering an application in the Azure portal, refer to documentation on Microsoft's site.

Note: These steps must be completed by a Microsoft 365 administrator.

1. Open your [Azure Portal](#).
2. Click **Microsoft Entra ID** (formerly known as Azure Active Directory).
3. Click **App registrations**.
4. Click **New Registration** to display the Register an application page.
5. Enter an application name in the **Name** field.
6. Accept the default setting, **Accounts in this organizational directory only**, as the supported account type.
7. Click **Register**.
8. Once the application is registered, make note of the **Application (client) ID** and **Directory (tenant) ID** for use later when configuring the data source in RelativityOne Collect.

13.3.2 Obtaining a client secret

Next, obtain the client secret for the registered application in the Azure portal. For more information, see relevant Microsoft documentation on the Microsoft site.

Note: These steps must be completed by a Microsoft 365 administrator.

1. From the registered application's page, click the **Certificates & secrets** option in the left navigation bar.
2. Click the **Client secrets** tab.
3. Click **New client secret**.
4. Enter a description for the client secret in the **Description** text box.
5. Select **730 days (24 months)** from the Expires list. The client secret will expire after this time frame.
 - Once the client secret expires, you must create a new client secret in the Azure portal as described in these steps.
 - Then you must update your Microsoft 365 Collect data sources with it. For more information, see [Expired](#)

[Azure client secrets on the next page.](#)

- For any additional assistance with client secrets, please contact the Azure Admin in your organization.
6. Click **Add** to create a new secret.
 7. Copy the Secret Value to the clipboard by clicking the copy icon and paste it to a safe location. You will use the Secret Value later when creating the data source in Collect.

Caution: Microsoft will only show this secret this one time, and there is no way to recover a secret.

8. Give your Relativity Admin the Application ID and the Client Secret for setup of Collect. This application secret is also needed for setting up a Microsoft Entra ID integration point.

13.3.2.1 Expired Azure client secrets

If your Azure client secret expires, follow these steps:

1. Get a new secret as outlined in the steps above.
2. Go to **Collect Admin** in RelativityOne.
3. Select the desired data source that has expired, and click **Edit**.
4. Input the new client secret value in the **Application Secret** field.
5. Click **Save**.

You must repeat these steps for all Microsoft data sources that you have set up.

13.3.3 Setting API permissions

Each data source has its own set of permissions necessary to allow access to the tenants. To add the correct permissions based on your selected Microsoft 365 data source, follow the steps below.

Note: These steps must be completed by a Microsoft 365 administrator.

1. From the registered application's page, click the **API permissions** option in the left navigation bar. The User.Read permission is automatically added by default.
2. Click **Add a permission**.
3. Click **Microsoft Graph**.
4. Select **Application Permissions**.
5. Select the following permissions from the Permission list. Refer to *Azure Application Registration Permissions for Collect* below for more information about these permissions.
 - Calendars.Read
 - Contacts.Read
 - Files.Read.All
 - Mail.Read
 - Sites.Read.All
 - User.Read.All
6. Click **Add permissions**.
7. Click **Grant Permission**.

8. Make a note of the application ID that Microsoft assigned to the app registration. This ID is also required for setup of data sources in Collect.
9. The window will show all permissions granted. Verify that all permissions have been granted.
10. Click **Accept** to grant the permissions.

To add permissions for Microsoft 365 online archived mailboxes:

1. In the left navigation, select **Manage>Manifest**.
2. Locate the *requiredResourceAccess* property in the manifest, and add the following JSON script inside the *requiredResourceAccess* square brackets ([]):

```
{
  "resourceAppId": "00000002-0000-0ff1-ce00-000000000000",
  "resourceAccess": [
    {
      "id": "dc890d15-9560-4a4c-9b7f-a736ec74ec40",
      "type": "Role"
    }
  ]
}
```

3. Click **Save**.
4. Click **API Permissions**.
5. Click **Add a permission**.
6. Click **Microsoft Graph**.
7. Select **Application Permissions**.
8. Select the following permissions from the Permission list. Refer to *Azure Application Registration Permissions for Collect* below for more information about these permissions.
 - Calendars.Read
 - Contacts.Read
 - Files.Read.All
 - Mail.Read
 - Sites.Read.All
 - User.Read.All
9. Click **Add permissions**.

- Confirm that the **full_access_as_app** permission is listed.

| API / Permissions name | Type | Description | Admin consent requ... |
|--|-------------|---|-----------------------|
| ▼ Microsoft Graph (7) | | | |
| Calendars.Read | Application | Read calendars in all mailboxes | Yes |
| Contacts.Read | Application | Read contacts in all mailboxes | Yes |
| Files.Read.All | Application | Read files in all site collections | Yes |
| Mail.Read | Application | Read mail in all mailboxes | Yes |
| Sites.Read.All | Application | Read items in all site collections | Yes |
| User.Read | Delegated | Sign in and read user profile | No |
| User.Read.All | Application | Read all users' full profiles | Yes |
| ▼ Office 365 Exchange Online (1) | | | |
| full_access_as_app | Application | Use Exchange Web Services with full access to all mailboxes | Yes |

- Click **Grant Permission**.
- Make a note of the application ID that Microsoft assigned to the app registration. This ID is also required for setup of data sources in Collect.
- The window will show all permissions granted. Verify that all permissions have been granted.
- Click **Accept** to grant the permissions.

13.3.3.1 Azure Application Registration Permissions for Collect

The Collect application in RelativityOne is a tool designed to streamline the data collection process for eDiscovery. Its primary purpose is to gather data from various sources, such as cloud-based applications and other data repositories, in a manner that is secure, defensible, and efficient. Collect aims to reduce the time and effort involved in data collection, ensuring that the data is accurate and complete, while maintaining chain of custody and compliance with legal and regulatory requirements.

Due to the architecture of the Collect application, Delegated permission can't be used and are not supported. The Collect application requires the use of Microsoft Graph API Azure Application permissions to facilitate the collection of data that occurs in processes running in the background.

The Collect application requires specific Graph API Application permissions be granted to an Azure Application Registration to facilitate efficient and comprehensive data collection for e-discovery and compliance purposes.

Following is an explanation of each Azure application Graph API permission required and why it is needed to support collections of M365 data. For a PDF of this information, see [Azure Application Registration Permissions for Collect](#).

Required Azure Application Graph API Permissions:

- Calendars.Read:** This permission allows Relativity to access calendar events. For e-discovery, it's important to capture calendar data as it can provide crucial context, timelines, and evidence related to the case or investigation.
- Contacts.Read:** This permission allows access to contacts and is necessary to gather information about communications and relationships between individuals, which can be critical in understanding the full scope of interactions and connections in an investigation.
- Files.Read.All:** This permission enables Relativity to access all files in OneDrive and SharePoint. It is essential for collecting documents, spreadsheets, presentations, and other files that might contain relevant information

for a legal matter or compliance review. This permission is also required to support collection of linked OneDrive and SharePoint files in Outlook emails and Teams chats.


4. **Mail.Read:** This permission allows access to emails, which is one of the core components of e-discovery. This permission allows Relativity to read email messages in users' mailboxes to identify, preserve, and analyze communications that are pertinent to the case.
5. **Sites.Read.All:** This permission allows Relativity to access all SharePoint sites, including content and metadata. It ensures that any relevant information stored in SharePoint sites can be collected and reviewed.
6. **User.Read.All:** This permission provides access to read the properties and membership of users. It is useful for identifying and understanding the roles, permissions, and activities of different users within the organization, which can be relevant for investigations and compliance checks.
7. **ChannelMessage.Read.All:** This permission provides access to all messages in Microsoft Teams channels. It allows Relativity to capture and review conversations and discussions that take place in Teams channels, which may contain pertinent information for legal or compliance purposes.
8. **Chat.Read.All:** This permission enables Relativity to read all chat messages in Microsoft Teams. This includes private chats between users. Access to these messages is essential for gathering complete communication records and ensuring that no relevant information is overlooked in an investigation.
9. **Group.Read.All:** This permission allows Relativity to read all groups in the directory, including their properties and memberships. It helps in understanding the structure and membership of various groups within the organization, which can be important for context in e-discovery and compliance scenarios.
10. **TeamsTab.Read.All:** This permission allows Relativity to read the properties of all tabs in Microsoft Teams. Tabs can contain important resources, documents, and tools that users interact with. Access to this information can provide additional context and insights into the work and communications of users.
11. **Team.ReadBasic.All:** This permission allows Relativity to read basic properties of all Teams. It helps in identifying and understanding the different Teams within the organization, their purposes, and their memberships, which can be relevant for investigations and compliance checks.
12. **ChannelMember.Read.All:** This permission provides access to the membership information of all Teams channels. It allows Relativity to see who is part of each channel, which can be important for understanding who had access to certain communications and information during an investigation.
13. **Full_access_as_app Permission:** The Microsoft Graph API doesn't support accessing Outlook Online Archives (Archived Mailboxes). We utilize Microsoft's Exchange Web Services (EWS) API to collect Archived Mailboxes.

13.4 Finding Azure credentials

If an application is already created and you need to find the application information to complete the Source Connection step, follow the steps below in the Azure Portal. For more information, see relevant Microsoft documentation on the Microsoft site.

1. Open your [Azure Portal](#).
2. Click **Microsoft Entra ID** (formerly known as Azure Active Directory).
3. Navigate to **Enterprise applications**.
4. In the list of applications, locate and click on your application. The application page displays.
5. Navigate to **Properties**.

6. Click the **copy icon** next to the **Application ID**. The ID is copied to your clipboard to use as needed.



13.5 Limiting application registration access to accounts

Limit the access of Collect to specific Microsoft user accounts and mailboxes by using the *New-ApplicationAccessPolicy Powershell cmdlet*. For more information, see [Microsoft documentation](#).

13.6 Revoking application access

Revoke the application from the Azure portal or by using a PowerShell script. For more information, see [Microsoft's documentation](#).

13.6.1 Revoking access via Azure Portal

To revoke access from the Azure portal:

1. Open your [Azure Portal](#).
2. Navigate to **Enterprise Application**.
3. Under **All applications**, search for your application and click its link.
4. Under **Manage > Properties**, click **Delete**.

Collect no longer has access.

13.6.2 Revoking access via Powershell

Revoke access in Powershell using the *Remove-MsolServicePrincipal* script. See the Powershell example below of retrieving and deleting an application registration.

```
Get-MsolServicePrincipal -AppPrincipalId 19ab8a2e-ccce-4fa8-a9ee-eb16e220d602
```

```
ExtensionData : System.Runtime.Serialization.ExtensionDataObject
```

```
AccountEnabled : True
```

```
Addresses : {}
```

```
AppPrincipalId : 19ab8a2e-ccce-4fa8-a9ee-eb16e220d602
```

```
DisplayName : Relativity-Development-Application
```

```
ObjectId : 51798fb3-e72c-4373-8c63-6e7d0dd63ad7
```

```
ServicePrincipalNames : {19ab8a2e-ccce-4fa8-a9ee-eb16e220d602}
```

```
TrustedForDelegation : False
```

```
Remove-MsolServicePrincipal -AppPrincipalId 19ab8a2e-ccce-4fa8-a9ee-eb16e220d602
```

13.7 Creating the data source in Collect

The Collection Admin tab is where you create, edit, and remove data sources from your workspace. You need to setup each data source once. You must create your data sources prior to setting up your custodian targets.

In RelativityOne, navigate to **Collect**.

1. Click the **New Collection Source Instance** button.
2. Enter in a unique name for the data source.
3. Select a **Microsoft 365 Outlook** data source.

Note: Collect automatically collects any data that is preserved due to an in-place hold or litigation hold. Data on a hold is stored in a preservation library and separate folders. For more information, see [Microsoft Retention Policies](#).

4. Enter the required information in Settings. For more information, see [Settings fields below](#)
5. Click **Save**.

After clicking Save, Relativity verifies the parameters and connectivity to the Microsoft 365 data source. If successful, Relativity saves the data source. If the connection fails, a message appears indicating that the connection failed. If verification fails, verify that the values are correct. The data source will save when it is corrected and is verified.

Once the set up is complete, the data source information on the Collect Admin page.

13.8 Settings fields

To connect Relativity to a Microsoft Outlook data source, you need to gather and enter the information for the following fields:

- **Domain**—enter the Tenant ID or Primary domain (domain name usually ends with .onmicrosoft.com) of the Microsoft 365 tenant the collection is intended for. To locate the tenant ID or primary domain name, see [Microsoft documentation](#).
- **Application Id**—enter the Application ID created during registering the Collect application in Microsoft 365.
- **Application secret**—enter the Application secret created during registering the Collect application in Microsoft 365. For more information, see [Accessing Microsoft 365 tenants on page 64](#).

Depending on your RelativityOne license, commercial or government, and your Microsoft tenant, Microsoft 365 or Microsoft 365 Government, you will be able to collect from either Microsoft 365 or both Microsoft 365 and Microsoft 365 Government data sources. Commercial users can only collect from Microsoft 365 tenants. Government users can collect from Microsoft 365 and Government 365 tenants. These data sources act the same, but have different icons within Collect.

13.8.1 Data source details

Each data source details page includes an Action console. Each data source has different actions.

On the Microsoft Teams data source page, click **Validate Connection** in the Actions console to validate the client ID, certificate, and other credentials with Microsoft 365.

13.9 Configuring the data source in Collect

In RelativityOne, configure the data sources chosen in the Collection Details step.

13.9.1 Data source criteria

Add criteria to collect specific data. To configure the data sources, complete the following fields:

- **Select and unselected tabs**—choose the data sources to collect from by moving unselected data sources to the selected list.
- **Field**—choose the field to filter on within the data source.

Note: This field is only required when you select a calendar source.

- **Operator**—choose an operator, such as equals, contains, greater than, or less than.
- **Value**—enter a value to find in the selected field.

After selecting field options, you must click **Add Criteria**.

Details to know about criteria:

- Each criteria is then separated by an AND operator.
- Leave the data source criteria empty to collect all data from the sources.

13.9.2 Criteria

Filter a data source's data that you want to collect by adding criteria. This section covers the different criteria for each data source. It also includes what can be searched within each data source. The criteria options change based on the Microsoft 365 Outlook data source.

13.9.2.1 Microsoft 365 Outlook mailbox

Relativity collects all items in visible folders within Outlook's inbox and custom folders. Relativity collects hidden folders that exist under the Top of Information Store.

Note: The Microsoft 365 Outlook mailbox data source does not include soft deleted mailboxes, archived mailboxes, conversation history, notes, or tasks in the collections. To collect archived Outlook mailbox data, see [Microsoft 365 archive mailboxes on page 74](#).

Another difference is the separation of calendar items and outlook contacts. Microsoft combines those two items with the Outlook mailbox. Relativity separates them into different data sources. For more information, see [Microsoft 365 Outlook contacts on page 74](#) and [Microsoft 365 Outlook calendar on page 74](#).

The following list is a list of file classes included in Outlook mailbox collections.

Collected file classes

- IPM.Activity
- IPM.Document
- IPM.OLE.Class
- IPM
- IPM.Post
- IPM.StickyNote
- IPM.Recall.Report
- IPM.Remote
- IPM.Report
- IPM.Resend

- IPM.Schedule
- IPM.TaskRequest

Collect all emails with attachments regardless of criteria

This data source also includes the *Collect all emails with attachments regardless of criteria* toggle. If you are using keyword search criteria, we recommend enabling the toggle, regardless of keyword search results, because searching email attachments is not supported through the Microsoft Graph API. Use the *Collect all emails with attachments regardless of criteria* to collect all emails with attachments, including ones that do not match the selected keyword search criteria. Toggle on to collect emails that match the keyword search criteria, emails that match other criteria such as date range, and all emails with attachments regardless of keyword search criteria. For example, if you add a date range and keywords, Collect pulls emails with keywords in the body, emails within the specified date range, and emails with attachments within the date range. Toggle off to collect only emails that match the search criteria.

Other filter criteria still applies to the collection. For example, if you specify a date range along with keywords, Collect does not return any emails outside the date range. It returns the emails within the date range that are either responsive to the keywords or have an attachment.

Outlook mailbox criteria

The following table lists the filter criteria supported for mailbox collections.

Note: You must register Relativity in Microsoft 365 before using this data source. For information on registering Relativity in Microsoft 365, see [Accessing Microsoft 365 tenants on page 64](#).

When using search criteria to filter for Outlook Mailbox, different operators can return different results. For example, the search criteria uses Search In and it does not use Contains. When using the Search In operator:

- Search for a phrase by entering the phrase without any OR operators into the Value text box.
Example: acme corp contract
- Search for individual keywords by entering the keywords and separating them with an OR in the Value text box.
Example: cat OR dog OR mouse>
Enter the OR operator with all capital letters. You should add keywords and phrases lower case only.
- Keywords hit on matches and if a word is prefixed with a keyword.
Example: "Work" will return "workday" and "workplace"

The following table lists the filter criteria supported for mailbox collections.

| Criteria | Operators | Description | Example |
|----------------|------------------|---|--|
| Email BCC | Contains | When you use the Email From property in a query, the search returns all messages that contain the text in the Email BCC field. | If you search "@example.com," your results include all blind carbon copied messages received by people with the @example.com in their email address. |
| Email CC | Contains | When you use the Email From property in a query, the search returns all messages that contain the text in the Email CC field. | If you search "@example.com," your results include all carbon copied messages received by people with the @example.com in their email address. |
| Email From | Equals, Contains | When you use the Email From property in a query, the search returns all messages that contain the text in the Email From field. | If you search "@example.com," your results include all messages sent by people with the @example.com in their email address. |
| Email Received | Does Not Equal, | When you use the Email Received Date property in a query, the search | If you search "Less Than 1/1/2020," your results include all emails received before January |

| Criteria | Operators | Description | Example |
|---------------------------------|---|--|---|
| Date | Equals, Greater Than, Greater Than or Equals, Less Than, Less Than or Equals | returns all messages that equal/doesn't equal, greater/less than the date entered. | 1, 2020. |
| Email Sent Date | Does Not Equal, Equals, Greater Than, Greater Than or Equals, Less Than, Less Than or Equals | When you use the Email Sent Date property in a query, the search returns all messages that equal/doesn't equal, greater/less than the date entered. | If you search "Greater Than 1/1/2001," your results include all emails sent after January 1, 2001. |
| Email To | Contains | When you use the Email To property in a query, the search returns all messages that contain the text in the Email To field. | If you search "@example.com," your results include all messages sent to people with the @example.com in their email address. |
| Has Attachments | Does Not Equal, Equals | When you use the Has Attachments property, the search returns emails with or without attachments based on the True or False setting. | If you mark "True," your results include all messages that include an attachment. |
| Keyword Search - Email Body | Search In | When you use the Keyword Search – Email Body property in a query, the search returns all messages email message contains the text you're searching for. | If you search "Dear John," your results include all messages that contain the text in email body. Note that this is not the same as searching for "Dear" OR "John." In order to do that, you need to separate keyword by OR |
| Keyword Search - Email Metadata | Search In | When you use the Keyword Search – Email Metadata property in a query, the search returns all messages which the Email To, Email From, Email CC, or Email BCC fields contain the text you're searching for. | If you search kriter@example.com, your results include all messages that have the text in the Email To, Email From, Email CC, or Email BCC fields. |
| Parent Folder Name | Contains, Does Not Equal, Equals | When you use the Parent Folder Path property in a query, the search returns all messages in the folder that equal, does not equal, or contains the name entered. When using the Parent Folder Name criteria, listing a parent folder includes the child folders in the returned results. | If you search "RelativityOne," your results include all emails in the folder and all emails within the child folders listed under the "RelativityOne" parent folder. |

| Criteria | Operators | Description | Example |
|----------|-----------|--|--|
| Subject | Contains | When you use the Subject property, the search returns all messages that contains the search word or phrase in the email's title. | If you use the Subject property in a query, the search returns all messages that the subject line contains the text you're searching for. In other words, the query does not return only those messages that have an exact match. For example, if you search for subject "Quarterly Financials," your results include messages with the subject "Quarterly Financials 2018." |

13.9.2.2 Microsoft 365 Outlook calendar

The following table lists the filter criteria supported for calendar collections. You're required to enter the start date and end data criteria for calendar collections. The maximum supported date range is five years. For example, it can be 1/1/2001 to 12/31/2006 but not 1/1/2000 to 12/31/2007.

Note: You must register Relativity in Microsoft 365 before using this data source. For information on registering Relativity in Microsoft 365, see [Accessing Microsoft 365 tenants on page 64](#).

You're required to enter the start and end dates when using an Microsoft 365 Outlook Calendar data source.

The following table lists the filter criteria supported for Outlook calendar collections.

| Criteria | Operators | Description | Example |
|------------|-----------|--|--|
| Start Date | Equals | When you use the Start Date property in a query, the search returns calendar items that exist the day of and after the entered date. | When you search a Start Date of 1/1/2001 and an End Date of 1/1/2020, Collect returns all calendar items on and between the two dates. |
| End Date | Equals | When you use the End Date property in a query, the search returns all calendar items the day of and before the entered date. | When you search a Start Date of 1/1/2001 and an End Date of 1/1/2020, Collect returns all calendar items on and between the two dates. |

13.9.2.3 Microsoft 365 Outlook contacts

These properties are available for users to configure contacts, also called personal contacts, located in the personal address book of a user's mailbox. Relativity collects all contacts and no filter criteria is necessary.

Microsoft collects cached contacts, which are not contacts the user implicitly creates in Outlook. These contacts are not collected by Relativity.

Note: You must register Relativity in Microsoft 365 before using this data source. For information on registering Relativity in Microsoft 365, see [Accessing Microsoft 365 tenants on page 64](#).

13.9.2.4 Microsoft 365 archive mailboxes

The following table lists the filter criteria supported for archive mailbox collections. Setting criteria for Microsoft 365 Email Archives is not required.

The Less Than operator is only supported when used in conjunction with Greater Than or Equals.

The following table lists the filter criteria supported for Outlook archived mailbox collections.

| Criteria | Operators | Description | Example |
|----------|-----------|---|------------------------|
| Email | Equals, | When you use the Email Sent Date property in a query, the | If you search "Greater |

| Criteria | Operators | Description | Example |
|-----------|-------------------------|---|---|
| Sent Date | Greater Than, Less Than | search returns all messages that are greater than or equal/less than the date entered. Less than operator is only supported together with the greater than or equals. | Than 1/1/2001," your results include all emails sent after January 1, 2001. |

13.10 Collecting preserved files

When running a collection with Microsoft data sources, Relativity collects all available files including preserved files. You do not need to take extra steps to collect preserved files as they are automatically included in the collection. For more information on preserving data, see the Legal Hold guide.

When Microsoft places a data source on a preservation hold, Microsoft creates a preservation hold library (for OneDrive) and a Recoverable Items folder (for Outlook). The addition of the Recoverable Items folder to Microsoft Exchange is another folder that you can collect. Relativity can collect this folder because the Recoverable Items folder is an additional folder within a Microsoft data source.

When emails and files are on a preservation hold in Microsoft 365, Microsoft preserves original copies of any deleted or modified items. Find preserved emails in the Recoverable Items folder. Find preserved files in the Preservation Library. Collect automatically collects from these file locations.

Relativity collects all versions of the document available in the preservation library. Collecting all versions of a document means that Relativity collects multiple versions of the same file with the corresponding SHA-256 hashes for each version of the data. If there were changes in the file version, the hash should be unique. For more information on hash identifiers, see [Hash identifier - SHA-256 on page 117](#)

13.11 Viewing collected data

When Relativity collects the data, Relativity accepts the path names and file names that the source provides. On occasion, the collection source modifies the path name or file name.

13.11.1 File names for Outlook email

Relativity collects Microsoft 365 Outlook emails as individual .eml files. Collect maintains the original folder structure of the mailbox on disk. Each .eml resides in its respective mailbox folder.

13.11.2 Files names on a preservation hold

A randomly generated and unique ID is appended to the original file name of the document if someone moves a deleted document to the Preservation Hold library. For example, there is a document with the file name of *FY2017Budget.xlsx*. If someone deletes that document and then moves it to the Preservation Hold library, the file name of the document is modified. For example, the file name becomes something like *FY2017Budget_DEAF727D-0478-4A7F-87DE-5487F033C81A2000-07-05T10-37-55.xlsx*.

When a document on a site that is on hold is modified and versioning for the document library in the site has been enabled, a copy of the file is automatically created in the Preservation Hold library. In this case, a randomly generated and unique ID is also appended to the file name of the document that is copied to the Preservation Hold library.

The reason why file names of moved or copied documents to the Preservation Hold library is to prevent conflicting file names. For more information about placing a hold on sites and the Preservation Hold library, see [Overview of in-place hold in SharePoint Server 2016](#).

13.11.3 Email considerations

Emails containing double byte characters and illegal characters will be HTML encoded to allow writing to the file system.

13.12 Troubleshooting

This table includes troubleshooting for Microsoft's archived mailboxes.

| Error | Cause | Resolution |
|---|--|---|
| The remote server returned an error: (403). | Permissions have not been applied properly to the service account or application registration when using basic authentication or OAuth 2.0 respectively. | Apply the permission defined in the requirements section depending on your authentication method. |
| The specified folder could not be found in the store. | The mailbox does not have an archive. | Remove the mailbox from the list of targets. |
| Mailbox '...' doesn't have a valid license. | The owner of the mailbox does not have a valid license applied to their account. | Review the requirements section of this document and check if this user has a valid license. You can then choose to remove this user from the list of targets or apply a valid license. |
| The mailbox database is temporarily unavailable. | This error occurs if the mailbox database is not reachable. This can happen because the database is corrupt, in the process of being migrated, updated, or is offline for any other reason. | Wait an hour and retry the job to resolve this issue. If the issue persists, open a ticket with Microsoft. |
| The ExchangePrincipal object contains outdated information. The mailbox may have been moved recently. | The mailbox databases are separated in a way that causes inconsistent mailbox connections. | Retry the collection at a later time. |
| The request failed. Unable to connect to the remote server. A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond to microsoft_ip:443. | This is generally caused by a networking configuration either blocking access to the Exchange Online IP addresses— https://learn.microsoft.com/en-us/microsoft-365/enterprise/urls-and-ip-address-ranges?view=o365-worldwide or Exchange Online blocking access to itself via an allow list. | Perform the necessary network, firewall, or allowed IP address configuration to allow the connector to access Exchange Online. |

14 Microsoft 365 - SharePoint data source

This topic provides details on how to capture Microsoft 365 SharePoint with Collect.

Note: This documentation contains references to third-party software, or technologies. While efforts are made to keep third-party references updated, the images, documentation, or guidance in this topic may not accurately represent the current behavior or user interfaces of the third-party software. For more considerations regarding third-party software, such as copyright and ownership, see [Terms of Use](#).

14.1 Considerations

Note the following considerations about this data source:

- You can only collect parent level sites. You cannot collect sub-sites without collecting the parent level sites.
- Web Forms are not collected.
- Some Teams attachments may exist on the SharePoint sites. Teams chat data should live within the group mailbox of a Teams channel or the users mailbox for 1:1 chats. For more information, see [Microsoft 365 - Teams data source on page 85](#).

14.2 Task checklist

The table lists the order to perform the necessary tasks for setting up the data source for Collect.

| Order | Application | Task |
|-------|-------------|--|
| 1 | Azure | Registering the Collect application on the next page |
| 2 | Azure | Obtaining a client secret on the next page |
| 3 | Azure | Setting API permissions on page 79 |
| 4 | Collect | Creating the data source in Collect on page 82 |
| 5 | Collect | Configuring the data source in Collect on page 83 |

14.3 Accessing Microsoft 365 tenants

Register the Collect application to access Microsoft 365. When registering the application, the Microsoft 365 administrator creates a Microsoft Application ID and secret. You will use this ID and secret to configure data sources in Collect and provides access to the Microsoft 365 tenants. You can register the application through Azure Portal or by registering the application permissions through the Microsoft App Registration Portal. After registering the application, request administrator consent. From there, it is possible to revoke application access.

Depending on your RelativityOne license, commercial or government, and your Microsoft tenant, Microsoft 365 or Microsoft 365 Government, you will be able to collect from either Microsoft 365 or both Microsoft 365 and Microsoft 365 Government data sources. Commercial users can only collect from Microsoft 365 tenants. Government users can collect from Microsoft 365 and Government 365 tenants. These data sources act the same, but have different icons within Collect.

14.3.1 Registering the Collect application

Start with registering your application in the Azure portal by following the steps below. For more information on registering an application in the Azure portal, refer to documentation on Microsoft's site.

Note: These steps must be completed by a Microsoft 365 administrator.

1. Open your [Azure Portal](#).
2. Click **Microsoft Entra ID** (formerly known as Azure Active Directory).
3. Click **App registrations**.
4. Click **New Registration** to display the Register an application page.
5. Enter an application name in the **Name** field.
6. Accept the default setting, **Accounts in this organizational directory only**, as the supported account type.
7. Click **Register**.
8. Once the application is registered, make note of the **Application (client) ID** and **Directory (tenant) ID** for use later when configuring the data source in RelativityOne Collect.

14.3.2 Obtaining a client secret

Next, obtain the client secret for the registered application in the Azure portal. For more information, see relevant Microsoft documentation on the Microsoft site.

Note: These steps must be completed by a Microsoft 365 administrator.

1. From the registered application's page, click the **Certificates & secrets** option in the left navigation bar.
2. Click the **Client secrets** tab.
3. Click **New client secret**.
4. Enter a description for the client secret in the **Description** text box.
5. Select **730 days (24 months)** from the Expires list. The client secret will expire after this time frame.
 - Once the client secret expires, you must create a new client secret in the Azure portal as described in these steps.
 - Then you must update your Microsoft 365 Collect data sources with it. For more information, see [Expired Azure client secrets below](#).
 - For any additional assistance with client secrets, please contact the Azure Admin in your organization.
6. Click **Add** to create a new secret.
7. Copy the Secret Value to the clipboard by clicking the copy icon and paste it to a safe location. You will use the Secret Value later when creating the data source in Collect.

Caution: Microsoft will only show this secret this one time, and there is no way to recover a secret.

8. Give your Relativity Admin the Application ID and the Client Secret for setup of Collect. This application secret is also needed for setting up a Microsoft Entra ID integration point.

14.3.2.1 Expired Azure client secrets

If your Azure client secret expires, follow these steps:

1. Get a new secret as outlined in the steps above.
2. Go to **Collect Admin** in RelativityOne.
3. Select the desired data source that has expired, and click **Edit**.
4. Input the new client secret value in the **Application Secret** field.
5. Click **Save**.

You must repeat these steps for all Microsoft data sources that you have set up.

14.3.3 Setting API permissions

Each data source has its own set of permissions necessary to allow access to the tenants. To add the correct permissions based on your selected Microsoft 365 data source, follow the steps below.

Note: These steps must be completed by a Microsoft 365 administrator.

1. From the registered application's page, click the **API permissions** option in the left navigation bar. The User-Read permission is automatically added by default.
2. Click **Add a permission**.
3. Click **Microsoft Graph**.
4. Select **Application Permissions**.
5. Select the following permissions from the Permission list. Refer to *Azure Application Registration Permissions for Collect* below for more information about these permissions.
 - Files.Read.All
 - Sites.Read.All
6. Click **Add permissions**.
7. Click **Grant Permission**.
8. Make a note of the application ID that Microsoft assigned to the app registration. This ID is also required for setup of data sources in Collect.
9. The window will show all permissions granted. Verify that all permissions have been granted..
10. Click **Accept** to grant the permissions.

14.3.3.1 Azure Application Registration Permissions for Collect

The Collect application in RelativityOne is a tool designed to streamline the data collection process for eDiscovery. Its primary purpose is to gather data from various sources, such as cloud-based applications and other data repositories, in a manner that is secure, defensible, and efficient. Collect aims to reduce the time and effort involved in data collection, ensuring that the data is accurate and complete, while maintaining chain of custody and compliance with legal and regulatory requirements.

Due to the architecture of the Collect application, Delegated permission can't be used and are not supported. The Collect application requires the use of Microsoft Graph API Azure Application permissions to facilitate the collection of data that occurs in processes running in the background.

The Collect application requires specific Graph API Application permissions be granted to an Azure Application Registration to facilitate efficient and comprehensive data collection for e-discovery and compliance purposes.

Following is an explanation of each Azure application Graph API permission required and why it is needed to support collections of M365 data. For a PDF of this information, see [Azure Application Registration Permissions for Collect](#).


Required Azure Application Graph API Permissions:

1. **Calendars.Read:** This permission allows Relativity to access calendar events. For e-discovery, it's important to capture calendar data as it can provide crucial context, timelines, and evidence related to the case or investigation.
2. **Contacts.Read:** This permission allows access to contacts and is necessary to gather information about communications and relationships between individuals, which can be critical in understanding the full scope of interactions and connections in an investigation.
3. **Files.Read.All:** This permission enables Relativity to access all files in OneDrive and SharePoint. It is essential for collecting documents, spreadsheets, presentations, and other files that might contain relevant information for a legal matter or compliance review. This permission is also required to support collection of linked OneDrive and SharePoint files in Outlook emails and Teams chats.
4. **Mail.Read:** This permission allows access to emails, which is one of the core components of e-discovery. This permission allows Relativity to read email messages in users' mailboxes to identify, preserve, and analyze communications that are pertinent to the case.
5. **Sites.Read.All:** This permission allows Relativity to access all SharePoint sites, including content and metadata. It ensures that any relevant information stored in SharePoint sites can be collected and reviewed.
6. **User.Read.All:** This permission provides access to read the properties and membership of users. It is useful for identifying and understanding the roles, permissions, and activities of different users within the organization, which can be relevant for investigations and compliance checks.
7. **ChannelMessage.Read.All:** This permission provides access to all messages in Microsoft Teams channels. It allows Relativity to capture and review conversations and discussions that take place in Teams channels, which may contain pertinent information for legal or compliance purposes.
8. **Chat.Read.All:** This permission enables Relativity to read all chat messages in Microsoft Teams. This includes private chats between users. Access to these messages is essential for gathering complete communication records and ensuring that no relevant information is overlooked in an investigation.
9. **Group.Read.All:** This permission allows Relativity to read all groups in the directory, including their properties and memberships. It helps in understanding the structure and membership of various groups within the organization, which can be important for context in e-discovery and compliance scenarios.
10. **TeamsTab.Read.All:** This permission allows Relativity to read the properties of all tabs in Microsoft Teams. Tabs can contain important resources, documents, and tools that users interact with. Access to this information can provide additional context and insights into the work and communications of users.
11. **Team.ReadBasic.All:** This permission allows Relativity to read basic properties of all Teams. It helps in identifying and understanding the different Teams within the organization, their purposes, and their memberships, which can be relevant for investigations and compliance checks.
12. **ChannelMember.Read.All:** This permission provides access to the membership information of all Teams channels. It allows Relativity to see who is part of each channel, which can be important for understanding who had access to certain communications and information during an investigation.
13. **Full_access_as_app Permission:** The Microsoft Graph API doesn't support accessing Outlook Online Archives (Archived Mailboxes). We utilize Microsoft's Exchange Web Services (EWS) API to collect Archived Mailboxes.

14.4 Finding Azure credentials

If an application is already created and you need to find the application information to complete the Source Connection step, follow the steps below in the Azure Portal. For more information, see relevant Microsoft documentation on the Microsoft site.

1. Open your [Azure Portal](#).
2. Click **Microsoft Entra ID** (formerly known as Azure Active Directory).
3. Navigate to **Enterprise applications**.
4. In the list of applications, locate and click on your application. The application page displays.
5. Navigate to **Properties**.
6. Click the **copy icon** next to the **Application ID**. The ID is copied to your clipboard to use as needed.



14.5 Limiting application registration access to accounts

Limit the access of Collect to specific Microsoft user accounts and mailboxes by using the *New-ApplicationAccessPolicy Powershell cmdlet*. For more information, see [Microsoft documentation](#).

14.6 Revoking application access

Revoke the application from the Azure portal or by using a PowerShell script. For more information, see [Microsoft's documentation](#).

14.6.1 Revoking access via Azure Portal

To revoke access from the Azure portal:

1. Open your [Azure Portal](#).
2. Navigate to **Enterprise Application**.
3. Under **All applications**, search for your application and click its link.
4. Under **Manage > Properties**, click **Delete**.

Collect no longer has access.

14.6.2 Revoking access via Powershell

Revoke access in Powershell using the *Remove-MSolServicePrincipal* script. See the Powershell example below of retrieving and deleting an application registration.

```
Get-MSolServicePrincipal -AppPrincipalId 19ab8a2e-ccce-4fa8-a9ee-eb16e220d602
```

```
ExtensionData : System.Runtime.Serialization.ExtensionDataObject
AccountEnabled : True
Addresses : {}
```

```
AppPrincipalId : 19ab8a2e-ccce-4fa8-a9ee-eb16e220d602
DisplayName : Relativity-Development-Application
ObjectId : 51798fb3-e72c-4373-8c63-6e7d0dd63ad7
ServicePrincipalNames : {19ab8a2e-ccce-4fa8-a9ee-eb16e220d602}
TrustedForDelegation : False
```

```
Remove-MsolServicePrincipal -AppPrincipalId 19ab8a2e-ccce-4fa8-a9ee-eb16e220d602
```

14.7 Creating the data source in Collect

The Collection Admin tab is where you create, edit, and remove data sources from your workspace. You only need to complete setup once for each data source. You must create your data sources before setting up your targets.

In RelativityOne, navigate to **Collect**.

1. Click the **New Collection Source Instance** button.
2. Enter in a unique name for the data source.
3. Select **Microsoft 365 SharePoint**.

Note: Collect automatically collects any preserved data that has an in-place hold or litigation hold. Microsoft stored data on a hold in a preservation library and separate folders. For more information, see [Microsoft Retention Policies](#).

4. Enter the required information in Settings. For more information, see [Settings fields below](#).
5. Click **Save**.

After clicking Save, Relativity verifies the parameters and connectivity to the Microsoft 365 data source. If successful, Relativity saves the data source. If the connection fails, a message appears indicating the connection failed. If verification fails, verify that the values are correct. Relativity will save the data source when you correct it and it's verified.

Once the set up is complete, the data source information on the Collect Admin page.

14.7.1 Settings fields

To connect Relativity to a Microsoft SharePoint data source, you need to gather and enter the information for the following fields:

- **Domain**—enter the Tenant ID or Primary domain (domain name usually ends with .onmicrosoft.com) of the Microsoft 365 tenant the collection is intended for. To locate the tenant ID or primary domain name, see [Microsoft documentation](#).
- **Application Id**—enter the Application ID created during registering the Collect application in Microsoft 365.
- **Application secret**—enter the Application Secret created during registering the Collect application in Microsoft 365.

Depending on your RelativityOne license, commercial or government, and your Microsoft tenant, Microsoft 365 or Microsoft 365 Government, you will be able to collect from either Microsoft 365 or both Microsoft 365 and Microsoft 365 Government data sources. Commercial users can only collect from Microsoft 365 tenants. Government users can collect from Microsoft 365 and Government 365 tenants. These data sources act the same, but have different icons within Collect.

14.7.2 Data source details

Each data source details page includes an Action console. Each data source has different actions.

On the SharePoint data source page, you should see an Actions console with two options:

- **Refresh sites**—click to make Relativity check your SharePoint for disconnected or new sites.
- **Validate Connection**—click to validate the client ID, certificate, and other credentials with Microsoft 365.

14.8 Configuring the data source in Collect

In RelativityOne, configure the data sources chosen in the Collection Details step.

14.8.1 Data source criteria

Add criteria to collect specific data. To configure the data sources, complete the following fields:

- **Select and unselected tabs**—choose the data sources to collect from by moving unselected data sources to the selected list.
- **Field**—choose the field to filter on within the data source.

Note: This field is only required when you select a calendar source.

- **Operator**—choose an operator such as equals, contains, greater than, or less than.
- **Value**—enter a value to find in the selected field.

After selecting field options, you must click **Add Criteria**.

Details to know about criteria:

- Each criteria is then separated by an AND operator.
- Leave the data source criteria empty to collect all data from the sources.

14.8.1.1 Criteria

Filter a data source's data that you want to collect by adding criteria. This section covers the different criteria for each data source. It also includes what you can search within each data source.

RelativityOne only collects user created files that meet the filter criteria entered. Be aware that it does not collect Web Forms.

The following table lists the filter criteria support for SharePoint collections.

Note: You must register Relativity in Microsoft 365 before using this data source. For information on registering Relativity in Microsoft 365, see [Accessing Microsoft 365 tenants on page 77](#).

When using search criteria to filter for Microsoft 365 SharePoint, different operators can return different results. Knowing the search operators is crucial.

| Criteria | Operators | Description | Example |
|------------|-----------|--|--|
| Start Date | Equals | When you use the Start Date property in a query, the search returns calendar items that exist the day of and after the entered date. | When you search a Start Date of 1/1/2001 and an End Date of 1/1/2020, Collect returns all calendar items on and between the two dates. |
| End Date | Equals | When you use the End Date property in a | When you search a Start Date of 1/1/2001 |

| Criteria | Operators | Description | Example |
|----------|-----------|--|---|
| | | query, the search returns all calendar items the day of and before the entered date. | and an End Date of 1/1/2020, Collect returns all calendar items on and between the two dates. |

Note: For email, the date a recipient receives message or sent by the sender. For documents, the date a document was last modified.

14.8.2 Collecting preserved files

When running a collection with Microsoft data sources, Relativity collects all available files, including preserved files. You do not need to take extra steps to collect preserved files as they are automatically included in the collection. For more information on preserving data, see the Legal Hold guide.

When a Microsoft places a data source on a preservation hold, Microsoft creates a preservation hold library, a Recoverable Items folder. The addition of the Recoverable Items folder to Microsoft Exchange is another folder that you can collect. Relativity can collect this folder because the Removable Items folder is a folder within a Microsoft data source.

When emails and files are on a preservation hold in Microsoft 365, Microsoft preserves original copies of any deleted or modified items. Microsoft stores preserved emails in the Recoverable Items folder and preserved files in the Preservation Library. Collect automatically collects from these file locations.

Relativity collects all versions of the document available in the preservation library. Collecting all versions of a document means that Relativity collects multiple versions of the same file with the corresponding SHA-256 hashes for each version of the data. If there were changes in the file version, the hash should be unique. For more information on hash identifiers, see [Hash identifier - SHA-256 on page 117](#).

14.9 Troubleshooting

| Job status | Error log | Cause | Resolution |
|----------------|---|---|--|
| InvalidLicense | Needs a valid license to access this API. | A target of the collection does not have the correct license. | See the section on Licenses for a list of valid license. You can find the list of unlicensed users in the errors.csv file included in the results of the collection. |

15 Microsoft 365 - Teams data source

This topic provides details on how to capture Microsoft 365 Teams with Collect.

Note: This documentation contains references to third-party software, or technologies. While efforts are made to keep third-party references updated, the images, documentation, or guidance in this topic may not accurately represent the current behavior or user interfaces of the third-party software. For more considerations regarding third-party software, such as copyright and ownership, see [Terms of Use](#).

15.1 Considerations

Note the following considerations about this data source:

- Requires enhanced licensing - E5 licensing. For more information, see [Licensing requirements on the next page](#).
- To enable an Azure application registration to use metered APIs and services in Microsoft Graph, you must associate the application with an Azure subscription. For more information, see Microsoft's Enable an application section in their [Metered API Setup](#) documentation. For more information, see [Billing requirements on the next page](#).
- We recommend limiting the date range of the collection. Extended date ranges can increase collection time and potentially create issues.
- Teams data is collected into grouped collections, resulting in a different data count compared to standard collections. These grouped collections comprise a set of RSMFs (Relativity Short Message Format) containing all the chats for the assigned custodians. Due to this grouping, it is expected that custodian targets will have identical counts. Essentially, when collecting data from multiple custodian targets, the item counts and sizes for each will match. This uniformity arises because the item count reflects the number of RSMF files generated for the job, while the size reflects the total size of the created RSMF file set.

15.2 Task checklist

The table lists the order to perform the necessary tasks for setting up the data source for Collect.

| Order | Application | Task |
|-------|-------------|---|
| 1 | Azure | Registering the Collect application on page 87 |
| 2 | Azure | Obtaining a client secret on page 87 |
| 3 | Azure | Setting API permissions on page 88 |
| 4 | Collect | Creating the data source in Collect on page 91 |
| 5 | Collect | Configuring the data source in Collect on page 92 |

15.3 Accessing Microsoft 365 tenants

Register the Collect application in Azure to access Microsoft 365. When registering the application, the Microsoft 365 administrator creates a Microsoft Application ID and secret. You will use the ID and secret to configure data sources in Collect and they provide access to the Office 365 tenants. You can register the application through Azure Portal or by registering the application permissions through the Microsoft App Registration Portal. After registering the application, request administrator consent. From there, it is possible to revoke application access.

Depending on your RelativityOne license, commercial or government, and your Microsoft tenant, Microsoft 365 or Microsoft 365 Government, you will be able to collect from either Microsoft 365 or both Microsoft 365 and Microsoft 365 Government data sources. Commercial users can only collect from Microsoft 365 tenants. Government users can collect from Microsoft 365 and Government 365 tenants. These data sources act the same, but have different icons within Collect.

15.3.1 Licensing requirements

With the Teams Export API, Relativity meets compliance when collecting data. To use the API and collect Teams chats, users must meet one of the following licensing requirements. This licensing applies to individual custodian accounts.

- Office 365 E5/A5/G5
- Microsoft 365 E5/A5/G5
- Microsoft 365 E5/A5/F5/G5 Compliance and Microsoft 365 F5 Security & Compliance
- Microsoft 365 E5/A5/F5/G5 Information Protection and Governance

For more information, see relevant Microsoft documentation on the Microsoft site:

- <https://docs.microsoft.com/en-us/microsoftteams/export-teams-content>
- <https://docs.microsoft.com/en-us/graph/teams-licenses>
- <https://learn.microsoft.com/en-us/office365/servicedescriptions/microsoft-365-service-descriptions/microsoft-365-tenantlevel-services-licensing-guidance/microsoft-365-security-compliance-licensing-guidance#microsoft-graph-apis-for-teams-data-loss-prevention-dlp-and-for-teams-export>

15.3.2 Billing requirements

To enable an Azure application registration to use metered APIs and services in Microsoft Graph, you must associate the application with an Azure subscription. For more information, see Microsoft's [Enable an application](#) section in their [Metered API Setup](#) documentation.

You must agree to Microsoft potentially billing you. Microsoft bills you if you exceed their seeded capacity, free quota, of API calls to the Teams Export API each month. For more information, see Microsoft's [Payment models and licensing requirements](#) documentation.

- Microsoft considers Relativity a *model=A* application. Microsoft restricts model=A to applications performing a security or compliance function, and requires a supported license. For more information, see Microsoft's [Teams licenses](#) documentation.
- Relativity uses the *Get messages across all chats for user* and *Get messages across all channels* APIs. Both have a seeded capacity of 1,600 messages per user per month per app. Each message over the seeded, free, capacity costs \$0.00075. Microsoft charges one message for requests returning an empty list. Seeded capacity is shared between chat and channel exports.
 - *Per user* does not mean a custodian. It means an E5 licensed user. For example, if you have 100 E5 licenses, you have a limit of 160,000 messages per month in seeded capacity.

- After you reach the seeded capacity limit, according to Microsoft's \$0.00075 per notification charge, it takes about 1,333 messages to reach \$1. To calculate your exact numbers, use Microsoft's [Team-sUserActivityUserDetail](#) report. For more information, see Microsoft's [reportRoot: getTeamsUserActivityUserDetail](#) documentation.

15.3.3 Registering the Collect application

Note: During the process, you must associate the application with an Azure subscription to enable an Azure application registration to use metered APIs and services in Microsoft Graph. For more information, see Microsoft's [Enable an application](#) section in their [Metered API Setup](#) documentation.

Start with registering your application in the Azure portal by following the steps below. For more information on registering an application in the Azure portal, refer to documentation on Microsoft's site.

Note: These steps must be completed by a Microsoft 365 administrator.

1. Open your [Azure Portal](#).
2. Click **Microsoft Entra ID** (formerly known as Azure Active Directory).
3. Click **App registrations**.
4. Click **New Registration** to display the Register an application page.
5. Enter an application name in the **Name** field.
6. Accept the default setting, **Accounts in this organizational directory only**, as the supported account type.
7. Click **Register**.
8. Once the application is registered, make note of the **Application (client) ID** and **Directory (tenant) ID** for use later when configuring the data source in RelativityOne Collect.

15.3.4 Obtaining a client secret

Next, obtain the client secret for the registered application in the Azure portal. For more information, see relevant Microsoft documentation on the Microsoft site.

Note: These steps must be completed by a Microsoft 365 administrator.

1. From the registered application's page, click the **Certificates & secrets** option in the left navigation bar.
2. Click the **Client secrets** tab.
3. Click **New client secret**.
4. Enter a description for the client secret in the **Description** text box.
5. Select **730 days (24 months)** from the Expires list. The client secret will expire after this time frame.
 - Once the client secret expires, you must create a new client secret in the Azure portal as described in these steps.
 - Then you must update your Microsoft 365 Collect data sources with it. For more information, see [Expired Azure client secrets on the next page](#).
 - For any additional assistance with client secrets, please contact the Azure Admin in your organization.
6. Click **Add** to create a new secret.

7. Copy the Secret Value to the clipboard by clicking the copy icon and paste it to a safe location. You will use the Secret Value later when creating the data source in Collect.

Caution: Microsoft will only show this secret this one time, and there is no way to recover a secret.

8. Give your Relativity Admin the Application ID and the Client Secret for setup of Collect. This application secret is also needed for setting up a Microsoft Entra ID integration point.

15.3.4.1 Expired Azure client secrets

If your Azure client secret expires, follow these steps:

1. Get a new secret as outlined in the steps above.
2. Go to **Collect Admin** in RelativityOne.
3. Select the desired data source that has expired, and click **Edit**.
4. Input the new client secret value in the **Application Secret** field.
5. Click **Save**.

You must repeat these steps for all Microsoft data sources that you have set up.

15.3.5 Setting API permissions

Each data source has its own set of permissions necessary to allow access to the tenants. To add the correct permissions based on your selected Microsoft 365 data source, follow the steps below. For more information, see relevant Microsoft documentation on the Microsoft site.

Note: These steps must be completed by a Microsoft 365 administrator.

1. From the registered application's page, click the **API permissions** option in the left navigation bar. The User.Read permission is automatically added by default.
2. Click **Add a permission**.
3. Click **Microsoft Graph**.
4. Select **Application Permissions**.
5. Select the following permissions from the Permission list. Refer to *Azure Application Registration Permissions for Collect* below for more information about these permissions.
 - User.Read.All
 - ChannelMessage.Read.All
 - Chat.Read.All
 - Files.Read.All
 - Group.Read.All
 - TeamsTab.Read.All
 - Team.ReadBasic.All
 - ChannelMember.Read.All
6. Click **Add permissions**.
7. Click **Grant Permission**.

8. Make a note of the application ID that Microsoft assigned to the app registration. This ID is also required for setup of data sources in Collect.
 - The window displays all permissions granted. Verify that all permissions have been granted.
 - Click **Accept** to grant the permissions.

15.3.5.1 Azure Application Registration Permissions for Collect

The Collect application in RelativityOne is a tool designed to streamline the data collection process for eDiscovery. Its primary purpose is to gather data from various sources, such as cloud-based applications and other data repositories, in a manner that is secure, defensible, and efficient. Collect aims to reduce the time and effort involved in data collection, ensuring that the data is accurate and complete, while maintaining chain of custody and compliance with legal and regulatory requirements.

Due to the architecture of the Collect application, Delegated permission can't be used and are not supported. The Collect application requires the use of Microsoft Graph API Azure Application permissions to facilitate the collection of data that occurs in processes running in the background.

The Collect application requires specific Graph API Application permissions be granted to an Azure Application Registration to facilitate efficient and comprehensive data collection for e-discovery and compliance purposes.

Following is an explanation of each Azure application Graph API permission required and why it is needed to support collections of M365 data. For a PDF of this information, see [Azure Application Registration Permissions for Collect](#).

Required Azure Application Graph API Permissions:


1. **Calendars.Read:** This permission allows Relativity to access calendar events. For e-discovery, it's important to capture calendar data as it can provide crucial context, timelines, and evidence related to the case or investigation.
2. **Contacts.Read:** This permission allows access to contacts and is necessary to gather information about communications and relationships between individuals, which can be critical in understanding the full scope of interactions and connections in an investigation.
3. **Files.Read.All:** This permission enables Relativity to access all files in OneDrive and SharePoint. It is essential for collecting documents, spreadsheets, presentations, and other files that might contain relevant information for a legal matter or compliance review. This permission is also required to support collection of linked OneDrive and SharePoint files in Outlook emails and Teams chats.
4. **Mail.Read:** This permission allows access to emails, which is one of the core components of e-discovery. This permission allows Relativity to read email messages in users' mailboxes to identify, preserve, and analyze communications that are pertinent to the case.
5. **Sites.Read.All:** This permission allows Relativity to access all SharePoint sites, including content and metadata. It ensures that any relevant information stored in SharePoint sites can be collected and reviewed.
6. **User.Read.All:** This permission provides access to read the properties and membership of users. It is useful for identifying and understanding the roles, permissions, and activities of different users within the organization, which can be relevant for investigations and compliance checks.
7. **ChannelMessage.Read.All:** This permission provides access to all messages in Microsoft Teams channels. It allows Relativity to capture and review conversations and discussions that take place in Teams channels, which may contain pertinent information for legal or compliance purposes.
8. **Chat.Read.All:** This permission enables Relativity to read all chat messages in Microsoft Teams. This includes private chats between users. Access to these messages is essential for gathering complete communication records and ensuring that no relevant information is overlooked in an investigation.
9. **Group.Read.All:** This permission allows Relativity to read all groups in the directory, including their properties and memberships. It helps in understanding the structure and membership of various groups within the organization, which can be important for context in e-discovery and compliance scenarios.

10. **TeamsTab.Read.All:** This permission allows Relativity to read the properties of all tabs in Microsoft Teams. Tabs can contain important resources, documents, and tools that users interact with. Access to this information can provide additional context and insights into the work and communications of users.
11. **Team.ReadBasic.All:** This permission allows Relativity to read basic properties of all Teams. It helps in identifying and understanding the different Teams within the organization, their purposes, and their memberships, which can be relevant for investigations and compliance checks.
12. **ChannelMember.Read.All:** This permission provides access to the membership information of all Teams channels. It allows Relativity to see who is part of each channel, which can be important for understanding who had access to certain communications and information during an investigation.
13. **Full_access_as_app Permission:** The Microsoft Graph API doesn't support accessing Outlook Online Archives (Archived Mailboxes). We utilize Microsoft's Exchange Web Services (EWS) API to collect Archived Mailboxes.

15.4 Finding Azure credentials

If an application is already created and you need to find the application information to complete the Source Connection step, follow the steps below in the Azure Portal. For more information, see relevant Microsoft documentation on the Microsoft site.

1. Open your [Azure Portal](#).
2. Click **Microsoft Entra ID** (formerly known as Azure Active Directory).
3. Navigate to **Enterprise applications**.
4. In the list of applications, locate and click on your application. The application page displays.
5. Navigate to **Properties**.
6. Click the **copy icon** next to the **Application ID**. The ID is copied to your clipboard to use as needed.



15.5 Limiting application registration access to accounts

Limit the access of Collect to specific Microsoft user accounts and mailboxes by using the *New-ApplicationAccessPolicy Powershell cmdlet*. For more information, see [Microsoft documentation](#).

15.6 Revoking application access

Revoke the application from the Azure portal or by using a PowerShell script. For more information, see [Microsoft's documentation](#).

15.6.1 Revoking access via Azure Portal

To revoke access from the Azure portal:

1. Open your [Azure Portal](#).
2. Navigate to **Enterprise Application**.
3. Under **All applications**, search for your application and click its link.
4. Under **Manage > Properties**, click **Delete**.

Collect no longer has access.

15.6.2 Revoking access via Powershell

Revoke access in Powershell using the Remove-MsolServicePrincipal script. See the Powershell example below of retrieving and deleting an application registration.

```
Get-MsolServicePrincipal -AppPrincipalId 19ab8a2e-ccce-4fa8-a9ee-eb16e220d602
```

```
ExtensionData : System.Runtime.Serialization.ExtensionDataObject
```

```
AccountEnabled : True
```

```
Addresses : {}
```

```
AppPrincipalId : 19ab8a2e-ccce-4fa8-a9ee-eb16e220d602
```

```
DisplayName : Relativity-Development-Application
```

```
ObjectId : 51798fb3-e72c-4373-8c63-6e7d0dd63ad7
```

```
ServicePrincipalNames : {19ab8a2e-ccce-4fa8-a9ee-eb16e220d602}
```

```
TrustedForDelegation : False
```

```
Remove-MsolServicePrincipal -AppPrincipalId 19ab8a2e-ccce-4fa8-a9ee-eb16e220d602
```

15.7 Creating the data source in Collect

The Collection Admin tab is where you create, edit, and remove data sources from your workspace. You only need to setup each data source once. You must create your data sources prior to setting up your custodian targets.

1. In RelativityOne, navigate to **Collect**.
2. Click the **New Collection Source Instance** button.
3. Enter in a unique name for the data source.
4. Select **Microsoft 365 Teams**

Note: Collect automatically collects any preserved data in an in-place hold or litigation hold. Microsoft stored data on a hold in a preservation library and separate folders. For more information, see [Microsoft Retention Policies](#).

5. Enter the required information in Settings. For more information, see [Settings fields on the next page](#).
6. Click **Save**.

After clicking Save, Relativity verifies the parameters and connectivity to the Microsoft 365 data source. If successful, Collect saves the data source. If the connection fails, a message appears indicating the connection failed. If verification fails, verify that the values are correct. Collect will save the data source when it's corrected and verified.

Once the set up is complete, the data source information on the Collect Admin page.

15.8 Settings fields

To connect Relativity to a Microsoft Teams data source, you need to gather and enter the information for the following fields:

- **Domain**—enter the Tenant ID or Primary domain (domain name usually ends with .onmicrosoft.com) of the Microsoft 365 tenant the collection is intended for. To locate the tenant ID or primary domain name, see [Microsoft documentation](#).
- **Application Id**—enter the application ID created during registering the Collect application in Microsoft 365.
- **Application secret**—enter the application secret created during registering the Collect application in Microsoft 365. For more information, see [Accessing Microsoft 365 tenants on page 86](#).

Depending on your RelativityOne license, commercial or government, and your Microsoft tenant, Microsoft 365 or Microsoft 365 Government, you will be able to collect from either Microsoft 365 or both Microsoft 365 and Microsoft 365 Government data sources. Commercial users can only collect from Microsoft 365 tenants. Government users can collect from Microsoft 365 and Government 365 tenants. These data sources act the same, but have different icons within Collect.

15.8.1 Data source details

Each data source details page includes an Action console. Each data source has different actions.

On the Microsoft Teams data source page, click **Validate Connection** in the Actions console to validate the client ID, certificate, and other credentials with Microsoft 365.

15.9 Configuring the data source in Collect

In RelativityOne, configure the data sources chosen in the Collection Details step.

- The Microsoft 365 Teams data source collects the most recent version of each message.
- Deleted messages are available to collect for 21 days from the time of deletion.
- Task module content is not currently supported for collection.

15.9.1 Data source criteria

Add criteria to collect specific data. To configure the data sources, complete the following fields:

- **Select and unselected tabs**—choose the data sources to collect from by moving unselected data sources to the selected list.
- **Field**—choose the field to filter on within the data source.

Note: This field is only required when you select a calendar source.

- **Operator**—choose an operator such as equals, contains, greater than, or less than.
- **Value**—enter a value to find in the selected field.

After selecting field options, you must click **Add Criteria**.

Details to know about criteria:

- Each criteria is then separated by an AND operator.
- Leave the data source criteria empty to collect all data from the sources.

The following table lists the filter criteria supported for Microsoft Teams collections.

Relativity collects Microsoft Teams data in RSMF.

Note: You must register Relativity in Microsoft 365 before using this data source. For information on registering Relativity in Microsoft 365, see [Accessing Microsoft 365 tenants on page 86](#).

When using search criteria to filter for Teams, you must select start dates and end dates. All dates are in Coordinated Universal Time (UTC). The maximum date range supported is five years. For example, you can select Start Date 1/1/2016 and End Date 1/1/2021, but no further.

| Criteria | Operators | Description | Example |
|----------------------------|------------------------|---|--|
| Chat Type | Equals | When you use the Chat Type property in a query, the search returns all messages in either Private Channels, Private Chats, or Public Channels. | If you search a Chat Type with the Public Channels operator selected, Relativity collects only messages in public channels that the custodians are in. |
| End Date | Less Than or Equals | When you use the End Date property in a query, the search returns all messages the day of and before the entered date. | If you search a Start Date of 1/1/2001 and an End Date of 1/1/2020, Collect returns all messages on and between the two dates. |
| Slice in Interval in Hours | Equals | When you use The Slice Interval in Hours property, the search returns all messages in a specific time range or defaults the slice interval to 24 hours. | If you search with a slice interval set to one hour and a conversation spans five hours, you will end up with five RSMFs after processing. |
| Start Date | Greater Than or Equals | When you use the Start Date property in a query, the search returns messages that exist the day of and after the entered date. | If you search a Start Date of 1/1/2001 and an End Date of 1/1/2020, Collect returns all messages on and between the two dates. |

Included in the Microsoft 365 Teams criteria are two toggles:

- **Collect linked files external to M365**—enable the toggle to collect modern attachments, or files linked in Teams that are external to the Microsoft 365 tenant. You must opt in to confirm that you want to collect files outside of Microsoft 365.

Note: This option is only available for RelativityOne production environments. RelativityOne Government environments cannot collect external files.

- **Enable Dedupe**—enable the toggle to exclude cards contained in Teams chat messages. Due to the nature of how Microsoft provides card information, inclusion of cards prevents deduplication of RSMFs during processing. For more information, see Microsoft's documentation.

For more information, see [Microsoft Security and Compliance Center documentation](#).

16 Refinitiv Eikon data source

This topic provides details on how to capture Refinitiv Eikon with Collect.

16.1 Consideration

Note the following consideration about this data source:

- Refinitiv Eikon data is collected into grouped collections, resulting in a different data count compared to standard collections.
 - These grouped collections comprise a set of RSMFs (Relativity Short Message Format) containing all the chats for the assigned custodians. Due to this grouping, it is expected that custodian targets will have identical counts.
 - Essentially, when collecting data from multiple custodian targets, the item counts and sizes for each will match. This uniformity arises because the item count reflects the number of RSMF files generated for the job, while the size reflects the total size of the created RSMF file set.

16.2 Creating the data source

In RelativityOne, use the following procedure to connect the Refinitiv Eikon data source to Collect.

1. Navigate to **Collection Admin** within Collect Admin of Set Up.
2. Click the **New Collection Source Instance** button.
3. Do the following:
 - Enter in a unique name for the data source.
 - Select the **Refinitiv Eikon** data source.
 - Enter the required information in the Settings fields. For more information, see [Settings fields below](#).
4. Click **Save**. The data source displays on the Collection Admin page.

16.3 Settings fields

Find the information for these fields in the .json file:

- **Host**—enter the address of the Refinitiv Eikon host. For example, sftp.refinitiveikon.com.
- **Port**—enter the SFTP port.
- **Path**—enter the folder address of the stored files.
- **Username**—enter the username to your organization's Refinitiv Eikon site.
- **Password**—enter the password to your organization's Refinitiv Eikon site.

16.4 Configuring the data source

Each data source used in Collect has different search criteria on the Collection Details step when creating a collection job. The criteria needs to be configured next.

1. Configure search criteria to collect specific data.

- **Select and unselected tabs**—choose the data sources to collect from by moving unselected data sources to the selected list.
- **Field**—choose the field to filter on within the data source.
This field is only required when you select a calendar source.
- **Operator**—choose an operator such as equals, contains, greater than, or less than.
- **Value**—enter a value to find in the selected field.

2. Click **Add Criteria**. Each criteria is separated by an AND operator.

The following table lists the filter criteria supported for Refinitiv Eikon collections. Setting criteria for Refinitiv Eikon is not required.

Relativity collects Refinitiv Eikon chat data Relativity's short message format (RSMF).

| Criteria | Operators | Description | Example |
|------------|------------------------|---|--|
| Start Date | Greater Than or Equals | When you use the Start Date property in a query, the search returns chats that exist the day of and after the entered date. | When you search a Start Date of 1/1/2001 and an End Date of 1/1/2020, Relativity collects all calendar items on and between the two dates. |
| End Date | Less Than or Equals | When you use the End Date property in a query, the search returns all chats the day of and before the entered date. | When you search a Start Date of 1/1/2001 and an End Date of 1/1/2020, Relativity collects all calendar items on and between the two dates. |

17 Slack data source

This topic provides details on how to capture Slack data with Collect.

17.1 Considerations

Review the list of considerations before starting your collection:

- We recommend limiting the volume and number of custodians per job. Limiting both will reduce the collection time and reduce the chance of errors.
- We recommend limiting the date range of the collection. Extended date ranges can increase collection time and potentially create issues.
- Slack data is collected into grouped collections, resulting in a different data count compared to standard collections. These grouped collections comprise a set of RSMFs (Relativity Short Message Format) containing all the chats for the assigned custodians. Due to this grouping, it is expected that custodian targets will have identical counts. Essentially, when collecting data from multiple custodian targets, the item counts and sizes for each will match. This uniformity arises because the item count reflects the number of RSMF files generated for the job, while the size reflects the total size of the created RSMF file set.
- We do not recommend collecting each custodian separately, with one collection collecting one custodian target. This creates duplicate chats in cases where the custodians have been chatting with each other. As a result, the collection can be more difficult to manage and review, and it may take longer to complete.

17.2 Slack application setup

Before using the Slack data source in Collect, you must create and authorize Collect as an application within Slack.

There are specific steps to connect Slack to Relativity when creating the data source. To set up the Slack data source, you need to enable API access with Slack and then complete the data source settings in Relativity.

For more information, see [Relativity Collect: Collecting from a Slack Enterprise Data Source](#) training video.

Your Slack organization must be on:

- Enterprise Grid plan—The Collect application requires the Enterprise Grid plan that provides access to the Discovery API.
- GovSlack—You will need a Slack FedRamp account. For more information, see Slack's documentation.

Before Slack can be set up as a Collect data source, the Slack organization owner needs to email exports@slack.com to gain Discovery API access. Follow the instructions on the Enabling an Organization window.

Enabling an Organization

In order for a customer's organizations to access the Discovery API, an org Owner needs to email exports@slack.com and say they'd like to "enable the Discovery APIs for Organization [XYZ]". We will promptly enable access after verifying the email address matches an Owner of the org.

Once Slack confirms your Discovery APIs are enabled for your organization, proceed to set up your Slack data source in Relativity.


17.3 Creating the data source in Collect

After confirming that your Discover APIs are enabled, complete the set up process in RelativityOne to connect the Slack data source to Collect

Note: You set up data source connections at a workspace level. You only need to set up a given data source connection once in a given workspace. For example, if you have three different workspaces to run collections in, you would need to set up the Slack data source connection three times, once for each workspace. If all collections are from just one workspace, then you only need to set up the data source once.


In RelativityOne:

1. Navigate to **Collection Admin** within Collect Admin of Set Up.
2. Click the **New Collection Source Instance** button.
 - **Name**—enter in a unique name for the data source.
 - **Type**—select the **Slack** data source.
3. Click **Install Application**. After clicking the **Install Application**, a window from Slack appears. You must disable pop-ups in your browser to see the window.
 - If you already logged in, you will see a window with an Allow button to authorize the Collect application. If you did not log in, you must log in as the organization owner. Make sure you enter the organization URL when signing in.
If you logged into multiple organizations, make sure to select the correct one in the drop-down menu in the top-right corner. If you do not know your organization URL, you can find it in the Overview section of **About This Workspace** in Slack.
 - Add an organization to the drop-down menu by opening a new window outside of this workflow and sign into another organization. Another option is to log out of the current organization before clicking Install Application and logging in when requested.
4. Click the **Allow** button.



5. After clicking **Allow**, navigate in the same window to a page where you will copy a temporary token.

6. Click **Copy Temporary Code** to copy to your clipboard.



7. Once copied, you can close that window and return to RelativityOne.
8. In Collect, paste the code in the **Temporary Code** field.
9. Click **Generate Access Token**. The access token will be generated and populated in the Access Token field below.
Paste this token in the Access Token field in any other additional workspaces you want to setup.
10. Click **Save**.

17.4 Settings fields

To connect Relativity to the Slack data source, you need to gather and enter the information for the following fields. Setting up Slack includes steps outside of Collect. To get the steps to gather the temporary code and access token, see [Slack application setup on page 96](#).

- **Temporary Code**—enter the code provided by Slack after installing application. The Generate Slack Access token section provides steps to retrieve the Temporary Code and Access Token.
- **Access Token**—enter the application token retrieved after authorizing Relativity as an application in Slack. For more information, see [Slack documentation](#).

17.5 Configuring the data source in Collect

Each data source used in Collect has different search criteria on the Collection Details step when creating a collection job. The criteria needs to be configured next.

1. Configure search criteria to collect specific data.
 - **Select and unselected tabs**—choose the data sources to collect from by moving unselected data sources to the selected list.
 - **Field**—choose the field to filter on within the data source.
This field is only required when you select a calendar source.
 - **Operator**—choose an operator such as equals, contains, greater than, or less than.
 - **Value**—enter a value to find in the selected field.
2. Click **Add Criteria**. Each criteria is separated by an AND operator.

The following table lists the filter criteria supported for Slack collections. Slack collections require you to enter the start date and end data criteria. Slack puts a limit on how far back you can run a collection. Your organization's Slack enterprise retention policy sets this time period. For more information, see [Slack documentation](#).

Note: You need to register Relativity in Slack before using this data source. For information on registering Relativity in Slack, see [Slack documentation](#).

When using the Slack data source:

- You can collect Archived Slack channels.
- You cannot collect deleted Slack channels.
- Relativity collects Slack data in Relativity Short Message Format (RSMF).
- RSMF has a 2 GB processing limit. For more information, see the RSMF guide.

| Criteria Field | Operators | Description | Example |
|-------------------------|------------------------|---|--|
| Channel Name | Equals | When you use the Channel Name property, the search returns all message within the channels that equals the search word or phrase in the channel's name. | If you use the Channel Name property in a query, the search returns all messages that the channel name equals the text you're searching for. In other words, the query does not return only those messages from channels that have an exact match. For example, if you search for subject "finance_team," your results include messages from channels like "finance_team_project." |
| Conversation Type | Equals | When you use the Conversation Type property in a query, the search returns all messages that were either in a direct message or group message. | If you use the Group Message conversation type in a query, the search results returns messages that exist in group messages. Direct, one-on-one messages will not be included in the collection. |
| End Date | Less Than Or Equals | When you use the End Date property in a query, the search returns all messages the day of and before the entered date. | If you search a Start Date of 1/1/2001 and an End Date of 1/1/2020, the search returns all messages on and between the two dates. We recommend limiting the date range to maintain a high performance level and a lower collection time. |
| Slice Interval in Hours | Equals | When you use The Slice Interval in Hours property, the search returns all messages in a specific time range or defaults the slice interval to 24 hours. | If you search with a slice interval set to one hour and a conversation spans five hours, you will end up with five RSMFs after processing. |
| Start Date | Greater Than Or Equals | When you use the Start Date property in a query, the search returns messages that exist the day of and after the entered date. | If you search a Start Date of 1/1/2001 and an End Date of 1/1/2020, the search returns all messages on and between the two dates. We recommend limiting the date range to maintain a high performance level and a lower collection time. |
| Workspace Name | Equals | When you use the Workspace Name property, the search returns all messages in all channels within the | If you use the Workspace Name property in a query, the search returns all messages that the instance name equals the text you're searching for. For example, if you search for subject "Company A," your results include |

| Criteria Field | Operators | Description | Example |
|----------------|-----------|---|------------------------------|
| | | workspace that equals the search word or phrase in the workspace's name | messages from that instance. |

If a Slack channel with same name exists across multiple Slack workspaces within a collection, Collect will collect all content in both channels in both workspaces.

You can collect Direct Messages, Group Messages, or both Direct and Group messages. Do not select a conversation type if you want to collect all messages.

The Slice Interval in Hours criteria defaults the slice interval to 24 hours. This means Collect will create one file for the conversations within that 24-hour interval. If the conversation goes beyond 24 hours, a second Relativity Short Message File (RSMF) will be created. Another example is if you have a slice interval set to one hour and a conversation spans five hours, you will end up with five RSMFs after processing.

Collections include deleted messages. Relativity displays deleted messages on the day the user deleted the message, not the day the user sent the message. Also, Relativity collects only the message when a deleted message includes an attachment. Files sent as attachments without a message and then deleted, the metadata is available for 24 hours, but the file is not collected. When Relativity collects deleted messages in threads, Relativity displays the messages outside of the thread in the RSMF.

Relativity collects conversations in public or private channels for each day in the date range regardless if the custodian participated in that channel on a given day.

When collecting multiple custodians' data, and each custodian is in the same channel, Relativity collects the channel once.

18 X1 data source

This topic provides details on how to capture X1 data sources with Collect.

18.1 Considerations

X1 data sources require separate licensing, configuration, and training through a third party. For example, X1. For more information, see [X1's licensing documentation](#).

18.2 Creating the data source

Use the following procedure to create a new Collect source instance.

1. Navigate to **Collection Admin** within Collect Admin of Set Up.
2. Click the **New Collection Source Instance** button.
3. Do the following:
 - **Name**—enter in a unique name for the data source.
 - **Type**—select **X1 Emails** or **X1 Files** the type of data source.
 - **Settings**—enter the required information in the Settings fields. For more information, see [Settings fields below](#).
4. Click **Save**. The data source displays on the Collection Admin page.

18.3 Settings fields

To connect Relativity to an X1 data source, you need to gather and enter the information for the following fields. For more information on X1 fields, see [X1's user documentation](#):

- **X1 Enterprise Manager Endpoint URL**—enter the endpoint URL of the X1 Manager Service. An example of a URL is <https://mapleproject.x1dev.com:8443/>. For more information, see X1's user documentation.
- **X1 Enterprise Manager Endpoint Port**—enter the port number used for Manager Service traffic.
- **X1 Downloader API Endpoint URL**—enter the endpoint URL of the X1 Downloader Service. An example of a URL is <https://mapleproject.x1dev.com:8443/>.
- **X1 Download API Endpoint Port**—enter the port number used for Downloader Service traffic.
- **Client ID**—enter the X1 Client ID found on the API Clients page in X1. For more information, see X1's user documentation.
- **Client Secret**—enter the X1 secret OAuth token copied from the X1 user interface. For more information, see X1's user documentation.
- **Project ID**—enter the Project ID found in the X1 user interface to automate X1 with a third party client via the API. For more information, see X1's user documentation.
- **Project Path**—enter the Global Project Collection path found in the X1 user interface. For more information, see X1's user documentation.
- **Target External ID**—enter the specific identifier of the email locations. Collect only searches the specified location.

- **Certificate Thumbprint**—enter the secured thumbprint that validates a self-signed SSL certificate. Locate the thumbprint in X1. For more information on locating the Certificate Thumbprint, see X1's user documentation.

18.4 Configuring the data source

Configure the data sources chosen in the Collection Details step. If you select multiple data sources in the first step, you'll configure all sources in the step. Switch between each source by clicking the name of the data source in the left navigation menu. Clicking **Next** and **Previous** also moves you through the data sources. Select individual data sources by clicking on the checkbox and then using the right arrows to select them. After selecting the data sources to configure, fill out the criteria. Each data source has different criteria to enter.

18.4.1 Data source criteria

Add criteria to collect specific data. To configure the data sources, complete the following fields:

- **Select and unselected tabs**—choose the data sources to collect from by moving unselected data sources to the selected list.
- **Field**—choose the field to filter on within the data source. Collect requires this field after you select a calendar source.
- **Operator**—choose an operator such as equals, contains, greater than, or less than.
- **Value**—enter a value to find in the selected field.

After selecting field options, you must click **Add Criteria**. Things to know about criteria:

- Each criteria is then separated by an AND operator.
- Leave the data source criteria empty to collect all data from the sources.

Filter a data source's data that you want to collect by adding criteria. This section covers the different criteria for each data source. This section also includes what you can search within each data source. The criteria options change based on the selected data source.

18.4.1.1 X1 emails

The following table lists the filter criteria supported for X1 Emails collections. Setting criteria for X1 emails is not required.

Note: You must register Relativity in X1 before using this data source. For information on registering Relativity in X1, see X1's user documentation.

| Criteria Field | Operators | Description | Example |
|-----------------|----------------------------------|--|---|
| Attachment Name | Contains, Does Not Equal, Equals | When you use the Attachment Name, the search returns all attachments that contain the text in the name of the attachment file. | If you search for "quarterly financial records," your search results will include the searched phrase from all attachment names in X1 email data sources. |
| BCC | Contains, Does Not Equal, Equals | When you use the Email From property in a query, the search returns all messages that contain the text in the Email BCC field. | If you search "@example.com," your results include all blind carbon copied messages received by people with the @example.com in their email address. |
| CC | Contains, Does Not Equal, | When you use the Email From property in a query, the search returns all messages that contain the text in the | If you search "@example.com," your results include all carbon copied messages received by people with the @example.com in their |

| Criteria Field | Operators | Description | Example |
|------------------|--|---|--|
| | Equals | Email CC field. | email address. |
| Email Body | Contains | When you use the Email Body property in a query, the search returns all messages email message contains the text you're searching for. | If you search "Dear John," your results include all messages that contain the text in email body. Note that this is not the same as searching for "Dear" OR "John". In order to do that, you need to separate keyword by OR |
| Folder Path | Contains, Does Not Equal, Equals | When you use the File Path property in a query, the search returns all messages equals/does not equal or contain the folder path entered. | If you search "Contains C:/-documents/Relativity," your results include all files within the listed folder and any folder beyond the file path entered. |
| Free Form Search | Equals | Searches across all data sources simultaneously with general searching options. For more information on X1 searching, see Basic Search Commands and Advanced Search Command . | If you search for "quarterly financial records," your search results will include the searched phrase from all X1 email data sources. |
| From | Contains, Does Not Equal, Equals | When you use the Email From property in a query, the search returns all messages that contain the text in the Email From field. | If you search "@example.com," your results include all messages sent by people with the @example.com in their email address. |
| Has Attachments | Equals | When you use the Has Attachments property, the search returns emails with or without attachments based on the Value setting. | If you mark toggle the Value setting On, your results include all messages that include an attachment. |
| Indexing Status | Contains, Does Not Equal, Equals | When you use the Indexing Status property in the query, the search returns all files that contains, equals, or does not equal one of the listed indexing statuses. The list of statuses are Starting, Indexing, Finished, Paused, Queued, Error, Cancelled. For more information on Indexing Statuses, see X1 documentation | If you search Does Not Equal "Error," your search results will include all files without the Error index status. |
| Received Date | Equals, Greater Than, Greater Than or Equals, Less Than, Less Than or Equals | When you use the Email Received Date property in a query, the search returns all messages that equal/- doesn't equal, greater/less than the date entered. | If you search "Less Than 1/1/2020," your results include all emails received before January 1, 2020. |
| Sent Date | Equals, Greater Than, | When you use the email Sent Date property in a query, the search returns all messages that equal/doesn't equal, greater/less than the date entered. | If you search "Greater Than 1/1/2001," your results include all emails sent after January 1, 2001. |

| Criteria Field | Operators | Description | Example |
|----------------|--|---|---|
| | Greater Than or Equals, Less Than, Less Than or Equals | | |
| Subject | Contains, Does Not Equal, Equals | .When you use the Subject property, the search returns all messages that contains the search word or phrase in the email's title. | If you use the Subject property in a query, the search returns all messages which the subject line contains the text you're searching for. In other words, the query doesn't return only those messages that have an exact match. For example, if you search for subject "Quarterly Financials," your results include messages with the subject "Quarterly Financials 2018" |
| To | Contains, Does Not Equal, Equals | When you use the email To property in a query, the search returns all messages that contain the text in the Email To field. | If you search "@example.com," your results include all messages sent to people with the @example.com in their email address. |

18.4.1.2 X1 files

The following table lists the filter criteria supported for X1 Files collections. Setting criteria for X1 files is not required.

Note: You must register Relativity in X1 before using this data source. For information on registering Relativity in X1, see X1's user documentation.

| Criteria Field | Operators | Description | Example |
|----------------|--|--|---|
| Date Created | Equals, Greater Than, Greater Than or Equals, Less Than, Less Than or Equals | When you use the Creation Date property in a query, the search returns all messages that equal/doesn't equal, greater/less than the date entered. | If you search "Greater Than 1/1/2001," your results include all messages created after January 1, 2001. |
| Date Modified | Equals, Greater Than, Greater Than or Equals, Less Than, Less Than or Equals | When you use the Modification Date property in a query, the search returns all updated files that equal/doesn't equal, greater/less than the date entered. | If you search "Less Than 1/1/2020," your results include all files modified before January 1, 2020. |
| Document Type | Contains, Does Not Equal, Equals | When you use the Document Type property in a query, the search returns all documents that contain, equal, or does not equal what you entered. | If you search "spreadsheet," your results include Excel files. |
| Extension | Contains, Does Not | When you use the File Extension property in a query, the search returns all files that contain the entered file extension. | If you search "Contains |

| Criteria Field | Operators | Description | Example |
|------------------|----------------------------------|---|---|
| | Equal, Equals | sion. | docx," your results include all Microsoft Word files saved with that extension. |
| Free Form Search | Equals | Searches across all data sources simultaneously with general searching options. For more information on X1 searching, see Basic Search Commands and Advanced Search Command . | If you search for "quarterly financial records," your search results will include the searched phrase from all X1 file data sources. |
| Indexing Status | Contains, Does Not Equal, Equals | When you use the Indexing Status property in the query, the search returns all files that contains, equals, or does not equal one of the listed indexing statuses. The list of statuses are Starting, Indexing, Finished, Paused, Queued, Error, Cancelled. For more information on Indexing Statuses, see X1 documentation . | If you search Does Not Equal "Error," your search results will include all files without the Error index status. |
| Name | Contains, Does Not Equal, Equals | When you use the File Name property in a query, the search returns all files that equals/does not equal or contain the value entered. | If you search "Equals Important_Document," your results include all files with that text in the file-name. |
| Path | Contains, Does Not Equal, Equals | When you use the File Path property in a query, the search returns all messages equals/does not equal or contain the folder path entered. | If you search "Contains C:/-documents/Relativity," your results include all files within the listed folder and any folder beyond the file path entered. |

19 Collection

Before you begin collecting, you must create a collection job and associate it with a specific matter, custodians, and one or more data sources. Add the custodians, data sources, and other information using the Collect wizard. Once completed, start the collection using the Collect console. Finally, download a results report that details the items collected and a summary report of the entire collection job. For more information, see [Reports on page 117](#).

19.1 Creating a collection

Before you begin creating a collection, make sure to create a matter. For more information, see [Matters on page 13](#).

Use the following procedure to create a collection:

1. On the Collect tab, click the **Collections** sub-tab. Collect displays a list of the collections currently added to this application.
2. Click **New Collection**.
3. Complete the steps in the Collect wizard. See [Using the Collect wizard below](#)
4. On the Collection Details page, click **Run Collection** in the console. See [Collect console on page 113](#).

For information on running concurrent Microsoft 365 collection jobs, see [Accessing Microsoft 365 tenants on page 55](#).

19.2 Using the Collect wizard

The Collect wizard takes you through each step to create a collection. After completing the collection setup, run a collection from the Collection console.

Collection wizard security permissions

- **Custodian**—View

When a step is complete, click **Next** or the hyperlink under the next step shown. Click the **Previous** button to move to the previous step. Information is auto-saved when moving between steps. If any required information is wrong or missing, an error message displays and you cannot move to the next step.

19.2.1 Collection Details

Complete the Collection Details step by entering information in the following fields:

- **Name**—the name of the collection. Enter a name using alphanumeric characters only. You cannot use special characters, such as periods, commas, and em dashes. Special characters will cause an error.
- **Collection Matter**—the name of the matter associated with this collection. Click **Edit** to select an existing matter or click **Add** to define a new one. See [Creating a matter on page 13](#).
- **Job Number**—lists a number assigned to the job for reporting purposes.
- **Processing Source Location**—the file repository for collected data to be stored for future processing of documents or for storing collected data. All data sources that produce RSMF have a limit of 200 MB. For more information, see Processing documentation.
- **ZIP Collected Files**—toggle on to compress all collected data into ZIP64 formatted containers. Relativity can compress Microsoft 365, Slack, and X1 data into zip folders.
 - Selecting **Yes** on the Collect Files in ZIP field adds your collected data into containers and puts it into a password protected compressed folder. The compressed folders separated by the custodian target collected. Each custodian target collect has its own folder. These folders will split when reaching a set size.

The compressed folders are then stored in the processing staging area by default.

- You can secure these compressed folders with a password. You can enter a password that you, or another user, needs to enter to open the compressed folder. Relativity stores these passwords in the password bank. You can retrieve them there at a later time.
 - To export your collected data, use the Staging Explorer.
 - Google compresses the data on their end and they exclude Google data from the ZIP64 formatted containers.
 - iManage does not support adding data to ZIP64 formatted containers.
- **Zip Password**—enter a password that is required by anyone attempting to decompress the ZIP64 container files. If you have Processing installed in the workspace, Collect will automatically populate the Processing Password Bank with the password so it is available at the time the collection is processed. Click the Show Password box to display the actual password in the field to ensure the characters are correct.

Note: Zip is supported by Microsoft 365, Slack, and X1. Google is exported as pre-zipped.

- **Enable Auto-Processing**—toggle on to enable auto-processing. If enabled, select the workspace, profile, and document prefix. Relativity processes all data in a completed collection, or completed with errors collection, after a collection finishes.
 - **Workspace**—select a workspace within your instance to use when creating a processing job.
 - **Processing Profile**—select a processing profile available in the drop-down menu. The available profiles are from the selected workspace.
 - **Document prefix** —select the document prefix option of *Use Entity Document Number Prefix* or *Use Processing Profile Document Number Prefix* to apply to each file in the processing set once it's published to a workspace.
- **Description**—enter a description of the collection used for reporting purposes.
- **Receive Progress Notifications**—toggle on to send or receive collection job status emails. The statuses include:
 - **Completed**—includes completed or completed with errors job status.
 - **Failed**—includes job status and reason for failure.
- **Notification Address**—enter the email address of person that wants to receive collection job statuses.
- **Data Source Type**—select one or more data sources to use in the collection. For more information, see [Data source types on page 18](#).

19.2.2 Data source

Configure the data source(s) chosen in the Collection Details step. Each data source has different criteria to enter. See the list of data source types under [Data sources on page 18](#) for information on each one.

You can select multiple data sources in the first step if you want to configure all or multiple sources in the step. Switch between each source to configure its criteria by using any of these methods:

- Click the name of the data source in the left navigation menu.
- Click **Next** and **Previous** to move you through the data sources.
- Select individual data sources by clicking on the checkbox and then using the right arrows to select them.

19.2.2.1 Data source criteria

Add criteria to collect specific data. To configure the data sources, complete the following fields:

- **Select and unselected tabs**—choose the data sources to collect from by moving unselected data sources to the selected list.
- **Field**—choose the field to filter on within the data source. This field is only required when you select a calendar source.
- **Operator**—choose an operator such as equals, contains, greater than, or less than.
- **Value**—enter a value to find in the selected field.

After selecting field options, you must click **Add Criteria**. You can add multiple criteria to search data sources. Things to know about criteria:



- Each criteria is then separated by an AND operator.
- Leave the data source criteria empty to collect all data from the sources.

19.2.3 Custodians

Complete the Custodians step by assigning custodians to the project. Follow the steps below to assign a custodian.

1. From the Unselected custodians table, use the column filters to locate custodians.
2. Click a checkbox next to a custodian. Collect supports up to 30 custodians (entities) assigned in a collection job. If you need more than 30 custodians, you need to create another collection job. This limit only applies to the number of custodians. There is no limit to the number of targets to be collected. For example, you can select 30 custodians and three data sources for a total of 90 targets for the collection job.

Note: If you select multiple Slack custodians in the same collection, the channels they share will only collect once.

3. Click the right arrow  icon to add select custodians. Click double right arrow  icon to add all custodians.
4. Click **Next**.

Note: There is a limit of 10,000 listed custodians with targets in the custodian picker.

19.2.4 Non-custodial

Note: This section only applies when SharePoint is selected as the data source.

Select non-custodial data sources to complete this step. Non-custodial data means you will select the sites that you want to collect. Selecting custodians is not required.

With non-custodial data, you can collect from parent-level sites only. All sub-sites under a parent site are automatically collected.

To select non-custodial data:

1. Click one or more data sources in the **Select Sources** column.
2. With one of the data sources highlighted, click the check boxes next to the sites you want to collect.

3. (Optional) Toggle on the **Show selected only** option in the SharePoint Sites table to only display the sites that have been selected for collection. The selected sites will display in a concise list at the top for easy review and confirmation before proceeding to the final Summary step.
4. Click **Next**.

19.2.5 Collection Summary

Complete the creation of the collection by reviewing all steps, custodians, data sources, and targets, before finalizing. If Google Workspace Microsoft 365 Slack X1 custodian targets were not created before you started the project, click **Generate Targets**. Clicking Generate Targets will check to see if targets exist for the custodians you have selected for collection. If the targets do not exist, Collect will automatically create them based on the email address contained in the Entity record for each custodian.

19.2.5.1 Targets

In the Targets section, you will see a number next a custodian's name. The number listed is the number of custodian targets found in the associated data source. A zero, 0, means Collect did not find any custodian targets with that email address in that data source. A one means Collect found a single custodian target associated with the email address within the data source. Any number greater than one means that Collect found multiple custodian targets with that email address within the data source.

If there is no color highlighting the number, it means Collect already found and generated the custodian target. If there is a green highlight, Collect autogenerated the custodian target. If there is a red highlight, Collect could not autogenerated this custodian target. If red, you can still manually generate the custodian target. For more information, see [Creating a custodian target on page 16](#).

Complete the collection setup by clicking **View Collection Details**. Once you finish creating the collection, it redirects you to the Collection Details page. From the Collection Details page, you can preview and run the collection from the [Collection Summary above](#).

19.2.5.2 Non-custodian targets

Note: This section only applies when SharePoint is selected as the data source.

In the Non-Custodian Targets section, you will see the target, target identifier, and the status.

- **Target**—the name you gave when creating the data source.
- **Target Identifier**—the URL of the SharePoint site.
- **Status**—a message telling you if the target is valid or invalid. If invalid, navigate to the data source details page and click the **Refresh Sites** button.

19.3 Identifying Collection data in Staging Explorer

This section helps to identify the components of the folder information within the Staging pane of the Staging Explorer as it relates to the Collections setup fields.

Use the sample screen below as a general guide for each data source type.

Collection Demo - PM

Workspace ID: 1187585

Artifact ID: 3819941

Name: GCE Logistics

Collection Matter: GCE Matter

Job Number: SFC-20241111-002

Description:

Processing Source Location: \\files\T002F\ProcessingSource

Auto Processing Workspace: Collection Demo - PM

Auto Processing Profile: Default

Auto Processing Document Numbering Prefix Option: profile

Previews

| Preview # | Status | Data Sources | Items |
|-----------|-----------------------|--------------|-------|
| 3819948 | Completed With Errors | | |
| 3819949 | Completed | | |

Custodian Details

| Artifact ID | Preview # | Job Type | Status |
|-------------|-----------|------------|-----------------------|
| 3819948 | | Collection | Completed With Errors |
| 3819949 | | Collection | Completed |

Staging Explorer

Staging

\\files\T002F\ProcessingSource\Collections\1187585\GCE Logistics_3819941

| Name | Date modified | Size |
|---------|-----------------------|------|
| 3819949 | 11/11/2024 11:58 A... | |
| 3819948 | 11/11/2024 11:58 A... | |

Page 1 of 1

Showing all 2 Items

Here is a breakdown of the folder components within the Staging pane of the Staging Explorer:

\\files\<T#####>\ProcessingSource\Collections\<WorkspaceID>\<CollectionName>_
<CollectionArtifactID>\<DataSourceArtifactID>

- The Processing Source Location from the Collections page becomes the file location for the data in Staging Explorer. It contains a sub-folder for Collections to house the Collection data. Using the above example, it would be:

\\files\T002F\ProcessingSource\Collections

- The Workspace ID folder in the Staging pane corresponds to the Workspace ID number listed after the "AppID=" in the URL. For example, 1187585 would be the Workspace ID from this URL: kcura.relativity.one/Relativity/RelativityInternal.aspx?AppID=1187585...

\\files\T002F\ProcessingSource\Collections\1187585

- The Name of the Collection from the Collections page and the Collection Artifact ID become the folder name within the Workspace ID folder. Using the above example, it would be:

\\files\T002F\ProcessingSource\Collections\1187585\GCE Logistics_3819941

- The Artifact ID of the data source used becomes the sub-folder. Using the above example, they would be:

\\files\T002F\ProcessingSource\Collections\1187585\GCE Logistics_3819941\3819948
\\files\T002F\ProcessingSource\Collections\1187585\GCE Logistics_3819941\3819949

In the case of grouped collections, such as Teams and Slack, there will be a folder within the collection folder corresponding to the data source type. Using Teams as an example, the file structure would be:

\\files\T002F\ProcessingSource\Collections\1187585\GCE Logistics_3819941\Teams

20 Viewing or editing Collection data

You can view and edit collection details. You can also use the Collect console to start and stop collections and view reports.

20.1 Collection details

You can display the collection details by clicking the name of a collection on the Collections tab. Collection also displays these details immediately after you add a new collection. On the Collection Details page, use the buttons at the top of the page to edit, delete, go back, edit permissions, or perform other collection tasks. Editing a collection takes you to the first step in the wizard. For more information, see [Using the Collect wizard on page 106](#).

Note: Once a collection has started, the collection details are read-only and cannot be changed.

- **Collection Details**—displays the information that you entered or selected when you created the collection:
 - **Name**—lists the name given to the collection.
 - **Collection Matter**—the matter used in the collection.
 - **Job Number**—the number assigned to the job for reporting purposes.
 - **Description**—the description of the collection used for reporting purposes.
 - **Processing Source Location**—the file repository that collected data is stored for future processing of documents or for storing collected data.
 - **Auto Processing Workspace**—the processing workspace if you toggled the field on.
 - **Auto Processing Profile**—the processing profile if you toggled the field on.
 - **Auto Processing Document Numbering Prefix Option**—the prefix option if you selected one.
 - **Job Status**—status of the collection. Statuses are New, Not Started, Started, Completed, Error, and Completed with Errors.
 - **Error Message**—the message if collection job did not complete due to errors.
 - **Zip Collected Files**—if you selected to zip collected files this box is checked.
 - **Zip Password**—the password that everyone needs to use to decompress the ZIP64 container files.
 - **Receive Email Notifications**—if you toggled on to send or receive collection job status emails this checkbox is checked.
 - **Notification Address**—the email address of the person that will receive collection job statuses.
- **Collection Console**—displays buttons that you can use to perform the tasks listed. See [Collect console on the next page](#).
- **Data Sources**—lists all the collection activities associated with this collection.
 - **Custodian**—the custodian associated with the collection.
 - **Source Instance**—the name of the data source associated with the collection.
 - **Data Type Name**—the name of the target associated with the collection.
 - **Status**—displays one of the following statuses:
 - **Not Started**—the collection has not been started.
 - **Started**—the collection is in progress.

- **Completed**—the collection is done.
 - **Completed with Errors**—the collection of the target completed and one or more targets had errors. For more information, see the [Errors report on page 118](#).
 - **Failed**—the collection failed. For more information, see [Graph Error Codes on page 118](#).
- **Error**—lists the error message if the status is Failed.
 - **Collected Items**—the number of files collected from the target without error. If nothing is collected, a 0 is listed.
 - **Collected Item Total**—the number of files that there are to collect without errors. If nothing is collected, a 0 is listed.
 - **Target**—the custodian target associated with the data source.
 - **Result Link**—a Comma Separated Values file download listing all individual items collected from the target. It contains all the associated metadata for each collected item as well. If no results, the file is empty. For more information, see [Viewing or editing Collection data on the previous page](#).
 Google Workspace results download as a .xml file that you can convert into a .csv file using a third-party tool.
 - **Error Link**—a Comma Separated Values file download listing any individual items that couldn't be collected because of errors during the collection. The report provides as much metadata as it can along with as much error information as we can get from the source to help identify what caused the error. If no errors, the file is empty. For more information on errors, see the [Errors report on page 118](#).

Note: Google Workspace results download as a .xml file that you can convert into a .csv file using a third-party tool.

- **Previews**—the status and estimated number of items and size of collection. This is available after starting a preview. For more information, see [Preview on the next page](#).
- **Custodian Details**—the status of the custodian and the source instance. This card also includes the filter criteria, items, size, and errors.


20.2 Viewing collected data

When Relativity collects the data, Relativity accepts the path names and file names that the source provides. On occasion, the collection source modifies the path name or file name.

There is a difference between viewing grouped and individual collections data. To view grouped collections data, for sources like Bloomberg Chat, Google Chat, Slack, and Teams, click the **Get Results** link to view your collection data. Although the Data Sources table will show N/A in the Collected Items and Collected Item Total columns, the collected data is still available in the download. These columns show N/A because more than one set of custodian data is included in the collection.

20.3 Collect console

After completing a setup, run the collection with the collection console. Verify connection, start or stop a collection, and view a collection report from the Collection console on the Collection Details page.



20.3.1 Preview

After setting up your collection job, you can preview the job. This is an inventory phase without running a full collection. You can see the estimated number of discovered items and collection size for each custodian target. These preview options help you decide to move forward or adjust your collection job.

Only available for Microsoft 365 Outlook mailboxes, calendars, contacts, and OneDrive. For more information, see [Microsoft 365 - Outlook data source on page 63](#) and [Microsoft 365 - OneDrive data source on page 55](#). Inactive mailboxes are not included in preview.


20.3.1.1 Start Preview

Click the **Start Preview** button to gain insight into the number of items and size of the collection as the collection is currently set up.

From here, you can start your collection or add a new preview.

20.3.1.2 Add New Preview

Click the **Add New Preview** button to adjust your collection job setup. In the Add New Preview modal, you can add a new preview based on previously started collect details or a blank wizard. You can add up to five previews.



Selecting the **Blank Wizard** option takes you back to the Collection Details step. You then need to complete the collection wizard with a new setup.

From here, you can start your collection.

20.3.2 Collection

Once you decide to move forward with your collection, you will use this section of the console to start, stop, and adjust your collection job.

20.3.2.1 Start Collection

Click the **Start Collection** button to begin the collect project.

20.3.2.2 Stop Collection

Click **Stop Collection** to end the collection project that is currently running. Once you click this button, a warning pop-up message appears to confirm that you want to stop. Once you stop a collection, the collection cannot be restarted.

20.3.2.3 Retry Collection

The Retry Collection button is only available when a collect job does not complete because of errors. Click **Retry Collection** to start another collect job that only retries the targets that have failed. You cannot retry targets that completed successfully.

20.3.2.4 Create Processing Job

Click **Create Processing Job** to create a processing set from the collected documents from the data sources. Locate these documents in the Processing Source Location set in Collection Details.

When you click the Create Processing Job button, a pop-up window displays with two fields:

- **Select a workspace**—select a workspace within your instance to select a Processing profile to use when creating a processing job.
- **Select a Processing Profile**—select a processing profile available in the drop-down menu. The available profiles are from the selected workspace.
- **Select a Document Numbering Prefix Option**—select *Use Processing Profile Document Number Prefix* or *Use Processing Profile Document Number Prefix* to apply to each file in the processing set once it is published to a workspace.
- **Clone Profile**—toggle off to use the selected processing profile. Toggle on to clone the selected processing profile and use the clone profile in conjunction with the created processing set.

Submit Collection to Processing?

A new processing job will be created within the workspace's Processing application. If you clone the selected profile, a new profile will be created and assigned to the job. Otherwise the selected profile will be used.

Select a Workspace: Documentation

Select a Processing Profile: Default

Select a Document Numbering Prefix Option: Use Processing Profile Document Number Prefix

Clone Profile:

Submit Collection Cancel

After selecting a processing profile and deciding on cloning the profile, click the **Submit Collection** button. Once you submit the collection, Relativity creates a processing set with the same name as the collection job. The processing set includes all data that was collected in the collection job.

20.3.2.5 Clone Collection

Click **Clone Collection** to duplicate the open collect job. You can clone any collect job that has a status other than New.

After clicking the Clone Collection button, a pop-up modal displays the progress and completion of the clone.

Once the job is cloned, it is placed in the Not Started status and you can find it in the Collections list under the same name with "Cloned - YYYY-MM-DD HH.MM.SS" amended to the end. All collection totals for the cloned job associated targets are reset to zero. The Collection Detail Custodian Target fields are reset to zero. The cloned collect job also generates the new targets.

20.3.2.6 Reports

Collect includes comprehensive reporting capabilities that you can use to view information about your collections. You can generate these reports in the collection console within a collection project. Click on the name of a report to download. When generating a report, Relativity downloads different files through your browser. For more information on specific reports, see [Reports on the next page](#).

21 Reports

Collect offers comprehensive reporting capabilities that you can use to view information about collections. You can set options to generate these reports based on matter and collection as well as other combinations.

21.1 Running reports

You can generate these reports in the collection console within a collection project. Click on the name of a report to download. Locate the Collection Summary and Collection Details report in the collection console. Locate the Results and Error report in the Data Sources table on the Collection Details page.

When generating a report, Relativity downloads different files through your browser.

Note: All report timestamps are in UTC.

21.1.1 Collection Summary report

The Collection Summary report includes the target, target status, number of items collected, and the collection size. The report is grouped by custodians. Grouping by custodians makes it easy to sort the targets for each custodian with subtotals for each custodian. Grand totals are at the end of the report. The report downloads as a PDF file.

This report also includes filters that were used at any point in the collection. For example, if a modification date that is greater than or equal to 1/1/2010 is added at the criteria level, then that filter is listed in the summary report table. If no filter criteria was specified for the job, the report lists a "No Filter Criteria Applied" message.

Group-type data sources are also included in the list of data sources. This section is at the beginning of the report. For example, if you collect from Outlook calendars, Outlook mailboxes, and Slack, all collection summaries are included in the report.

The short message grouped collections lists the custodians involved in the collect, along with the data sources. The top of the report includes the custodian list. This section's title is "Short Message Grouped Collections." The report table includes the data source, target status, the number of items collected, and the collection size in gigabytes.

21.1.2 Collection Details report

The Collection Details report includes two files: the first file includes the successfully collected results of all items and their metadata. The second file includes the errored collection data. The error file includes as many of the items and as much of the items' metadata as it can. The report downloads as a CSV file.

This report, both files, is also stored in the assigned Entra ID file share. It is included in the collection output.

21.1.3 Results report

The Results report link for each target downloads as a CSV or XML file that contains a list of all individual items collected. These items include emails, files, or other data. It contains all of the associated metadata for each item. If no items were collected the file is empty.

The Results report is a CSV file download of the results collected from Bloomberg, Box, iManage, Microsoft, Refinitiv Ikon, Slack, or X1 targets.

The Results report is an XML file download of the results collected from a Google target.

21.1.3.1 Hash identifier - SHA-256

Inside the spreadsheet there is an electronic fingerprint named SHA-256. When collecting documents, Microsoft adds the SHA-256 hash identifiers and then stores the hashes. A user can verify the original file by matching the SHA-256 identifiers. For more information, see [Microsoft's Retention Policies](#).

The SHA-256 is included in the Results report file and the Collection details report files.

21.1.4 Errors report

A Comma Separated Values file download of the errors that occurred during the collection from the target. If no errors occurred, the file is empty.

If the application is reporting errors with requests, creating objects, or parsing, check for correct permissions, check for healthy connections, and check if the fileshare is working. If the setup is correct, start diagnosing errors.

21.1.4.1 Errors.csv

The report file lists one error per line. Each item is listed with an error ID alongside the message of the error that caused the item failure. Per-item errors only occur in the download phase of the collection; if an error occurs before (for example, if data is unavailable during our check) or after (for example, the worker cannot write the results.csv file to the fileshare) then there will be no record in the errors.csv report.

21.1.4.2 Graph Error Codes

The Graph Error Codes category of error codes will occur if there is an issue with Graph when downloading an item. For more information, see Microsoft's Graph Errors documentation. There are different error categories. Handle each category error following instructions below. If the suggested resolutions don't fix the issue or if the code is not listed, contact [Relativity Support](#).

Transient

Transient errors appear in the report if the Microsoft Graph API has received too many requests in too short a time. If these errors appear, then the collection is putting too much pressure on external services. Retry the collection later.

- activityLimitReached
- quotaLimitReached
- serviceNotAvailable

Authentication

These errors deal with authentication of the Collect application. Check the Microsoft Azure application associated with the collection source instance and ensure it has the proper permissions.

- accessDenied
- notAllowed
- unauthenticated

For more information, see [Accessing Microsoft 365 tenants on page 55](#).

Modification

Modification errors appear when data changes between discovery and download. For example, moving data would cause a modification error. Restart the collection to resolve the error.

- itemNotFound
- resourceModified

File

The Microsoft Graph API prevents Relativity from collecting items marked as malware. Items marked as malware will always error. Relativity doesn't collect these files. To download these items, you must download them manually.

- malwareDetected

The other error codes shouldn't appear in Errors file, as they either deal with the uploading of data (which Collect doesn't do) or they deal with a malformed request, which indicates a bug. If they appear, contact [Relativity Support](#).

HTTP Errors

This error category occurs alongside Graph errors, as well as in a few other cases. For example, an HTTP error occurs when a file stream doesn't download. If the suggested resolution does not fix the issue or if the code is not listed, contact [Relativity Support](#).

Of the HTTP error codes, here are examples of some that may appear:

- **400: Bad Request**—the application requested a resource improperly. If this occurs, contact [Relativity Support](#).
- **401: Unauthorized**—the application doesn't have the proper permissions and the app key is correct.
- **403: Forbidden**—the application doesn't have the permissions and the app key is correct. These may also be associated with attempting to download a file with malware (see `malwareDetected`).
- **404: Not Found**—an item was moved between discovery and downloading. Restart the collection.
- **429: Too Many Requests**— the application has received more requests than it can handle. Retry the collection later.
- **504: Gateway Timeout**—this is related to the stability of the tenant being collected from. Retry the collection again later.
- **509: Bandwidth Limit Exceeded**—the application cannot support the amount of bandwidth needed. Retry the collection again later.

Other Errors

InvalidOperationException ("The item's downloaded hash does not match Microsoft's reported hash value.") – this occurs if the downloaded item's hash identifier and Microsoft's hash identifier differs. This error usually indicates something happened with the download that caused the data to become corrupted and can represent a transient error. Retry running the collection.

ArgumentException ("Non-file attached to...") - these exceptions occur when something other than a file is attached to an event or message. Relativity does not collect these items.

There are messages indicating that there was an issue creating a VCard, MIME, or iCal object. These indicate that there was an error translating Microsoft's response on these items into files, and are usually bugs in the Collection application. contact [Relativity Support](#).


There are messages indicating problems writing files to the file share. In this case, download went correctly, but there is an issue with the Relativity File Share preventing the write. contact [Relativity Support](#).

22 Status Summary

In Collect, you manage multiple collect jobs and you need to track all of them.

22.1 Job status

The job status dashboard to see the statuses of collection jobs. You can drill into each job from this dashboard. Able to look into the targets by custodian, data sources, or status to find out more about your collections. Focus on the collected components with this dashboard.



22.2 Reviewing job statuses

The job status dashboard is available after generating targets. To learn how to generate targets for a collection, see [Collection Summary on page 109](#). Once you generate targets, the dashboard organizes by collection jobs.

Status:

- **Not started**—the collection is set up, but hasn't been started.
- **Started**—the collection started and has not completed.
- **Completed**—the collection of the target completed without any errors.
- **Completed with Errors**—the collection of the target completed and had individual items that couldn't be collected. For more information, see the [Errors report on page 118](#).
- **Error**—the collection did not run successfully and couldn't collect from the target.

23 Target Status

The Target Status tab is a dashboard to see the statuses of collections. You can drill into each target from this dashboard. Able to look into the targets by custodian, data sources, or status to find out more about your collections. Focus on the collected components with this dashboard.

Collections Matters Custodian Targets Status Summary **Target Status** Collection Admin Monitor

Add Widget
Target Status
Export

▼ Status by Collection

▼ List

| # | Collection | Custodian | Source Instance: Sour... | Target | Collected Items | Status |
|----|-------------------------|-------------------|--------------------------|--|-----------------|-----------|
| 1 | GCE 08122022-001 | Evans, Greg | M365 - Outlook Email | greg.evans@relativitytest.onmicrosoft.com | 15 | Completed |
| 2 | GCE 08122022-001 | Gorman, Frank | M365 - Outlook Email | frank.gorman@relativitytest.onmicrosoft.com | 4 | Completed |
| 3 | GCE 08122022-002 | Evans, Greg | M365 - Outlook Email | greg.evans@relativitytest.onmicrosoft.com | 573 | Completed |
| 4 | GCE 09092022-001 | Evans, Greg | M365 - Outlook Email | greg.evans@relativitytest.onmicrosoft.com | 19 | Completed |
| 5 | GCE 09092022-001 | Gorman, Frank | M365 - Outlook Email | frank.gorman@relativitytest.onmicrosoft.com | 6 | Completed |
| 6 | GCE 11292022-001-Who... | Evans, Greg | M365 - Outlook Email | greg.evans@relativitytest.onmicrosoft.com | 479 | Completed |
| 7 | GCE 11292022-001-Who... | Martin, Alexander | M365 - Outlook Email | alexander.martin2@relativitytest.onmicrosoft.com | 1086 | Completed |
| 8 | GCE 11292022-002-Bog... | Evans, Greg | M365 - Outlook Email | greg.evans@relativitytest.onmicrosoft.com | 2 | Completed |
| 9 | GCE 11292022-002-Bog... | Martin, Alexander | M365 - Outlook Email | alexander.martin2@relativitytest.onmicrosoft.com | 125 | Completed |
| 10 | GCF 11292022-003-Hax... | Evans, Greg | M365 - Outlook Email | greg.evans@relativitytest.onmicrosoft.com | 2 | Completed |

Total: 87

24 Monitor

Monitor pending, running, and completed collect jobs in the Monitor tab. The Monitor page only tracks collect jobs from the last 24-hour time range.

- **Queued**—this column lists the created collect jobs that have not started.
- **Running**—this column lists collect jobs in progress and with their current progress displayed in a status bar.
- **Completed**—this column lists collect jobs completed successfully, completed with errors, the amount of data collected, and the elapsed time.

| QUEUED | RUNNING | COMPLETED |
|---|---|--|
| <p>Test</p> <p>bco custodian 201 ALL</p> <ul style="list-style-type: none"> Beta Custodian201 Relativity Test Outlook Beta Custodian201 Relativity Test OneDrive Beta Custodian201 Relativity Test Calendar Beta Custodian201 Relativity Test Contact | <p>bco custodian 203 1 of 2 collections completed</p> <ul style="list-style-type: none"> Beta Custodian203 Relativity Test OneDrive Completed 7762 files retrieved Elapsed time: 00:07:29 Beta Custodian203 Relativity Test OneDrive Retrieving 22987 out of 57501 files retrieved Estimated completion: 5/6/2019, 5:05:46 PM <div style="width: 39%;"></div> 39% 00:21:16 | <p>T010 Test 1</p> <ul style="list-style-type: none"> Beta Custodian202 Relativity Test OneDrive Completed With Errors 3006 files retrieved Elapsed time: 00:04:51 Beta Custodian202 Relativity Test Outlook Completed 116 emails retrieved Elapsed time: 00:00:03 <p>bco Custodian 201</p> <ul style="list-style-type: none"> Beta Custodian201 Relativity Test Outlook Completed 1010 emails retrieved Elapsed time: 00:00:16 Beta Custodian201 Relativity Test OneDrive Completed 2855 files retrieved Elapsed time: 00:04:10 |

| QUEUED | RUNNING | COMPLETED |
|-----------------------------------|---|--|
| <p>No collections are queued.</p> | <p>bco Groups 2 of 3 collections completed</p> <ul style="list-style-type: none"> Babbage, Ada Google Workspace Mail Data Source Collection completed 19268 Artifacts exported 384 MB downloaded Babbage, Ada Google Workspace Groups Data Source Collection completed 11 Artifacts exported 689 KB downloaded Babbage, Ada Google Workspace Drive Data Source Waiting for Export to complete 7302 out of 7350 Artifacts exported Estimated completion: 10/26/2020, 5:01:04 PM <div style="width: 99%;"></div> 99% 00:06:23 | <p>MN Gmail Test</p> <ul style="list-style-type: none"> Babbage, Ada Google Workspace Mail Data Source Collection completed 19268 Artifacts exported 384 MB downloaded |

Proprietary Rights

This documentation (“**Documentation**”) and the software to which it relates (“**Software**”) belongs to Relativity ODA LLC and/or Relativity’s third party software vendors. Relativity grants written license agreements which contain restrictions. All parties accessing the Documentation or Software must: respect proprietary rights of Relativity and third parties; comply with your organization’s license agreement, including but not limited to license restrictions on use, copying, modifications, reverse engineering, and derivative products; and refrain from any misuse or misappropriation of this Documentation or Software in whole or in part. The Software and Documentation is protected by the **Copyright Act of 1976**, as amended, and the Software code is protected by the **Illinois Trade Secrets Act**. Violations can involve substantial civil liabilities, exemplary damages, and criminal penalties, including fines and possible imprisonment.

©2025. Relativity ODA LLC. All rights reserved. Relativity® is a registered trademark of Relativity ODA LLC.

25 Index

A

Azure Application Registration Secret Expires 56, 64, 78, 87

Azure Client secret expired 56, 64, 78, 87

C

Collect 106, 117

Collect wizard 106