

Repeated content identification setup basics

This quick reference guide contains a basic workflow for setting up repeated content identification. For more detailed information, see the Analytics section of the documentation site.

Repeated content identification setup

The setup for running repeated content identification is comprised of two components:

1. Saved search
2. Structured analytics set

1. Saved Search Setup

Use the following conditions and fields to create the saved search used for email threading. You do not need to set a sort order on this search.

Search Name

Follow your team's normal protocol for naming searches.

Conditions

The condition for this search can be the same as the conceptual index search if it is different than the conditions noted below.

- Extracted text size is greater than 0 KB.
- Extracted text size is less than 15 MB.

Note: For workspaces with millions of documents, we recommend a sampling workflow. For more information, see Sampling for Repeated Content on the documentation site.

Fields

Any fields are acceptable.

2. Structured Analytics Set

Here are the steps and choices for creating a structured analytics set.

Structured Analytics Set Information

- **Name**—enter a name for the structured analytics set.
- **Prefix**—keep the default prefix or add your own prefix. Shorter prefixes, even just two characters, such as “LI,” take up less space in your views.
- **Operations to run**—select **Repeated content identification**.
- **Data source**—select the saved search you created above.

Structured Analytics Set Information *

Optional Settings

Name*

Prefix*

Operations to run*

- ☐ Email threading
- ☐ Name normalization
- ☐ Textual near duplicate identification
- ☐ Language identification
- ☒ Repeated content identification

Data source*

Repeated Content Identification

- **Minimum number of occurrences**—the minimum number of times a phrase must appear to be considered repeat content. We typically set this to .005 times the number of documents in your saved search.
- **Minimum number of words**—leave as default.
- **Maximum number of words**—leave as default.
- **Maximum number of lines to return**—leave as default.
- **Number of tail lines to analyze**—leave as default.

Repeated Content Identification

Minimum number of* occurrences

Minimum number of words*

Maximum number of words*

Maximum number of lines to* return

Number of tail lines to analyze*

Optional Settings

Choose the appropriate Analytics server.

Proprietary Rights

This documentation (“**Documentation**”) and the software to which it relates (“**Software**”) belongs to Relativity ODA LLC and/or Relativity’s third party software vendors. Relativity grants written license agreements which contain restrictions. All parties accessing the Documentation or Software must: respect proprietary rights of Relativity and third parties; comply with your organization’s license agreement, including but not limited to license restrictions on use, copying, modifications, reverse engineering, and derivative products; and refrain from any misuse or misappropriation of this Documentation or Software in whole or in part. The Software and Documentation is protected by the **Copyright Act of 1976**, as amended, and the Software code is protected by the **Illinois Trade Secrets Act**. Violations can involve substantial civil liabilities, exemplary damages, and criminal penalties, including fines and possible imprisonment.

©2026. Relativity ODA LLC. All rights reserved. Relativity® is a registered trademark of Relativity ODA LLC.